

บรรณานุกรม

- กรมควบคุมโรคติดต่อ กระทรวงสาธารณสุข. (2532). คู่มือการให้คำปรึกษาแนะแนวเกี่ยวกับโรคเอดส์. กรุงเทพฯ: ชุมชนสหกรณ์แห่งประเทศไทย.
- กระทรวงสาธารณสุข. (2545). แนวทางการดูแลผู้ติดเชื้อเอชไอวีและผู้ป่วยเอดส์เด็กและผู้ใหญ่ในประเทศไทย ปี 2545. กรุงเทพฯ: โรงพิมพ์การศาสนา.
- _____. (2546). แนวทางการปฏิบัติงานโครงการพัฒนาระบบบริการและติดตามผลการรักษาผู้ติดเชื้อเอชไอวีและผู้ป่วยโรคเอดส์ด้วยยาต้านไวรัส พ.ศ.2546. กรุงเทพฯ: โรงพิมพ์ ร.ส.พ.
- กุลระวี วิวัฒน์ชีวิน. (2541). ผลของการสะท้อนคิดด้วยตนเองต่อความสามารถในการดูแลตนเองและคุณภาพชีวิตของผู้ติดเชื้อเอชไอวี/เอดส์. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลสาธารณสุขและสัตยศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- เกสร เหล่าอรณะ. (2540). ความสัมพันธ์ระหว่างการรับรู้เกี่ยวกับโรคเอดส์ ปัจจัยพื้นฐานบางประการกับพฤติกรรมการดูแลตนเองของผู้ติดเชื้อเอชไอวี. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลครอบครัว, บัณฑิตวิทยาลัย, มหาวิทยาลัยขอนแก่น.
- เกียรติ รักรุ่งธรรม. (2541). ยาต้านเอดส์: กลไก เภสัชวิทยาและประสิทธิภาพ. กรุงเทพฯ: ชวนพิมพ์.
- _____. (2546). แนวทางการรักษา HIV Infection. กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- ชนิษฐา หาญปะสิทธิ์คำ. (2535). ผลของการส่งเสริมให้ผู้ป่วยมีส่วนร่วมในการดูแลตนเองต่ออาการไม่สุขสบาย ภาวะอารมณ์ และความพร้อมในการดูแลตนเองในผู้ป่วยมะเร็งที่ได้รับเคมีบำบัด. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต, สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- จริยวัตร คมพยัคฆ์, อุษาพร ชวลิตนิธิกุล, ชุตินา อัดถาการโกวิท, ราตรี โอภาส และอรชร ณ ระนอง. (2541). การรับรู้ความต้องการและการปฏิบัติด้านสุขภาพของผู้ติดเชื้อเอชไอวีและครอบครัว. กรุงเทพฯ: สำนักนโยบายและแผนอุดมศึกษา สำนักงานปลัดทบวงมหาวิทยาลัย.
- จันทนา บุญเคหา และสมพร เนติรัฐกร. (2550). คุณภาพชีวิตของผู้ติดเชื้อเอชไอวีและผู้ป่วยเอดส์ จังหวัดสมุทรสงคราม. วารสารโรคเอดส์, 19(2), 102-113.

จามจุรี แซ่หลู่. (2543). การรับรู้สุขภาพและการดูแลตนเองของผู้ติดเชื้อเอชไอวี/ผู้ป่วยเอดส์ที่ดำรงชีวิตอยู่ได้นานมากกว่า 7 ปี. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยสงขลานครินทร์.

จิรภา หงส์ตระกูล. (2532). ความสัมพันธ์ระหว่างปัจจัยบางประการ แรงสนับสนุนทางสังคม กับความสามารถในการดูแลตนเองในผู้ป่วยความดันโลหิตสูงชนิดไม่ทราบสาเหตุ. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต, สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

จิตติอาภา ตั้งคำวานิช. (2549). แบบจำลองเชิงสาเหตุของคุณภาพชีวิตในผู้ติดเชื้อเอชไอวี. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย, จุฬาลงกรณ์มหาวิทยาลัย.

ดวงกมล วัตราคุลย์. (2537). การสนับสนุนและส่งเสริมให้ผู้ป่วยที่ติดเชื้อเอดส์มีส่วนร่วมในการดูแลตนเอง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

ทัศนีย์ จินางกูร. (2530). คุณภาพชีวิตของผู้ป่วยไตล้มเหลวเรื้อรังที่รักษาด้วยการล้างช่องท้องแบบถาวร. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

ทิพวรรณ วานิชสันต์. (2545). ทักษะและพฤติกรรมในการดูแลสุขภาพของผู้ป่วยเอดส์ที่อยู่ในโครงการการใช้ยาต้านไวรัสเอดส์กรณีศึกษาโรงพยาบาลในพื้นที่สาธารณสุขเขต 1 ปี 2545. กรุงเทพฯ: สถาบันสำนักงานป้องกันควบคุมโรคที่ 1.

ธีรพล สุขมาก, เพียงใจ ดันตชน, อารี สุภาวงศ์ และรุ่งฤดี พิกุลงาม. (2549). ภาวะไขมันกระจายตัวผิดปกติจากการใช้ยาต้านรีโทรไวรัสที่โรงพยาบาลทุ่งสง. วารสาร โรคเอดส์, 19(1), 22-34.

นงนุช เชาวศิริลป. (2540). ผลของกระบวนการกลุ่มต่อพฤติกรรมการปรับตัวของผู้ติดเชื้อเอชไอวี. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

นัยนา ชี้อรรถบุญ. (2545). อาการไม่พึงประสงค์ของผู้ป่วยเอชไอวีและผู้ป่วยเอดส์ที่เข้าโครงการรับยาต้านไวรัสเอดส์ในเขต 11 นครศรีธรรมราช สำนักป้องกันควบคุมโรคที่ 11. วันที่ค้นข้อมูล 20 เมษายน 2551, เข้าถึงได้จาก <http://www.aids-thai.org/module/module5/>

นิตยา ดากวิริยะนันท์. (2534). ความสามารถในการดูแลตนเอง และคุณภาพชีวิตในผู้ป่วยมะเร็ง
บริเวณศีรษะ และคอ ขณะได้รับรังสีรักษาและภายหลังได้รับรังสีรักษาครบ.
วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต, สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย,
มหาวิทยาลัยมหิดล.

บำเพ็ญจิต แสงชาติ. (2540). พฤติกรรมการดูแลตนเองในผู้ติดเชื้อเอชไอวีและผู้ป่วยเอดส์:
การศึกษาในภาคตะวันออกเฉียงเหนือของประเทศไทย. คุณุณีนิพนธ์พยาบาลศาสตร
คุณุณีบัณฑิต, สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

_____. (2541). พฤติกรรมความเจ็บป่วยและการเผชิญปัญหาของผู้ติดเชื้อและผู้ป่วยเอดส์.
ใน พิมพวัลย์ บุญมงคล, เพ็ญจันทร์ ประดัมมูข และสันตนิย์ เรืองสอน (บรรณาธิการ),
องค์ความรู้ของงานวิจัยเอดส์ด้านสังคมศาสตร์และพฤติกรรมศาสตร์. กรุงเทพฯ: รุ่งแสง
การพิมพ์.

บุญใจ ศรีสถิตยัณรากร. (2547). ระเบียบวิธีการวิจัยทางพยาบาลศาสตร์ (พิมพ์ครั้งที่ 3). กรุงเทพฯ:
ยูเออนด์ ไอ อินเตอร์มีเดีย.

ปริญญารุ โธมทานันท์. (2547). โฆษณาการสำหรับผู้ติดเชื้อ HIV. วันที่ค้นข้อมูล 20 เมษายน 2551,
เข้าถึงได้จาก <http://www.gpo.or.th/rdi/html/index.html>

ปิยะนันท์ ลิ้มเรืองรอง. (2540). ความสัมพันธ์ระหว่างการสนับสนุนทางสังคมกับการปรับตัวต่อ
บทบาทความเป็นมารดาในระยะหลังคลอดของมารดาที่ติดเชื้อเอชไอวี. วิทยานิพนธ์
พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลแม่และเด็ก, บัณฑิตวิทยาลัย,
มหาวิทยาลัยมหิดล.

ปิยรัตน์ นิลอัยกา. (2537). ผลกระทบของการติดเชื้อเอชไอวีและผู้ป่วยเอดส์ต่อบุคคล ครอบครัว
และชุมชน. ใน วิจิตร ศรีสุพรรณ, วิลาวัณย์ เสนารัตน์, วิลาวัณย์ พิเชียรเสถียร, อะเกื้อ
อุณหะলেখกะ และพูนทรัพย์ โสภารัตน์ (บรรณาธิการ), การพยาบาลผู้ติดเชื้อเอชไอวีและ
ผู้ป่วยเอดส์ (หน้า 210-243). เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

เปรมฤทัย น้อยหมื่นไวย. (2536). ความสัมพันธ์ของปัจจัยพื้นฐาน แรงสนับสนุนทางสังคม ความ
พร้อมในการดูแลตนเองและคุณภาพชีวิตของผู้ติดเชื้อเอดส์. วิทยานิพนธ์วิทยาศาสตร
มหาบัณฑิต, สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

พรรชัย เรือนสิทธิ์. (2545). พฤติกรรมส่งเสริมสุขภาพจิตของผู้ติดเชื้อเอชไอวี. วิทยานิพนธ์
พยาบาลศาสตรมหาบัณฑิต, สาขาสุขภาพจิตและการพยาบาลจิตเวช, บัณฑิตวิทยาลัย,
มหาวิทยาลัยเชียงใหม่.

พัฒนากร ทองคำ. (2548). ผลของการให้ข้อมูลอย่างมีแบบแผนร่วมกับการฝึกอานาปานสติต่อความสามารถในการดูแลตนเองและความวิตกกังวลของผู้ติดเชื้อเอชไอวี. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย, จุฬาลงกรณ์มหาวิทยาลัย.

พิกุล นันทชัยพันธ์. (2537). การดูแลตนเองในผู้ติดเชื้อเอดส์: การศึกษาเชิงคุณภาพ. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

พิกุล นันทชัยพันธ์. (2539). รูปแบบการพัฒนาศักยภาพในการดูแลตนเองในผู้ติดเชื้อเอชไอวี/เอดส์. วิทยานิพนธ์พยาบาลศาสตรดุษฎีบัณฑิต, สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

พิไลลักษณ์ พึ่งพิบูลย์. (2549). ปัจจัยที่มีความสัมพันธ์กับพฤติกรรมเสี่ยงทางเพศในผู้ติดเชื้อเอชไอวี/ผู้ป่วยเอดส์ที่ได้รับยาต้านไวรัส. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลเวชปฏิบัติครอบครัว, บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.

มณฑา แห่งทรัพย์เจริญ. (2539). การศึกษาคุณภาพชีวิตของผู้ป่วยมะเร็งรังไข่ที่ได้รับเคมีบำบัด. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลแม่และเด็ก, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

ยุวดี ฤาชา, มาลี เลิศมาลีวงศ์, เขียวลักษณ์ เล่าหะจินดา, วิไล ลีสุพรรณ, พรรณวดี พุทธวัฒนะ, และ รุจิเรศ ธนรักษ์. (2543). วิจัยทางการแพทย์. กรุงเทพฯ: สยามศิลป์การพิมพ์.

รสสุคนธ์ วาริตสกุล, แสงหล้า พลนอก, ชลธิกร ด้านยุทธศิลป์, มัลลิกา ตั้งคำวนิช, ประภา ลิ้มประสูติ. (2544). การดูแลตนเองและคุณภาพชีวิตในผู้ติดเชื้อเอดส์ที่อยู่ร่วมกับครอบครัว. รายงานการวิจัย. คณะพยาบาลศาสตร์ มหาวิทยาลัยนเรศวร.

รัชนี ภูริสสัย. (2545). พฤติกรรมการแสวงหาการรักษาของผู้ติดเชื้อเอชไอวีและผู้ป่วยเอดส์ที่มารับบริการที่ศูนย์เพื่อนชีวิตใหม่ จังหวัดเชียงใหม่. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

ราชบัณฑิตยสถาน. (2542). พจนานุกรมฉบับราชบัณฑิตยสถาน พ.ศ. 2542. กรุงเทพฯ: สิริวัฒนาอินเตอร์พริ้นท์.

วรรณภา กุมารจันทร์. (2543). คุณภาพชีวิตของผู้สูงอายุในเขตภาคใต้ตอนบน. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

วันชัย มั่งคั่ง. (2551). การส่งเสริมคุณภาพชีวิตผู้ติดเชื้อ ผู้ป่วยเอดส์. ใน วิชาการพยาบาลสำหรับผู้ติดเชื้อเอชไอวี/เอดส์ และผู้ได้รับผลกระทบ (หน้า 50-87). สำนักงานหลักประกันสุขภาพแห่งชาติ.

วันเพ็ญ สุวรรณช่าง. (2542). ความสัมพันธ์ระหว่างแรงสนับสนุนทางสังคม ปัจจัยคัดสรร กับ พฤติกรรมเผชิญความเครียดของผู้ติดเชื้อเอชไอวีที่มารับบริการ โรงพยาบาลชลบุรี. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลชุมชน, บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.

วันเพ็ญ วงษ์จินดา. (2542). ประสิทธิภาพของการให้คำปรึกษาร่วมกับคู่มือการส่งเสริมสุขภาพ ต่อพฤติกรรมการดูแลตนเองของบุคคลวัยแรงงานที่ติดเชื้อเอดส์. วิทยานิพนธ์การศึกษามหาบัณฑิต, สาขาการพยาบาลสาธารณสุข, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

วิภา คำนธรงกุล. (2548). ยาด้านไวรัส: ความคาดหวังและความเป็นจริง. ใน พิระมณ นิงสานนท์, ทองกร ชัยรังษี, ลิซ่า กันธมาลา, พรทิพย์ ยุคานนท์, ถัทรภรณ์ ปิยักร, ศิริวรรณ สร้อยทรัพย์, ศิริกุล ลพสุนทร และปรางทิพย์ เนตรน้อย (บรรณาธิการ), *สรุปรายงานการสัมมนาระดับชาติเรื่องโรคเอดส์ ครั้งที่ 10* (หน้า 103-106). กรุงเทพฯ: โรงพิมพ์สำนักงานพระพุทธศาสนา.

ศดานันท์ ปิยกุล. (2542). คุณภาพชีวิตของผู้ติดเชื้อเอชไอวีและผู้ป่วยเอดส์ ในโรงพยาบาลสันป่าตองและโรงพยาบาลสันทราย จังหวัดเชียงใหม่. วิทยานิพนธ์การศึกษามหาบัณฑิต, สาขาสังคมศาสตร์การแพทย์และสาธารณสุข, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

สมจิตร คุลาทอง. (2547). ปัจจัยที่มีผลต่อการรับประทานยาอย่างสม่ำเสมอของผู้ป่วยที่รับประทานยาด้านไวรัสเอดส์. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลอนามัยชุมชน, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

สรชัย พิศาลบุตร, เสาวรส ใหญ่สว่าง และปรีชา อัสวเดชาบุตร. (2550). การสร้างและประมวลผลข้อมูลจากแบบสอบถาม (พิมพ์ครั้งที่ 2). กรุงเทพฯ: วิจัยพัฒน์.

สัณชัย ชาสมบัติ, ชีวันนท์ เลิศพิริยสุวัฒน์ และพรทิพย์ ยุคานนท์. (2546). แนวทางปฏิบัติงานโครงการพัฒนาระบบบริการ และติดตามผลการรักษาผู้ติดเชื้อเอชไอวีและผู้ป่วยโรคเอดส์ด้วยยาด้านไวรัสเอดส์ พ.ศ. 2546 (พิมพ์ครั้งที่ 2). กรุงเทพฯ: โรงพิมพ์ ร.ส.ช.

สัณชัย ชาสสมบัติ, ชีวันนัท เลิศพิริยสุวัฒน์ และพีรมน นิงสานนท์. (2547). โครงการการเข้าถึง
บริการยาด้านไวรัสเอดส์ระดับชาติสำหรับผู้ติดเชื้อเอชไอวีและผู้ป่วยเอดส์. นภสาร, 1(3),
1-8.

สำนักงานสาธารณสุขจังหวัดฉะเชิงเทรา. (2551). สถานการณ์โรคเอดส์ จังหวัดฉะเชิงเทรา
สิงหาคม 2551. ฉะเชิงเทรา: สำนักงานสาธารณสุขจังหวัดฉะเชิงเทรา. รายงานการประชุม.
สำนักกระบวนวิชา กรมควบคุมโรค กระทรวงสาธารณสุข. (2552). สถานการณ์ผู้ป่วยเอดส์ ณ วันที่
31 มกราคม พ.ศ. 2552. วันที่ค้นข้อมูล 19 เมษายน 2552, เข้าถึงได้จาก
<http://www.aidsthai.org>

สำนักโรคเอดส์ วัณโรค และโรคติดต่อทางเพศสัมพันธ์. (2547). แนวทางดูแลผู้ติดเชื้อและผู้ป่วย
เอดส์อย่างครบถ้วนและต่อเนื่อง พ.ศ. 2547. กรุงเทพฯ: โรงพิมพ์การศาสนา.

สุวรรณา บุญยะสิทธิ์พรหม, อัมพรพรรณ ชีรานุกร, เจียมจิตร แสงสุวรรณ, การุณย์ หงษ์กา
และผ่องเพ็ญ เจียมสาริต. (2540). ปัจจัยคัดสรร และความสามารถในการดูแลตนเองใน
ผู้ติดเชื้อเอดส์. ขอนแก่น: คณะพยาบาลศาสตร์ มหาวิทยาลัยขอนแก่น.

เสาวลักษณ์ ยาสุวรรณ. (2545). คุณภาพชีวิตของผู้ดูแลผู้ที่เป็นโรคจิตเภท. วิทยานิพนธ์
พยาบาลศาสตรมหาบัณฑิต, สาขาสุขภาพจิตและการพยาบาลจิตเวช, บัณฑิตวิทยาลัย,
มหาวิทยาลัยเชียงใหม่.

สุดจิตร แก้วมณี. (2548). อาการและการจัดการกับอาการของผู้ที่ได้รับยาด้านไวรัสเอดส์ใน
โรงพยาบาลศูนย์เขตภาคใต้. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาล
ผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยสงขลานครินทร์.

สุรพล สุวรรณกุล และมีทนา หาญวนิชย์. (2535). โรคเอดส์ทางคลินิก. ใน มัทนา หาญวนิชย์,
สุทัศน์หา ยิ้มแย้ม และ กอบกุล พันธุ์เจริญวรกุล. (2533). การศึกษาเกณฑ์ปกติ
เกี่ยวกับอัตมโนทัศน์ของคนไทย. รายงานการวิจัย. ภาควิชาสถิติศาสตร์และนรีเวชวิทยา
คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่ และมหาวิทยาลัยมหิดล.

สุรศักดิ์ ฐานีพานิชสกุล และสัญญา ภัทราชัย. (2540). ความรู้เกี่ยวกับโรคเอดส์. ใน สุรศักดิ์
ฐานีพานิชสกุล, สุวัชัย อีทรประเสริฐ และสัญญา ภัทราชัย (บรรณาธิการ). เอดส์ใน
สุติกรรมและวางแผนครอบครัว (หน้า 3-23). กรุงเทพฯ: ช้างฟ้า.

สุรางรัตน์ สุรงคพิตร. (2547). คุณภาพชีวิตของผู้ติดเชื้อเอชไอวีและผู้ป่วยเอดส์ โรงพยาบาล
คอยสะเก็ด จังหวัดเชียงใหม่. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการ
พยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

สุริพร ชนศิลป์. (2538). การพยาบาลผู้ติดเชื้อเอชไอวีและผู้ป่วยเอดส์ (พิมพ์ครั้งที่ 2). กรุงเทพฯ: โรงพิมพ์จุฬาลงกรณ์มหาวิทยาลัย.

สุวัฒน์ มหัตนิรันดร์กุล, วิระวรรณ ดันติพัฒน์สกุล และวนิดา พุ่มไพศาลชัย. (2545). เครื่องชี้วัดคุณภาพชีวิตขององค์การอนามัยโลกชุดย่อ ฉบับภาษาไทย (WHOQOL-BREF-THAI). เชียงใหม่: โรงพยาบาลสวนปรุง จังหวัดเชียงใหม่.

อรุณพร อธิรัตน์. (2542). อาหารสมุนไพรสำหรับผู้ติดเชื้อเอชไอวี. วารสารการแพทย์แผนไทย, 3(3), 68-75.

AIDS Education & Training Centers. (2006). *HIV classification: CDC and WHO staging systems*. Retrieved April 22, 2009, from <http://www.aidsetc.org>

Bastardo, Y. M., & Kimberlin, C. L. (2000). Relationship between quality of life, social support and disease-related factors in HIV-infected persons in Venezuela. *AIDS Care*, 12(5), 673-684.

Battaglioli, A. M. (2007). Strategies for improving patient adherence to therapy and long term patient outcomes. *Journal of the Association of Nursing in AIDS Care*, 18(1), 17-22.

Brandt, P., & Weinert, C. (1981). The PRQ-a social support measure. *Nursing Research*, 30, 277-280.

Call, S. A., Klapow, J. C., Stewart, K. E., Westwall, A. O., Mallinger, A. P., DeMasi, R. A., et al. (2002). Health-related quality of life and virologic outcomes in an HIV clinic. *Quality of Life Research*, 9, 977-985.

Caplan, G. (1974). *Support system and community mental health*. New York: Behavioral Publications.

Carriei, P., Spire, B., Duran, S., Katlama, C., Peyramond, D., Francois, C., et al. (2002). Health-related quality of life after 1 year of highly active antiretroviral therapy. *AIDS*, 32(1), 38-45.

Chesney, M. A. (2000). Factors affecting adherence to antiretroviral therapy. *Clinical Infection Disease*, 30(2), S171-S176.

- Chesney, M. A., Ickovics, J. R., Chambers, D. B., Gifford, A. L., Neidig, J., Zwickl, B., & Wu, A. W. (2000). Self-reported adherence to antiretroviral medications among participants in HIV clinical trials: The AACTG adherence instruments. *AIDS Care*, 12(3), 255-266.
- Clingerman, E. (2004). Physical activity, social support, and health-related quality of life among persons with HIV disease. *Journal of Community Health Nursing*, 21(3), 179-197.
- Cobb, S. (1976). Social support as a moderator of life stress. *Psychosomatic Medicine*, 38, 300-314.
- Cowdery, J. E. & Pesa, J. A. (2002). Assessing quality of life in women living with HIV infection. *AIDS Care*, 14(2), 235-245.
- Coyne, P. J., Lyne, M. E., & Watson, A. C. (2002). Symptom management in people with AIDS. *American Journal of Nursing*, 102(8), 48-52.
- Eriksson, L. E., Nordström, G., Berglund, T., & Sandström, E. (2000). The health-related quality of life in a Swedish sample of HIV-infected persons. *Journal of Advances Nursing*, 32(5), 1213-1223.
- Eyler, A. E., Wilcox, S., Matson-Koffman, D., Evenson, K. R., Sanderson, B., Thompson, J., et al. (2002). Correlates of physical activity among women from diverse racial/ ethnic groups. *Journal of Womens Health and Gender Based Medicine*, 11(3), 239-253.
- Flaskerud, J. H. & Ungvarski, P. J. (1995). *HIV/AIDS: A guide to nursing care* (3rd ed.). Philadelphia: Saunders.
- Ferrans, C. E. (1996). Development of a conceptual model of quality of life. *Scholarly Inquiry for Nursing Practice: An International Journal*, 10(3), 293-304.
- Ferrans, C. E., Zrewic, J. J., Wilbur, J. E., Larson, J. L. (2005). Conceptual model of health-related quality of life. *Journal of Nursing Scholarship*, 37(4), 336-342.
- Friedland, J., Renwick, R., McColl. (1996). Coping and social support as determinants of quality of life in HIV/AIDS. *AIDS Care*, 8, 15-31.
- Gary, J. (1996). Meeting psychosocial need. *RN*, 59(8), 23 - 27.
- Gottlieb, S. (2000). Non-compliance often the cause when AIDS drug "fail". *British Medicine Journal*, 320, 208.

- Hanucharunkul, S. (1988). *Social support, self-care and quality of life in cancer patients receiving radiotherapy in Thailand*. Doctoral dissertation, Department of Nursing, Faculty of Graduate School, Wayne State University.
- Hays, R. D., Cunningham, W. E., Sherbourne, C. D., Wilson, I. B., Wu, A. W., Cleary, P. D., McCaffrey, D. F., Fleishman, J. A., Crystal, S., Collins, R., Shapiro, F. M., & Bozzette, S. A. (2000). Health-related quality of life in patients with human immunodeficiency virus infection in the United States: Results from the HIV cost and services utilization study. *The American Journal of Medicine*, 108, 714-722.
- Holzemer, W. L., Henry, S. B., Nokes, K. M., Corless, I. G., Brown, M., Powell-Cope, G. M., Turner, J. G., & Inouye, J. (1999). Validation of the sign & symptom check-list for persons with HIV disease (SSC-HIV). *Journal of Advanced Nursing*, 30, 1041-1049.
- Holzemer, W. L., Hudson, A., Kirksey, K. M., Hamilton, M. J., Bakken, S. (2001). The revised sign and symptom check-list for HIV (SSC-HIV). *Journal of the Association of Nursing in AIDS Care*, 12(5), 60-70.
- House, J. S. (1981). *Work, stress and social support*. Reading, MA: Addison-Wesley.
- Hudson, A., Kirksey, K., & Holzemer, W. L. (2004). The influence of symptoms on quality of life among persons HIV-infected woman. *Western Journal of Nursing Research*, 26, 9-23.
- Hunt, P. W., Deek, S. G., Rodriguez, B., Valdez, H., Shade, S. B., Abrams, D. I., et al. (2003). Continued CD4 cell count increases in HIV-infection adults experiencing 4 years of virus suppression on antiretroviral therapy. *AIDS*, 17, 1907-1915.
- Jia, H., Uphold, C. R., Wu, S., Reid, K., Findley, K., & Duncan, P. W. (2004). Health-related quality of life among men with HIV infection: Effects of social support, coping, and depression. *AIDS Patient Care and STDs*, 18, 594-603.
- Jia, H., Uphold, C. R., Wu, S., Chen, G. J., & Duncan, P. W. (2005). Predictive of change in health-related quality of life among men with HIV infection in HAART ear. *AIDS Patient Care and STDs*, 19, 395-405.
- Johnson, M. O., & Folkman, S. (2004). Side effect and disease related symptom representations among HIV + adults on antiretroviral therapy. *Psychology, Health & Medicine*, 9(2), 139-147.

- Kalichman, S. C. (1998). *Understanding AIDS: Advances in Research and Treatment* (2nd ed.). Washington, DC: American Psychological Association.
- Kanabus, A., & Fredriksson, J. (2005). *History of AIDS up to 1986, History of AIDS from 1987 to 1992, History of AIDS from 1993 to 1997 and History of AIDS from 2003 onwards*. Retrieved November 29, 2007, from <http://www.AVERT.org>
- Knobel, H., Guelar, A., Valdecillo, G., Carmona, A., Gonzalez, A., Lopez-Colomes, J. L., et al. (2001). Response to highly active antiretroviral therapy in HIV-infected patients aged 60 years or older after 24 month follow-up. *AIDS*, 15, 1591-1592.
- Levin L. S. (1976). The layperson as the primary health care practioner. *Pubic Health Reports*, 91(3), 206-210.
- Liu, C., Johoson, L., Ostrow, D., Silvestre, A., Visscher B., & Jacobson, L. P. (2006). Predictors for lower quality of life in the HAART ear among HIV-infection men. *Acquire Immune Deficiency Syndrome*, 42(4), 470-477.
- Maneesriwongul, W., Tulathong, S., Deekong, Y., & Williams, A. (2003). Development and testing of the instruments measuring self-reported medication adherence, knowledge about HIV/AIDS, and social support among patients receiving HAART and their caregivers. *Unpublished report*.
- Mannheimer, S. B., Matts, J., Telzak, E., Chesney, M., Child, C., Wu, A. W., et al. (2005). Quality of life in HIV-infected individuals receiving antiretroviral therapy is related to adherence. *AIDS Care*, 17, 10-22.
- Mrus, J. M., Williams, P. L., Tsevat, J., Cohn, S. E., & Wu, A. W. (2005). Gender difference in health-related quality of life in patients with HIV/ AIDS. *Quality of Life Research*, 14, 479-491.
- Meeberg, G. A. (1993). Quality of life: A concept analysis. *Journal of Advanced Nursing*, 18, 45-60.
- Murri, R., Fantoni, M., Borgo, C. D., Visona, R., Barracco, A., Zambelli, A., Testa, L., Orchi, N., Tozzi, V., Bosco, O., & Wu, A. W. (2003). Determinants of health-related quality of life in HIV-infected patients. *AIDS Care*, 15(4), 581-590.
- Newshan, G., & Sherman, D. W. (1999). Palliative care pain and symptom management in persons with HIV/AIDS. *Nursing Clinic of North America*, 34(1), 131-144.

- Nigsanon, N., Lertpiriyasuwat, C., Thanprasertsuk, S., Smitakestrin, S., Yachonnpuu, C., Luddaglom, J., et al. (2004). Effectiveness of HIV treatment and care in northern Thailand. *XV International AIDS Conference, July 11-16, 2004 Bangkok, Thailand*.
- Orem, D. E. (1991). *Nursing: Concepts of practice*. St. Louis: Mosby.
- Padilla, G. V., & Grant, M. M. (1985). Quality of Life as a cancer nursing outcomes variable. *Advance in Nursing Science*, 8, 45-60.
- Palacio, H. et al., (2004). Healthcare use by varied highly active antiretroviral therapy (HAART) strata: HAART use, discontinuation and naivety. *AIDS*, 18, 621-60.
- Paterson, D. L., Swindells, S., Mohr, J., Brester, M., Vergis, E.N., Squier, C., Waqener, M. M., & Singh, N. (2000). Adherence to protease inhibitor therapy and outcomes in patients with HIV infection. *Annals of Internal Medicine*, 133(1), 21-30.
- Pol, S. et al. (1996). Improvement of the CD4 cell count after alcohol withdrawal in HIV-positive alcoholic patients. *AIDS*, 10(10), 1293-1294.
- Polit, D. F., & Hungler, B. P. (1999). *Nursing Research: Principles and Methods* (6th ed.). Philadelphia: Lippincott.
- Puttapitukpol, S. (2001). *A Causal Model of the Health Responsibility of Pregnant Adolescents*. Doctoral dissertation, Department of Nursing, Faculty of Graduate Studies, Mahidol University.
- Sighem, A. I. V., et al. (2003). Mortality and progression to AIDS after start highly active antiretroviral therapy. *AIDS*, 17, 2227-2236.
- Smith, J. B., Coombs, V. J., & Larson, E. (1994). HIV infection, exercise and immune function. *Journal of Nursing Scholarship*, 26, 277-281.
- Sousa, K. H., Holzemer, W. L., Henry, S. B., & Slaughter, R. (1999). Dimensions of health-related quality of life in persons living with HIV disease. *Journal of Advanced Nursing*, 29(1), 178-187.
- Spitzer, W., Dobson, A., & Hall, J. (1981). Measuring the quality of life of cancer patients. A concise QL-index for use by physicians. *Journal of Chronic Disease*, 34, 585-597.
- Stangl, A. L., Wamai, N., Mermin, J., Awor, A. C., & Bunnell, R. E. (2007). Trends and predictors of quality of life among HIV-infection adults taking highly active antiretroviral therapy in rural Uganda. *AIDS Care*, 19(5), 626-636.

- Steel, J. L., Landsittel, D., Calhoun, B., Wieand, S., & Kingsley, L.A. (2006). Effects of lipodystrophy on quality of life and depression in HIV-infection men on HAART. *AIDS Patient Care and STDs*, 20, 565-575.
- Stowe, A. et al. (1993). Significant relationship and social support of injecting drug users and their implications for HIV/ AIDS services. Special issue: The family and HIV disease. *AIDS Care*, 5(1), 23-33.
- UNAIDS. (2008). *08 AIDS epidemic update*. Retrieved April 18, 2009, from http://data.unaids.org/pub/EPISlides/2008/2008_epiupdate_en.pdf
- Wachtel, T. Pietle, J., Mor, V., Stein, M., Fleishman, J., & Carpenter, C. (1992). Quality of life in persons with human immunodeficiency virus infection: Measurement by the medical outcomes study instrument. *Internal Medicine*, 116(2), 129-137.
- Weiss, R. S. (1974). The provision of social relationships. In Z. Rubin (Ed.), *Doing unto others* (pp. 17-26). Edgewood Cliffs, N. J.: Prentice-Hall.
- WHOQOL Group. (1995). The world health organization quality of life assessment (WHOQOL): Position paper from the world health organization. *Social Science & Medicine*, 41(10), 1403-1409.
- WHOQOL-HIV Group. (2003). Preliminary development of the world health organization's quality of life HIV instrument (WHOQOL-HIV): Analysis of the pilot version. *Social Science & Medicine*, 57(57), 1259-1275.
- Wilson, I. B., & Cleary, P. D. (1995). Link clinical variables with health-related quality of life: A conceptual model of patient outcomes. *Journal of the American Medical Association*, 273, 59-65.
- Wu A. W., Revichi. D. A., Jacobson, D., Malitz, F. E. (1997). Evidence for reliability, validity and usefulness of the medical outcomes study - health survey (MOS-HIV). *Quality of Life Research*, 6(6) 481-493.
- Youle, M. (1998). Reasons for discontinuation of protease inhibitor treatment: A clinical survey. (12th ed.) [Abstract]. *World AIDS conference Geneva abstract*, 4, 3235.
- Zhan, J. (1992). Quality of life: Concept and measurement issues. *Journal of Advance Nursing*, 17, 795-800.

Zich, J. & Temoshok, L. (1990). Perceptions of social support, distress and hopelessness in men with AIDS and ARC: Clinical implication. In L. Temoshok, & A. Baum (Eds.), *Psychological Perspective on AIDS*. New York: Hilldale-Lawrence.

มหาวิทยาลัยบูรพา
Burapha University