

บรรณานุกรม

บรรณานุกรม

กรมประมง. (2525). สถิติกรมประมงแห่งประเทศไทย ปี 2506-2523. กรุงเทพฯ : กรมประมง.

กรมประมง. (2534). สถิติผลผลิตสัตว์น้ำทะเลประเภทหอยและอื่นๆ ปี 2532. กรุงเทพฯ : กรมประมง.

กาญจนภาชน์ ถิ่นมนต์, สุจินต์ ดีแท้, และวิทยา ศรีมนอก. (2534). อนุกรมวิธานและนิเวศวิทยาของหอยทะเลในประเทศไทย. กรุงเทพฯ : สำนักงานคณะกรรมการวิจัยแห่งชาติ.

นลินี ทองแถม. (2542, 20 เมษายน). ปลิงทะเล...สัตว์อภัพที่ใครๆ มองข้าม. มติชนสุดสัปดาห์.

บพิธ จารุพันธุ์, และนันทพร จารุพันธุ์. (2540). สัตววิทยา. กรุงเทพฯ : ภาควิชาสัตววิทยา คณะวิทยาศาสตร์ มหาวิทยาลัยเกษตรศาสตร์.

ปิยะมศ รอดมา. (2539). การศึกษาชนิดของเอไคโนเดิร์มบริเวณชายฝั่ง จังหวัดชลบุรีและจังหวัดระยอง. ปัญหาพิเศษ, สาขาวิชาชีววิทยา คณะวิทยาศาสตร์ มหาวิทยาลัยบูรพา.

มัทนา แสงจินดาวงศ์. (2516). การศึกษาชนิดและคุณค่าทางอาหารของปลิงทะเล. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต, สาขาวิชาสัตววิทยา มหาวิทยาลัยเกษตรศาสตร์.

วัฒนา ไวยนิยา. (2531). การศึกษาชนิดของปลิงทะเลที่เป็นอาหารตั้งแต่จังหวัดประจวบคีรีขันธ์-สุราษฎร์ธานี. กรุงเทพฯ : กองประมงทะเล, กรมประมง.

สมพร ศรียากร. (2513). การศึกษาทางอนุกรมวิธานของเอไคโนเดิร์ม ที่ได้จากการสำรวจร่วม ไทย-เดนมาร์ก ครั้งที่ 5 ทางด้านชีววิทยาทางทะเลบริเวณชายฝั่งตะวันตกของประเทศไทย ในมหาสมุทรอินเดีย. ปรินญาโทวิทยาศาสตร์มหาบัณฑิต, คณะวิทยาศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.

สมชัย บุศราวิช, และนลินี ทองแถม. (2543). การประมงและการค้าปลิงทะเล ในประเทศไทย. วารสารการประมง, 53(2), 161-167.

สืบสิน สนธิรัตน์. (2539). อนุกรมวิธานของสัตว์. กรุงเทพฯ : ภาควิชาวิทยาศาสตร์ทางทะเล คณะประมง มหาวิทยาลัยเกษตรศาสตร์.

สุเมตต์ ปุจฉาการ. (2541). การศึกษาอนุกรมวิธานของเอไคโนเดิร์ม บริเวณชายฝั่งทะเลตะวันออก. กรุงเทพฯ : สำนักงานคณะกรรมการวิจัยแห่งชาติ.

สุเมตต์ ปุจฉาการ, ธนิษฐา ทรัพย์นันทน์, และสุรพล ชุมหับฉัตติ. (2541). การศึกษาเบื้องต้นเกี่ยวกับความหลากหลายทางชีวภาพของเอไคโนเดิร์มบริเวณสถานีวิจัยทรัพยากรชายฝั่งมหาวิทยาลัยเกษตรศาสตร์ จังหวัดระนอง. ใน การเสนอผลงานภาคบรรยายการประชุมทางวิชาการของมหาวิทยาลัยเกษตรศาสตร์ ครั้งที่ 36. กรุงเทพฯ : มหาวิทยาลัยเกษตรศาสตร์.

สุเมตต์ ปุจฉาการ, อารมณ มุจรินทร์, และพิชัย สนแจ้ง. (2543). ปลิงทะเลอันดับ Aspidochirotida ที่อาศัยอยู่ในแนวปะการัง หมู่เกาะล้านและหมู่เกาะไผ่ จังหวัดชลบุรี. ใน การประชุมวิชาการของมหาวิทยาลัยเกษตรศาสตร์ ครั้งที่ 38 (หน้า 92-100). กรุงเทพฯ : มหาวิทยาลัยเกษตรศาสตร์.

อารมณ มุจรินทร์. (2541). การศึกษาอนุกรมวิธานของปลิงทะเล บริเวณหมู่เกาะล้านและหมู่เกาะไผ่ จังหวัดชลบุรี. ปัญหาพิเศษ, ภาควิชาวิทยาศาสตร์ คณะวิทยาศาสตร์ มหาวิทยาลัยบูรพา.

Bertolini, F. (1933). Regenerazione dell'apparato digerente nelle Holothurian. *Pubbl. Staz. Zool. Napoli.*, 12, 432-443.

Binyon, J. (1972). *Physiology of echinoderms*. Oxford : Pergamon Press.

Birkeland, C. (1989). The influence of echinoderms of coral-reef communities. In M. Jangoux and J.M. Lawrence (eds.), *Echinoderm studies* 3 (pp.1-7). Rotterdam : A.A. Balkema Publishers.

Brattstrom, H. (1941). Studien uber die echinodermen des gebietes zwischen skagerrak und ostsee undersokn. *Oresund Lund*, 27, 1-329.

Bussarawit, S., & Hansen, B. (1987). The first PMBC/DANIDA training course and workshop on taxonomy, biology and ecology of echinoderms. *Phuket Marine Biological Center Special Publication*, 5, 1-9.

Bussarawit, S., & Thongtham, N. (1999). Sea cucumber fisheries and trade in Thailand. In *International Conference on the Conservation of Sea Cucumber in Malaysia : 25 February 1999, Kaula Lumpur, Malaysia* (pp. 26-36). Phuket : Phuket Marine Biological Center.

Cannon, L.R.G., & Silver, H. (1986). *Sea cucumbers of Northern Australia*. Australia : Queensland Museum.

Chao, S.M., & Chang, K.H. (1989). The shallo-water holothurians (Echinodermata : Holothuroidea) of Southern taiwan. *Bull. Inst. Zool.*, 28(2), 107-137.

- Cherbonnier, G. (1955). Holothuries récoltées en océan Francaise. *Bull. Mus. Hist. Nat. Paris*, 27, 135-141.
- Cherbonnier, G. (1955 a). Holothuries récoltées en océan Francaise. *Bull. Mus. Hist. Nat. Paris*, 27, 77-82.
- _____. (1955 b). Résultats scientifiques des campagnes de la 'Calypso' Les Holothuries de la Mar rouge. *Annls. Inst. océanogr*, 30, 129-183.
- _____. (1980). Holothuries de Nouvelle-Calédonie. *Bull. Mus. Natn. Hist. Nat. Paris*, 3, 853-856.
- _____. (1984). Redescription et nouvelle position générique de l'holothurie dendrochirote *Euthyonidiella atlantica* (Ludwig et Heding). *Bull. Mus. Natn. Hist. Nat., paris*, 2, 853-856.
- _____. (1984 a). Les holothuries de Nouvelle-Calédonie Deuxième contribution (Première partie : synallactidae et holothuriidae). *Bull. Mus. Natn. Hist. Nat. paris*, 3, 659-700.
- _____. (1984 b). Les holothuries de Nouvelle-Calédonie Deuxième contribution (Deuxième partie : Stichopodidae, Cucumariidae, Phyllophoridae et synaptidae)1. *Bull. Mus. Natn. Hist. Nat. paris*, 4, 827-851.
- Clark, A.M. & Rowe, F.W.E. (1971). *Monograph of shallow-water Indo-West Pacific echinoderms*. London : British Museum (Natural History).
- Clark, H.L. (1899). The synaptas of the New England coast. *Bull. U.S. Fish Comm.*, 19, 21-31.
- _____. (1907). The apodous holothurians. A monograph of the Synaptidae and Molpadiidae. *Smithson. Contr. Knowl.*, 35 (1723), 1-231.
- Conand, C. (1998). Holothurians (Sea cucumbers, Class Holothuroidea). *Food and Agriculture Organization of the United Nation*, 2, 1158-1190.
- Dawbin, W.H., (1949). Auto-evisceration and regeneration of viscera in the holothurian *Stichopus mollis* (Hutton). *Trans. Roy. Soc. N. Z.*, 77, 497-523.
- Deichmann, E. (1921). On some cases of multiplication by fission and of coalescence in holothurians; with notes on the synonymy of *Actinopyga parvuala*. *Vidensk. Medd. Dansk. Naturh. Foren. Kbh.*, 73, 199-214.
- Domantay, J. S. (1931). Autotomy in holothurians. *Nat. Appl. Sci. Bull. Univ. Phillip.*, 1, 389-404.

- Fell, F.J. (1982). *Echinodermata*. New York : McGraw-Hill Book Company.
- Gillers, R. (1975). *Marine ecology ii physiology mechanisms part 1*. New York : John Wiley and Sons.
- Guille, A., Laboute, P., & Menou, J.L. (1986). Guide des étoiles de mer, oursins et autres échinodermes du lagon de Nouvelle Calédonie. Coll. *OSTROM*, 5, 238.
- Heding, S.G. (1928). Papers from Dr. Th. Mortensen's Pacific expedition 1914-1916. XLVI. Synaptidae. *Vidensk. Medd. Dansk. Naturh. Foren. Kbh.*, 85, 105-323.
- Hess, C. (1914). Untersuchungen uber den Lichtsinn bei Echinodermen. *Pap. Roy. Soc. Tasm.*, 96, 49-72.
- Hyman, L.H. (1955). *The invertebrates. Vol. IV, Echinodermata. The coelomate bilateria*. New York : Mc Graw-Hill.
- Jangoux, M., & Lawrence, J.M. (1989). *Echinoderm studies*. Rotterdam : A.A. Balkema.
- James, D.B. (1965). *Phyllophorus (Phyllophorella) parvipedes* Clark (Holothuroidea) a new record to the Indian Seas. *Journal Marine Biological Associative of India*, 7(2), 325-327.
- James, D.B., & Pearse, J.S. (1969). Echinoderms from the Gulf of Suez and the Northern Red Sea. *Journal Marine Biological Associative of India*, 11(1-2), 78-125.
- Jaquemet, S., & Conand, C. (1999). The beche-de-mar trade in 1995/1996 and assessment of exchanges between the main world markets. *Marine ecology laboratory, University of La Reunion*, 11-15.
- Kanjana-vanit, D. (1978). *Studies on the distribution and abundance of holothurians at Pan Wa Beach, Phuket, Thailand*. Phuket : Phuket Marine Biological Center.
- Lane, D.J.W., Marsh, L.M., Spiegel, D.V., & Rowe, F.W.E. (2000). Echinoderm fauna of the South China Sea : An inventory and analysis of distribution patterns. *The Raff. Bull. Zool.*, 8, 459-493.
- Leonardo, L.R., & Cowan, M.E. (1984). *Shallow- water holothurians of Calatagan, Batagas, Philippines*. Philippines : Filpinas Foundation, Inc.
- Liao, Y. (1975). The echinoderms of Xisha Island, Guangdong province, China I. *Holothuroidea, studia marine sinica*, 10, 199-230.

- Massin, C. (1996). *Zootogische verhandelingen results of the rumphius biohistorical expedition to Ambon (1990). Part. 4. The holothurioidea (echinodermata) collected at Ambon during the rumphius biohistorical expedition*. Leiden : The nationaal natuurhistorisch museum.
- Massin, C. (1999). *Zootogische verhandelingen reef dwelling holothuroidea (echonodermata) of the Spermonde Archipelago (South-West Sulawesi, Indonesia)*. Leiden : The nationaal natuurhistorisch museum.
- Milne, D. H. (1995). *Marine life and the sea*. Washington : Wadsworth Publishing Company.
- Mosher, C. (1956). Observations on evisceration and visceral regeneration in the sea cucumber, *Actinopyga agassizi* Selenka. *Zoologica N.Y.*, 41, 17-26.
- Nichols, D. (1962). *Echinoderms*. London : Hutchinson University Library.
- Olmsted, J. (1917). The comparative physiology of *Synaptula hydriformis* (Lesueur). *J. exp. Zool.*, 24, 33-379.
- Pawson, D.L. (1963). The holothuria fauna of Cook Strait, New Zealand. *Zool. Publ. Vict. Univ. N.Z.*, 36-38.
- (1966). Ecology of Holothuria. *Department of Zoology, University of California*, 63-71 .
- Pearse, A.S. (1909). Autotomy in holothurians. *Biol. Bull. Mar. Biol. Lab.*, 18, 42-49.
- Reyes-Leonardo, L.D. (1984). A taxonomie report of shallow-water holothurians of Calatagan, Batangas. *The Philippine Jaournal of Science*. 113(3-4), 137-172.
- Roberts, D., & Bryce, C. (1982). Further observations on tentacular feeding mechanisms in Holothurians. *J. Exp. Mar. Biol. Ecol.*, 25, 151-163.
- Rowe, F.W.E. (1969). A review of the the family Holothuriidae (Holothurioidea : Aspidochirotida). *Bull. Br. Mus. Nat. Hist. (Zool.)*, 18(4), 119-170.
- Rowe, F.W.E., & Doty, J.E. (1977). The shallow-water holothurians of Guam. *Micronesica*, 13 (2), 217-250.
- Rowe, F.W.E., & Gates, J. (1995). *Zoological catalogue of Australia : Echinodermata*. Australia : CSIRO Cataloguing.
- Sers, M. (1867). Om echinodermer og coelenterater fundne ved lofoten. *K. norske vidensk. Selsk. Skr.*, 19-23.

- Smith, E.H. (1962). Studies of *Cucumaria curata* Cowles, 1907. *Pacif. Nat.*, 3, 233-246.
- Swan, E.R. (1961). Seasonal evisceration in the sea cucumber, *Parastichopus californicus* (Stimpson). *Science*, 133, 1078-1079.
- Tan Tiu, A.S. (1981). The intertidal holothurian fauna (Echinodermata : Holothuroidea) of mactan and the neighboring Island, Central Philippines. *The Philippine Scientist*, 18, 45-119.
- Tao, L. (1930). Notes on the ecology and the physiology of *Caudina chilensis* (Müller) in Mutsu Bay. *Pacif. Sci. Congr.*, 3, 7-11.
- Tokuhisa, S. (1915). On *Stichopus Japonicus* in Nanao Bay. *Suisan kenkyushi*, 10(2), 33-37.
- Ursin, E. (1960). A quantitative investigation of the echinoderm fauna of the central North Sea. *Medd. Komm. Hjavunders. Kbh.*, 2 (24), 1-204.
- Yamanouchi, T. (1929). Notes on the behavior of the holothurian *Caudina chilensis*(J. Müller). *Sci. Rep. Res Insts. Tohoku Univ., (Biol)*, 4, 73-115.
- _____. (1939). Ecological and physiological studies on the holothurians in the coral reef of Palao Islands. *Palao trop. Biol. Stud.*, 4 , 603-636.
- _____. (1941). Studies on the useful holothurians in Palao Islands. *Kagaku-Nanyo(Science of the South Seas)*, 4(2), 136-148.
- _____. (1942). On the feeding habit of *Stichopus japonicus* Selenka. *Zool. Mag., Tokyo*, 54 (9), 334.
- _____. (1956). The daily activity rhythms of the holothurians in the coral reef of the Palao Islands. *Publ. Seto mar. biol. Lab.*, 5, 347-362.