

รายการอ้างอิง

- สนิท อักษรแก้ว. (2541). ป่าชายเลน นิเวศวิทยาและการจัดการ. กรุงเทพฯ: สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์.
- อนุเทพ ภาสุระ. (2540). เอกสารประกอบการสอน 305302 ไมคอล โลยี. ชลบุรี: ภาควิชาจุลชีววิทยา มหาวิทยาลัยบูรพา.
- Alderman, D. J., Harrison, J. L., Bremer, G. B., & Jones, E. B. G. (1974). Taxonomic revision in the marine biflagellate fungi: The ultrastructural evidence. *Marine Biology*, 25, 345-357.
- Alderman, D. J., & Jones, E. B. G. (1971). Physiological requirement of two marine phycomycetes, *Althonia crauchii* and *Ostracoblabe implexa*. *Transaction of the British Mycological Society*, 57, 213-225.
- Alexopoulos, C. W., Charles, W. M., & Blackwell, M. (1996). *Introductory mycology* (4th ed.). New York: John Wiley & Sons.
- Barclay, W., & Zeller, S. (1996). Nutritional enhancement of n-3 and n-6 fatty acids in rotifers and *Artemia nauplii* by feeding spray-dried *Schizochytrium* sp. *Journal of the World Aquaculture Society*, 27(3), 314-322.
- Barr, D. J. S., & Allan, P. M. E. (1985). A comparison of the flagella apparatus in phytophthora, saprolegnia, *thraustochytrium*, and *rhizidiomyces*. *Canadian Journal of Botany*, 63, 138-154.
- Bremer, G. B. (1976). Lower marine fungi (Labyrinthulomycetes) and decay of mangrove leaf litter. *Hydrobiologia*, 295, 89-95.
- Booth, T., & Miller, E. C. (1968). Comparative morphologic and taxonomy studies in the genus *Thraustochytrium*. *Mycologia*, 60, 480-495.
- _____. (1969). *Production of n-3 polyunsaturated fatty acids by thraustochytrids, physiology and optimization*. Doctoral dissertation, Department of Microbiology, Portsmouth University.
- Bowles, R. D. (1997). Longchain n-3 polyunsaturated fatty acid production by members of the marine protistan group the thraustochytrids: Screening of isolates and optimization of docosahexaenoic acid production. *Journal of Biology*, 70, 199-202.

- Cienkowski, L. (1867). Über den Bau und die Entwicklung der Labyrinthuleen. *Archives Mikrobiologie*, 3, 274.
- Dangeard, P. A. (1910). Etudes sur le developpement et la structure des organismes inferieurs. *Botaniste*, 1, 58.
- Drebes, E. A. (1974). Morphology and taxonomy of fungi. *Archives Mikrobiologie*, 11, 7-20.
- Fan, K. W., Chen, F., Jones, E. B. G., & Vrigmoed, L. P. (2001). Ecosapentaenoic and docosaheptaenoic acids production by and okara utilizing potential of thraustochytrids. *Journal of Industrial Microbiology and Biotechnology*, 27, 199-202.
- Fan, K. W., Vrigmoed, L. L. P., & Jones, E. B. G. (2002). Physiological studies of subtropical mangrove thraustochytrids. *Botanica Marina*, 45, 50-57.
- Gaertner, A. (1979). Some fungal parasites found in the diatom populations of Rosfjord area (South Norway) during March 1979. *Veroff Institute of Meeresforsch Bremerh*, 18, 29-33.
- . (1981). A new marine phycomycete, *Schizochytrium minutum*, sp. Nov. (Thraustochytriaceae) from saline habitats. *Veroff Institute of Meeresforsch Bremerh*, 19, 61-69.
- Goldstein, A., & Belsky, M. (1964). Axenic culture studies of a new marine phycomycete possessing and unusual type of asexual reproduction. *American Journal of Botany*, 51, 72-78.
- Honda, D., Yokochi, T., Nakahara, T., Erata, M., & Higashihara, T. (1998). *Schizochytrium limacinum* sp. Nov., a new thraustochytrids from a mangrove area in the west Pacific Ocean. *Micrological Research*, 102(4), 439-448.
- Honda, D., Yokochi, T., Nakahara, T., Ranghukumar, S., Nakagiri, A., Schaumann, K., & Higashihara, T. (1999). Molecular phylogeny of labyrinthulids and thraustochytrids based on the sequencing of 18S rRNA gene. *Journal of Eukaryotic Microbiology*, 46(6), 637-647.
- Honda, D. (2001). Phylogeny and taxonomy of labyrinthulids. *Aquabiology*, 132(23), 7-18.
- Hunt, E. A. (2000). *The production of n-3 polyunsaturated docosaheptaenoic acid by member of the marine protistan group, the thraustochytrids*. Doctoral dissertation, Department of Microbiology, Portsmouth University.

- Jaritkhuan, S., Suanjit, S., & Manthachitra, V. (2004). Thraustochytrids from fallen mangrove leaves along the eastern coast of the gulf of Thailand. In *Paper presented at 9th international marine and freshwater mycology symposium 14-19 November, 2004*. n.p.
- Jaritkhuan, S., Suanjit, S., Prayunpun, M., Chaoruangrit, L., Boon-Tang, S., & Manthachitra, V. (2005). Diversity of thraustochytrids from fallen leaves of pristine and anthropogenic mangrove forests in Thailand. In *Paper presented at the international conference "Innovations and technologies in oceanography for sustainable Development, ITOS 2005" 26-29 September, 2005*. n.p.
- Jensen, R. P., Jenkins, M. K., Porter, D., & Fenical, W. (1998). Evidence that a new antibiotic flavone glycoside chemically defends the sea grass *Thalassia testudinum* against zoospore fungi. *Applied and Environmental Microbiology*, 64(4), 1490-1496.
- Karling, J. S. (1981). Predominantly holocarpic and eucarpic simple biflagellate phycomycetes. *American Journal of Botany*, 82, 51-56.
- Leander, C. A., & Porter, D. (2000). Redefining the genus *Aplanochytrium* (Phylum Labyrinthulomycota). *Mycotaxon*, (XXV), 439-444.
- Leano, E. M. (2001). Straminipilous organisms from fallen mangrove leaves from Panay Island, Philippines. *Fungal Diversity*, 2, 75-80.
- . (2002). Ecology of straminipiles from mangrove habitats. *Fungal Diversity Research Series*, 7, 111-134.
- Molisch, H. (1926). Nature of *Pseudoplasmodium aurantiacum*. *Micrological Research*, 95, 853-855.
- Nakahara, T., Yokochi, T., Higashihara, T., Tanaka, S., Yaguchi, T., & Honda, D. (1996). Production of docosahexaenoic and docosapentaenoic acids by *Schizochytrium* sp. isolated from Yap Island. *Journal of the American Oil Chemists Society*, 73(11), 1421-1426.
- Newell, S. Y., & Fell, J. W. (1992). Distribution and experimental responses to substrate of marine oomycetes (*Halophytophthora* spp.) in mangrove ecosystem. *Micological Research*, 96, 851-856.

- Newell, S. Y., Midler, J.D., & Fell, J. W. (1987). Rapid and pervasive occupation of fallen mangrove leaves by a marine zoosporic fungi. *Applied and Environmental Microbiology*, 53, 2464-2469.
- Olive, L. S. (1975). *The Mycetozoan*. New York: Academic Press.
- Perkins, F. O. (1972). The ultrastructure of holdfasts, "rhizoids", and "slime tracks" in thraustochytriaceous fungi and *Labyrinthula* spp. *Archives Mikrobiologie*, 84, 95-118.
- _____. (1973). A new species of marine labyrinthulids *Labyrinthuloides yorkensis* gen. Spec. nov. Cytology and fine structure. *Archives Mikrobiologie*, 90, 1-17.
- Porter, D. (1989). Phylum labyrinthulomycota. In L. Margulis, J. O. Corliss, M. Melkonian, & D. J. Chapman (Eds.), *Handbook of protocista* (pp. 388-398). Boston: Jones & Bartlett Publisher.
- Ragan, A. M., MacCallum, S. G., Murphy, A. C., Cannone, J. J., Gutell, R. R., & McGladdery, E. S. (2000). Protistan parasite QPX of hard-shell clam *Mercenaria mercenaria* is a member of labyrinthulomycota. *Diseases of Aquatic Organisms*, 42, 185-190.
- Ranghukumar, S. (1988 a). Detection of the thraustochytrid protist *Ulkenia visurgensis* in a hydroid, using immunofluorescence. *Marine Biology*, 97, 253-258.
- _____. (1988 b). *Schizochytrium octosporum* sp. nov. and other thraustochytrids from the North Sea (Rosfjord, Norway). *Transaction of the British Mycological Society*, 90, 273-278.
- _____. (1988 c). *Schizochytrium mangrovei* sp. nov. a thraustochytrids from mangrove in India. *Transaction of the British Mycological Society*, 90, 627-631.
- _____. (1992). Bacterivory: A novel dual role for thraustochytrids in the sea. *Marine Biology*, 113, 165-169.
- Ranghukumar, S., & Chandralata, R. (1999). Thraustochytrids fungoid protists in faecal pellets of the tunicate *Pegea confoederata*, their tolerance to deep-sea conditions and implication in degradation process. *Marine Ecology Progress Series*, 190, 133-140.
- Ranghukumar, S., & Geartner, A. (1992). Occurrence of the thraustochytrids, *Corallochytrium limacisporum* gen. et sp. nov. in the coral reef lagoons of the Lakshadweep islands in the Arabian Sea. *The Biology Bulletin*, 170, 72-78.

- Ranghukumar, S., Sharma, S., Sathe-Pathak, V., & Chandramohan, D. (1994). Thraustochytrid and fungal components of marine detritus. IV. Laboratory studies on decomposition of leaves of the mangrove *Rhizophora apiculata* Blume. *Journal of Experimental Marine Biology and Ecology*, 183, 113-131.
- Riemann, F., & Schrage, M. (1983). On a mass occurrence of a thraustochytrids protist (fungi or rhizopoda protozoa) in an Antarctic anaerobic marine sediment. *Veroff Institute of Meeresforsch Bremerh*, 19, 191-202.
- Sharma, S., Ranghukumar, S., Sathe-Pathak, V., & Chandramohan, D. (1994). Thraustochytrid and fungal component of marine detritus II laboratory studies on decomposition of brown alage *Sarrgassum cinereum*. *Marine Biology*, 175, 227-242.
- Sparrow, F. K. (1936). Biological observations on the marine fungi of woods hold waters. *The Biology Bulletin*, 70, 236-263.
- _____. (1943). *The aquatic phycomycetes*. University of Michigan Press: Ann Arbor, U.S.A.
- Tan, T. K., & Pek, C. L. (1997). Tropical mangrove leaf litter fungi in Singapore with an emphasis on *Halophytophthora*. *Mycological Research*, 101, 165-168.
- Ulken, A., Jackle, I., & Bahnweg, G. (1985). Morphology, nutrition and taxonomy of an *Aplynocytrium* sp. from the Sargasso Sea. *Marine Biology*, 85, 89-95.
- Valkanov, H. S. (1929). The nutritional requirements of isolates of *Labyrinthula* in Zen. *Microbiology*, 12, 451-456.
- Watson, W. S., & Raper, B. K. (1957). *Labyrinthula minuta* sp. nov. *Journal of Genetic Microbiology*, 17, 368-377.
- Young, E. L. (1943). Observations sur la famille der *Labyrinthulees* et sur quelques aytres parasite des *Cladophora*. *Botanish*, 11, 217-219.
- Zopf, W. (1892). The westing disease of *Zostera marina*. *Botanish*, 4, 115-119.