

บรรณานุกรม

- กัญจน์ พัตติยะ. (2530). ผลการสอนอย่างมีแบบแผนต่อระดับความวิตกกังวล และการปรับตัวต่อการเป็นมารดาในผู้ป่วยครรภ์แรกที่ผ่าตัดคลอดทางหน้าท้อง. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต, สาขาการพยาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- กัลยา วาณิชย์บัญชา. (2548). การใช้ SPSS for windows ในการวิเคราะห์ข้อมูล (พิมพ์ครั้งที่ 7). กรุงเทพฯ: ภาควิชาสถิติ คณะพาณิชยศาสตร์และการบัญชี จุฬาลงกรณ์มหาวิทยาลัย.
- ชนิษฐา นาคะ. (2534). ความวิตกกังวลและความต้องการข้อมูลในผู้ป่วยก่อนผ่าตัด. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต, สาขาการพยาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- คณาจารย์ภาควิชาสถิติวิทยา คณะวิทยาศาสตร์ มหาวิทยาลัยมหิดล. (2545). สถิติวิทยา (พิมพ์ครั้งที่ 3 ปรับปรุงแก้ไข). กรุงเทพฯ: เท็กแอนด์เจอร์นัล.
- เจียรนัย โพธิ์ไทรย์. (2539). การคลอดอย่างมีคุณภาพ: มติใหม่สำหรับพยาบาล. พยาบาลสาร, 23(4), 1-5.
- ชาญชัย วันทนาศิริ และดวงสิทธิ์ วัฒมนารา (บรรณาธิการ). (2550). สถิติเวชทันยุค. กรุงเทพฯ: ภาควิชาสถิติศาสตร์-นรีเวชวิทยา คณะแพทยศาสตร์ศิริราชพยาบาล มหาวิทยาลัยมหิดล.
- ชื่นชม สมประเสริฐ. (2526). ผลของการฝึกสมาธิต่อระดับความวิตกกังวล. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต, สาขาจิตวิทยาคลินิก, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- ธีระพงศ์ เจริญวิทย์ และคณะ. (2548). สถิติศาสตร์ (พิมพ์ครั้งที่ 3). กรุงเทพฯ: ภาควิชาสถิติศาสตร์-นรีเวชวิทยา คณะแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.
- นิตยา คชภักดี. (2540). ประสบการณ์การคลอดครั้งแรก. นิตยสารรักลูก, 15(177), 156-159.
- บั้งอร ศิริบุรณะภานนท์. (2540). การศึกษาพฤติกรรมกรรมการพยาบาลแบบสนับสนุนระดับรอง ในระยะคลอดตามการรับรู้ของพยาบาลและผู้คลอด. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลแม่และเด็ก, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- บุญใจ ศรีสถิตยัณราภรณ์. (2547). ระเบียบวิธีการวิจัยทางการพยาบาลศาสตร์ (พิมพ์ครั้งที่ 3). กรุงเทพฯ: คณะพยาบาลศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.

- ประกายแก้ว คำคำ. (2534). ผลการช่วยเหลือของสามีต่อผู้คลอดครรภ์แรกในระยะเจ็บครรภ์ต่อการควบคุมตนเอง ความต้องการยาระงับปวด ระยะเวลาในการคลอด และการรับรู้ประสบการณ์การคลอดของผู้คลอด. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต, สาขาการบริหารการพยาบาล, บัณฑิตวิทยาลัย, จุฬาลงกรณ์มหาวิทยาลัย.
- ปราณี แสงรุ่งนภาพรรณ. (2531). การมีส่วนร่วมของสามีในระยะเจ็บครรภ์ต่อความวิตกกังวลและพฤติกรรมการเผชิญภาวะเครียดของผู้คลอดครรภ์แรก ณ โรงพยาบาลศรีนครินทร์ จังหวัดขอนแก่น. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต, สาขาสารณสุขศาสตร์, สาขานามัยครอบครัว, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- พรรณพิไล ศรีอาภรณ์. (2540). การพยาบาลเพื่อช่วยประคับประคองสตรีในระยะคลอด. พยาบาลสาร, 24(2), 1-7.
- พริยา ศุภศิริ. (2547). การพยาบาลมารดาที่ยึดครอบครัวเป็นศูนย์กลาง: จากปรัชญาสู่การปฏิบัติ. วารสารคณะพยาบาลศาสตร์ มหาวิทยาลัยบูรพา, 12(3), 1-9.
- _____. (2549). การสนับสนุนทางการพยาบาลในระยะคลอด. วารสารคณะพยาบาลศาสตร์ มหาวิทยาลัยบูรพา, 14(1), 1-7.
- มานี ปิยะอนันต์, ชาญชัย วันทนาศิริ และประเสริฐ คันทน์ยวิทย์กุล (บรรณาธิการ). (2548). ตำราสูติศาสตร์. กรุงเทพฯ: ภาควิชาสูติศาสตร์-นรีเวชวิทยา คณะแพทยศาสตร์ศิริราชพยาบาล มหาวิทยาลัยมหิดล.
- รุ่งฤดี อุสาหะ, จีรเนาว์ ทัดศรี, ลดาวัลย์ ประทีปชัยกุล และนิตยา ตากวิริยะนันท์. (2542). ความสัมพันธ์ระหว่างการรับรู้ประสบการณ์การคลอด ความวิตกกังวล และสัมพันธภาพระหว่างมารดาวัยรุ่นครรภ์แรกหลังคลอดและบุตร. วารสารพยาบาลสงขลานครินทร์, 19(2), 1-10.
- ลักขณา บัวสมบุญ. (2550). การศึกษาพฤติกรรมในการพยาบาลในระยะคลอดตามการรับรู้ของพยาบาลและผู้คลอดโดยการพยาบาลแบบสนับสนุนประคับประคอง โรงพยาบาลนครปฐม. วารสารแพทย์เขต 6-7, 26(1), 93-109.
- วีรวรรณ ภาษาประเทศ ลดาวัลย์ ประทีปชัยกุล และวัฒนา ศรีพจนารถ. (2540). ผลของการสนับสนุนจากสามีต่อพฤติกรรมการเผชิญความเจ็บปวดและระดับความเจ็บปวดในระยะปากมดลูกเปิดเร็วของหญิงครรภ์แรก. วารสารพยาบาลสงขลานครินทร์, 17(1-4), 69-80.

- สุริรัตน์ ธาราคักดี. (2540). *ความสัมพันธ์ระหว่างการพยาบาลที่สนับสนุนการเผชิญความเครียดกับความวิตกกังวลของผู้คลอด*. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลมารดาและทารก, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- อุษา เชื้อหอม. (2534). *ผลของการเตรียมตัวคลอดต่อความวิตกกังวล ความเจ็บปวด ระยะเวลาคลอด และการรับรู้ประสบการณ์คลอด*. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต, สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- _____. (2543). การให้บริการสุขภาพด้านการคลอดในอนาคตกับบทบาทของพยาบาลในการพยาบาลผดุงครรภ์. *วารสารพยาบาล*, 49(2), 66-74.
- Bennett, V. R., & Brown, L. K., (Eds.). (1989). *Myles textbook for midwives* (11th ed.). Churchill Livingstone: English Language Book Society.
- Berkowitz, G., Scott, K., & Klaus, M. (1999). A comparison of intermittent and continuous support during labor: A meta-analysis. *American Journal of Obstetrics and Gynecology*, 180(5), 1054-1059.
- Bonica, J. J. (1994). *Text book of pain* (3rd ed.). Churchill Livingstone: Longman.
- Bramadat, I. J., & Driedger, M. (1993). Satisfaction with childbirth: Theories and methods of measurement. *Birth*, 20(1), 22-29.
- Brown, L. (1986). Social support during pregnancy and unidimensional or multidimensional construct?. *Nursing Research*, 35, 4-9.
- Brown, S. T., Campbell, D., & Kurtz, A. (1989). Characteristics of labor pain at two stages of cervical dilation. *Pain*, 38, 289-295.
- Brown, S., & Lumley, J. (1994). Satisfaction with care in labor and birth: A survey of 790. *Australian Women*, 21, 4-13.
- Callister, L. C. (1993). The role of the nurse in childbirth: Perceptions of the childbearing women. *Clinical Nurse Specialist*, 7, 288-293.
- Campbell, D. A., Lake, M. F., Falk, M., & Backstrand, J. R. (2006). A randomized control trial of continuous support in labor by a lay doula. *JOGNN*, 35(4), 456-464.
- Chamberlain, G., Wraight, A., & Steer, P. (1993). *Pain and its relief in childbirth*. London: Churchill Livingstone.

- Chunuan, S., Kala, S., & Kochapakdee, W. (2004). Childbirth policy in Thailand: Is it a time to change ?. *Songkhla Med J*, 22(4), 263-272.
- Cogan, R., & Spinnato, J. A. (1988). Social support during premature labor: Effects on labor and the newborn. *Journal of Psychosomatic Obstetric and Gynaecolog*, 8, 209-216.
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). New Jersey: Lawrence Erlbaum Associates.
- Copstick, S., Hayes, R., Taylor, K., & Morris, N. (1986). Partner support and the use of coping technique in labor. *Journal of Psychosomatic Research*, 30, 497-503.
- Corbett, C. A., & Callister, L. C. (2000). Nursing support during labor. *Clinical Nursing Research*, 9(1), 70-78.
- Cunningham, F. G., & Williams, J. W. (2005). *Williams Obstetrics* (22nd ed.). New York: McGraw-Hill.
- Davies, B. L., & Hodnett, E. (2002). Labor support: Nurses, self- efficacy & views about factors influencing implementation. *JOGNN.*, 31, 48-56.
- Davis-Flyod, R. B. (1992). *Birth as an American rite of progress*. California: University of California.
- Dick-Read, G. (1984). *The practice of natural childbirth* (4th ed.). New York: Haper and Rows.
- Eappen, S., & Robbins, D. (2005). Nonpharmacological means of pain relief for labor and delivery. *International Anestiology Clinics*, 91, 103-114.
- Fields, H. L. (1987). Central nervous system mechanism for control of pain transmission *pain*. New York: McGraw-Hill Book.
- Friedman, M. M., Bowden, V. R., & Jones, E. G. (2003). *Family nursing: Research, theory, & practice* (5th ed.). New Jersey: Prentice-Hall.
- Gagnon, A. J., & Waghorn, K. (1996). Support care by maternity nurses: A work sampling study in an intrapartum unit. *Birth*, 23(1), 1-6.
- Gale, J., Fothergill-Bourbonnais, F., & Chamberlain, M. (2001). Measuring nursing support during childbirth. *Maternal and Child Nursing Journal*, 26(5), 264-271.

- Gjerdengen, D. K., Froberg, D. G., & Fontaine, P. (1991). *The effects of social support on women's health during pregnancy, labor and delivery, and the postpartum period*. Retrieved January 10, 2007, from http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=1884933&query_hl=1&itool=pubmed_DocSum
- Gordon, N. P., Walton, D., McAdam, E., et al. (1999). Effects of providing hospital-based doulas in health maintenance organization hospitals. *Obstet Gynecol*, 93(3), 422-426.
- Gorrie, T. M., McKinney, E. S., & Murray, S. S. (1998). *Foundation of maternal-newborn nursing* (2nd ed.). Philadelphia: W.B. Saunders.
- Gottlieb, B. (1992). Quandaries in translating support concepts to intervention. In H. O. Veiel, & U. Baumann, (Eds.), *The meaning and measure of social support*. New York: Hemisphere.
- Haverkamp, A. D., Thompson, H. E., McFee, J. G., Cetrulo, C. (1976). The evaluation of continuous fetal rate monitoring in high-risk pregnancy. *Am J Obstet Gynecol*, 125, 310-7.
- Hallgren, A., Kihlgren, M., Norberg, A., & Forslin, L. (1995). Women's perceptions of Childbirth and childbirth education before and after education and birth. *Midwifery*, 11, 130-137.
- Hodnett, E. D. (1996). Nursing support of the laboring women. *JOGNN*, 25(3), 257-264.
- Hodnett, E. D. (2002). *Continuous caregiver support during childbirth has beneficial maternal and infant outcomes*. Retrieved January 10, 2007, from <http://ebn.bmjournals.com/cgi/content/full/5/4/105?maxtoshow=&HITS=1>
- Hodnett, E. D., & Osborn, R. (1989). A randomized trial of the effects of monitrice support during labor: Mothers, views two to four weeks postpartum. *Birth*, 16(4), 177-184.
- Hodnett, E. D., & Simmons-Tropea, D. (1987). The labor a gentry scale: Psychometric properties of an instrument measuring control during childbirth. *Res Nurs Health*, 10, 301-310.

- Hodnett, E. D., Kaufman, K., O'Brien, P., L. L., Watson, L. C., MacDonell, J. O., & Humsburger, W. (1996). A strategy to promote research-based nursing care: Effects on childbirth outcomes. *Research in Nursing & Health*, 19, 13-20.
- Hofmeyr, G., Nikodem, V., Wolman, W., Chalmers, B. E., & Kramer, T. (1991). companionship to modify the clinical birth environment: Effects on progress and perceptions of labor and breastfeeding. *British Journal of Obstetrics and Gynecology*, 98, 756-764.
- Holmes, J., & Magiera, J. (1987). *Maternity and nursing*. New York: Macmillan.
- Hutchfield, K. (1999). Family-centered care: A concept analysis. *Journal of Advanced Nursing*, 29(5), 1178-1187.
- Julie, S. T. (2002). *Caregiver support for women during childbirth: Does the presence of a labor support person affect maternal-child outcomes?*. American: American Family Physician.
- Kanshana, S. (2000). Implementating short-course Zidovudine to reduce mother-infant HIV. Transmission in a large pilot program in Thailand. *AIDS*, 14, 1617-23. Retrieved January 10, 2007, from <http://www.avert.org/aidsthai.htm>.41k.
- Kayne, M. A., Greulich, M. B., & Albers, L. L. (2001). Doulas: An alternative yet complementary addition to care during childbirth. *Clinical Obstetrics and Gynecology*, 44(4), 692-703.
- Kennell, J. H., & McGrath, S. K. (1993). Labor support by a doula for middle-income couples: The effect on cesarean rates [Abstract]. *Pediatr Res*, 33, 12 A.
- Kennell, J., Klaus, M., McGrath, S., Robertson, S., & Hinkley, C. (1991). Continuous emotional support during labor in a us hospital: A randomized controlled trial. *Journal of the American Medical Association*, 265(17), 2197-2201.
- Klaus, M. H., Kennell, J. H., & Sosa, R. (1992). Supporting women in labor: A work sampling study of the activities of labor and delivery nurses. *Birth*, 19(1), 3-8.
- Klaus, M. H., Kennell, J. H., Robertson, S. S., & Sosa, R. (1986). Effects of support during parturition on maternal and infant morbidity. *British Medical Journal*, 293, 585-587.

- Kuczynski, H. J. (1984). Benefit of childbirth education-first stage of labour. *Midwives Chronicle & Nursing Notes*, 976(1157), 188-192.
- Langer, A., Campero, L., Garcia, C., & Reynoso, S. (1998). Effects of psychosocial support during labour and childbirth on breastfeeding, medical interventions and mothers, well being in a Mexican public hospital: A randomized clinical trial. *British Journal of Obstetrics and Gynaecology*, 105, 1056-1063.
- Leavitt, J. W. (1989). Joseph B. De Lee and the practice of preventive obstetrics. *Obstetrical and Gynecological Survey*, 44(9), 682-683
- Lederman, R. P. (1979). Relationship of psychological factors in pregnancy to progress in labour. *Nursing Research*, 28, 94-97.
- Lederman, R. P., Lederman, E., Work, B. A., & McCann, D. S. (1978). The relationship of maternal anxiety, plasma catecholamine and plasma cortisol to progress in labour. *American Journal of Obstetrics and Gynecology*, 25, 495 -500.
Retrieved January 10, 2007, form <http://www.Springerlink.Com/index.P69Q4371GJ.23311.pdf>.
- Lederman, R. P., Lederman, E., Work, B. A., & McCann, D. S. (1981). Relationship of psychological factors in pregnancy to progress in labour. *Nursing Research*, 25, 94-98.
- Lowdermilk, D. L., Perry, S. E., & Bobak, I. M. (1999). *Maternity nursing* (5th ed.). St. Louis: Mosby.
- Lowe, N. K. (1996). The pain and discomfort of labor and birth. *JOGNN.*, 25(1), 85-92.
- Madi, B. C., Sandall, J., Bennett, R., & Macleod, C. (1999). Effects of a female relative support in labor: A randomized controlled. *Obstetric and Gynecological Survey*, 54(1), 627- 628.
- Maimblowa, M.C., Sikazwe, N., Yamba, B., Diwan, V., & Ransio-Arvidson, A. (2001). Views of involving a social support person during labor in Zambian maternities. *Journal of Midwifery & Woman's Health*, 46(4), 226-34.
- Marut, J. S., & Mercer, R. T. (1979). Comparison of primiparus' perceptions of vagina and cesarean births. *Nursing Research*, 28(5), 260-266.

- Mckay, S., & Smith, S. P. (1993). What are they talking about ?, Is something wrong?, Information sharing during the second stage of labor. *Birth*, 20, 142-147.
- McNiven, P., Hodnett, E., & O'Brien-Pallas, L. (1992). Support women in labor: A work Sampling study of the activities of labor and delivery nurse. *Birth*, 19(1), 3-9.
- Medves, J. (2002). *Commentary: Continuous caregiver support during childbirth has beneficial maternal and infant outcomes*. Retrieved January 10, 2007, form <http://ebn.bmjournals.com/cgi/content/full/5/4/105?maxtoshow=&HITS=1>
- Melzack, R. (1984). The myth of painless childbirth. *Pain*, 19, 321- 337.
- Mercer, R. T. (1985). Relationship of the birth experience to the late mothering behaviors. *J Nurs Midw*, 30, 204 -211.
- Mercer, R., Hackley, K., Bostrom, A. (1983). Relationship of psychosocial and perinatal variables to perception of childbirth. *Nurse Res*, 32, 202-207.
- MeriBeth, M. (2004). *The value of labor support: Help for women during childbirth: Expectant moter's guide*. n.p.
- Miltner, R. S. (2000). Identifying labor support actions of intrapartum nurses. *JOGNN*, 29, 491-499.
- Mosallam, M., Rizk, D. E., Thomas, L., & Ezimokhai, M. (Authors). (2004). *Women's attitudes towards psychosocial support in labor in United Arub Emirates*. Retrieved January 10, 2007, form <http://www.springerlink.com/content/r8vnm1dac4xytej6/>
- Murray, S. S., McKinney, E. S., & Gorrie, T. M. (2002). *Foundation of maternal-newborn nursing* (3rd ed.). Philadelphia: W.B. Saunders.
- Myles, M. F. (1987). *Text book for midwives* (9th ed.). New York: Churchill Living Stone.
- Nichols, F. H. (2000). *Childbirth education: Practice, research, and theory*. Philadelphia: Pennsylvania.
- Nichols, F. H., & Swelling, E. (1997). *Maternal-Newborn nursing: Theory and practice*. Philadelphia: W.B. Saunders.
- Nichols, F. S., & Huminich, S. S. (1988). *Childbirth education: Practice, research and theory*. Philadelphia: W.B. Saunders.

- Norr, K. L., Block, C. R., Charles, A., Meyering, S., & Meyers, E. (1977). Explaining pain and enjoyment in childbirth. *J Health Soc Behav*, 18, 260-275.
- Olds, S. B., London, M. L., & Ladewig, P. A. (1996). *Maternal-newborn nursing: A family-centered approach* (5th ed.). California: Addison-Wesley.
- Pascali, D., & Kroeger, B. M. (2004). Continuous female companionship during childbirth: A crucial resource in times of stress or calm. *Journal of Midwifery & Women's health*, 49(4), 19-27. Retrieved January 10, 2007, from <http://www.science direct.com/science/journal/15269523>
- Pascoe, J. M. (1993). Social support during labor and duration of labor: A community-based study. *Public Health Nursing*, 10(2), 97-99.
- Pillitteri, A. (2003). *Maternal and child health nursing: Care of the childbearing and childbearing family* (4th ed.). Philadelphia: Lippincott.
- Piotrowski, K. A. (2000). *Nursing during labour*. In L. Loder milk, S. E. Perry, & I. M. Bobak, (Eds.), *Maternity & women's health care* (7th ed.) (pp. 510-578). St. Louis: Mosby.
- Polit, D. F., & Beck, T. B. (2004). *Nursing research: Principles and methods* (17th ed.). Philadelphia: Lippincott Williams & Wilkins.
- Reeder, S. R., Martin, L. L., & Konia, K. D. (1992). *Maternity nursing: Family newborn and women's health care* (17th ed.). Philadelphia: J.B. Lippincott.
- Robin, E. W. (1997). How to support a laboring women. Retrieved March, 16, 2005, from <http://www.childbirth.org/articles/support.html>.
- Rosen, P. (2004). *Supporting women in labor: Analysis of different types of caregivers*. Retrieved January 10, 2007, from <http://www.medscape.com/content/2004/00/46/71/467128/467128 ref.htm>
- Rubin, R. (1984). *Maternal identify and the maternal experience*. New York: Springer.
- Sampselle, C. M., Miller, J. M., Luecha, Y., Fischer, K., & Rosten, L. (2005). Provider support of spontaneous pushing during the second stage of labor. *JOGNN*, 34, 695-702.

- Sauls, D. J. (2002). Effects of labor support on mothers, babies, and birth outcomes. *JOGNN*, 31(6), 733-741.
- Schaefer, C., Coyne, J. C., & Lazarus, R. S. (1981). The health-related functions of social support. *Journal of Behavioral Medicine*, 4, 381-406.
- Scott, K. D., Berkowitz, G., & Klaus, M. H. (1999). A comparison of intermittent and continuous support during labor: A meta-analysis. *Am J Obstet Gynecol*, 180(5), 1054-1059.
- Scott, K. D., Klaus, P. H., & Klaus, M. H. (1999). The obstetric and postpartum benefits of continuous support during childbirth. *J womens Health Grend Based Med*, 8(10), 1257-1264.
- Sherwen, L. N., Scoloveno, M. A., & Weingarten, C. T. (1991). *Nursing care of the childbearing*. Norwalk: Appleton & Lange.
- Simkin, P. (1992). The Labor support person: Latest addition to the maternity care team?. *Int J Childbirth Ed*, 7(1), 19-24.
- . (2002). Supportive care during labor: A guide for busy nurses. *JOGNN*, 31, 721-732.
- Simkin, P., & Ancheta, R. (2000). *The labor progress handbook*. Blackwell Science: Oxford.
- . (2005). *The labor progress handbook*. Blackwell Science: Oxford.
- Simkin, P., & Frederick, E. (2000). Labor support. In F. H. Nichols, & Humenick, S. S. (Eds.) *Childbirth education: Practice research and theory* (2nd ed.) (pp. 307-341). Philadelphia: Saunders.
- Simkin, P., & O'Hara, M. (2002). Nonpharmacologic relief to pain during labor: Systematic reviews of five methods. *American Journal of Obstetrics and Gynecology*, 186(5), S131-S159.
- Sodsong, W. (2005). *The effects of nursing support during labor on labor pain coping behaviors and the perception of childbirth experience of first- time Mothers*. A Thesis Submitted in Partial Fulfillment of the Requirements for the Degree, Master of Nursing Science, Maternity and Newborn Nursing, Faculty of Graduate Studies, Mahidol University.

- Somer-Smith, M. J. (1999). A place for the partner?: Expectations and experiences of support during childbirth. *Midwifery*, 15, 101-108.
- Sosa, R., Kennell, J., Klaus, M., Robertson, S., & Urrutia, J. (1980). *The effects of a supportive companion on perinatal problem, length of labor, and mother- infant interaction*. Retrieved January 10, 2007, from http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?itool=abstractplus&db=pubmed&cmd=Retrieve&dopt=abstractplus&list_uids=7402234
- Spielberger, C. D., Gorsuch, R. L., & Lushene, R. E. (1970). *The state-trait anxiety inventory*. Plo Alto, CA: Consulting Psychologists.
- Tarkka, M., & Paunonen, M. (1996). Social support and its impact on mothers, experiences of childbirth. *Journal of Advanced Nursing*, 23, 70-75.
- Walsh, D. (2000 a). Evidence-based care, Past 3: Assessing women's progress in labour. *British Journal of Midwifery*, 87(7), 449-457.
- _____. (2000 b). Evidence –based care, Past 6: Limits on pushing and time in the second stage. *British Journal of Midwifery*, 87(7), 604-608.
- Wolman, W. L., Chalmers, B., Hofmeyr, G. J., & Nikodem, V. C. (1993). Postpartum depression and companionship in the clinical birth environment: A randomized, controlled study. *American Journal of Obstetrics and Gynecology*, 168(5), 1388-1393.
- World Health Organization. (1988). *The partograph: A managerial tool for the prevention of prolonged labour*. Geneva: The World Health Organization Maternal and Child Health Unit, Division of Family Health, Geneva.
- _____. (2003). *Integrated management of pregnancy and childbirth*. Retrieved June 6, 2005, from <http://www.who.int/reproductive-health/publications/pcpnc/pcpnc.pdf>.
- Wuitchik, M., Bakal, D., & Lipshitz, J. (1990). Relationships between pain, cognitive activity and epidural analgesia during labour. *Pain*, 41, 125-132.
- Zhang, J., Bernasko, J. W., Leybovich, E., Fahs, M., & Hatch, M. C. (1996). Continuous labor support form labor attendant for primiparous women: A meta-analysis. *Obstetrics & Gynecology*, 88, 739-744.

Zuspan, F. P., Cibils, L. A., & Pose, S. V. (1962). Myometrial and cardiovascular responses to alterations in plasma epinephrine and norepinephrine.

Am Obstet Gynecol, 84, 841-851.

Zwelling, E., & Phillips, C. R. (2001). Family-centered maternity care in the new millennium: Is it real or is it imagined?. *Journal of Perinatal & Neonatal Nursing*, 15(3), 1-12.

มหาวิทยาลัยบูรพา
Burapha University