

บรรณานุกรม

- Adu, C.K.W., Sumanasekera, G.U., & Pradhan, B.K. (2001). Carbon nanotube: a thermoelectric nano-nose. *Chem. Phys. Lett.*, 337, 31-35.
- Avouris, P. (2002). Carbon nanotube electronics. *Chem. Phys.*, 281, 429.
- Baker, R.T. K. (1989). Catalytic growth of carbon filaments. *Carbon*, 27, 315-323.
- Bladh, K., Falk, L.K.L., & Rohmund, F. (2000). On the iron-catalysed growth of single-walled carbon nanotubes and encapsulated metal particles in the gas phase. *Appl. Phys. A*, 70, 317-322.
- Cho, W.S., Moon, S.I., Paek, K.K., Lee, Y.H., Park, J.H., & Ju, B.K. (2006). Patterned multiwall carbon nanotube films as materials of NO₂ gas sensors. *Sensors and Actuators B*, 119, 180-185.
- Choi, K.S., Cho, Y.S., Hong, S.Y., Park, J.B., & Kim, D.J. (2001). Effects of ammonia on the alignment of carbon nanotubes in metal-assisted thermal chemical vapor deposition. *J. Eur. Ceram. Soc.*, 21, 2095-2098.
- Daenen, M., de Fouw, R.D., Hamers, B., Janssen, P.G.A., Schouteden, K., & Veld, M.A.J. (2003). *The Wondrous World of Carbon Nanotubes*. Eindhoven University of Technology.
- Escobar, M., Moreno, M.S., Candal, R.J., Marchi, M.C., Caso, A., Polosecki, P.I., Rubolo, G.H., & Goyanes, S. (2007). Synthesis of carbon nanotubes by CVD: Effect of acetylene pressure on nanotubes characteristics. *Applied Surface Science*, 254, 251-256.
- Hofmann, S., Csanyi, G., Ferrari, A.C., Payne, M.C., & Robertson, J. (2005). Surface Diffusion : The Low Activation Energy Path for Nanotube Growth. *Physical Review Letters*, 95, 1-4.
- Hone, J. (2001). Phonon and Thermal Properties of Carbon Nanotubes. *Topics of Applied Physics*, 80, 273-286.
- Hong, S., & Myung, S. (2007). Nanotube Electronics : A flexible approach to mobility. *Nature Nanotechnology*, 2, 207-208.
- Hornbaker, D.J. (2003). *Electronic Structure of Carbon Nanotube Systems Measured with Scanning Tunneling Microscopy*. University of Illinois at Urbana-Champaign

- Horvath, Z.E., Koos, A.A., Vertesy, Z., Tapasztó, L., Osvath, Z., Incze, P., Biro, L.P., Kertesz, K., Sarkozi, Z., & Darabont, A.L. (2006). Influence of catalyst and carbon source on the synthesis of carbon nanotubes in a semi-continuous injection chemical vapor deposition method. *NATO Science Series II : Mathematics, Physics and Chemistry*, 222, 53-54.
- Iijima, S. (1991). Helical microtubules of graphitic carbon. *Nature*, 354, 56-58.
- Jesen, S., Ruangphet, S., & Cheirsirikul, S. (2008). SiO₂-Multiwalled Carbon Nanotube Base Gas Sensor. *Advanced Materials Research*, 55-57, 261-264.
- Journet, C., Maser, W.K., Bernier, P., Loiseau, A., Lamy de la Chapelle, M., & Lefrant, S. (1997). Large-scale production of single-walled carbon nanotubes by the electric-arc technique. *Nature*, 388, 756-758.
- Kong, J., Franklin, N.R., Zhou, C., Chapline, M.G., Peng, S., Cho, K., & Dai, H. (2000). Nanotube molecular wires as chemical sensors. *Science*, 287, 622-625.
- Kumar, M., & Ando, Y. (2010). Chemical Vapor Deposition of Carbon Nanotubes: A Review on Growth Mechanism and Mass Production. *Journal of Nanoscience and Nanotechnology*, 10, 3739-3758.
- Lasjaunias, J.-C. (2003). Thermal properties of carbon nanotubes. *C.R. Physique*, 4, 1047-1054.
- Lin, C.H., Lee, S.H., Hsu, C.M., & Kuo, C.T. (2004). Comparisons on properties and growth mechanisms of carbon nanotubes fabricated by high-pressure and low-pressure plasma-enhanced chemical vapor deposition. *Diamond Relat. Mater.*, 13, 2147-2151.
- Li, J., Lu, Y., Ye, Q., Cinke, M., Han, J., & Meyyappan, M. (2003). Carbon nanotubes sensors for gas and organic vapor detection. *Nano Lett.*, 3, 929-933.
- Li, W.Z., Wen, J.G., & Ren, Z.F. (2001). Effect of temperature on growth and structure of carbon nanotubes by chemical vapor deposition. *Appl. Phys. A*, 74, 397-402.
- Lee, C.J., Lyu, S.C., Cho, Y.R., Lee, J.H., & Cho, K.I. (2001) "Diameter-controlled growth of carbon nanotubes using thermal chemical vapor deposition. *Chemical Physics Letters*., 341, 245-249.
- Lee, C.J., Park, J., Kang, S.Y., & Lee, J.H. (2000). Growth of well-aligned carbon nanotubes on a large area of Co-Ni co-deposited silicon oxide substrate by thermal chemical vapor deposition. *Chemical Physics Letters*., 323, 554-559.

- Lee, C.J., & Park, J. (2001). Growth Model for Bamboolike Structured Carbon Nanotubes Synthesized Using Thermal Chemical Vapor Deposition. *J. Phys. Chem. B*, 105, 2365-2368.
- Lee, C.J., Park, J., Huh, Y., & Lee, J.Y. (2001). Temperature effect on the growth of carbon nanotubes using thermal chemical vapor deposition. *Chem. Phys. Lett.*, 343, 33-38.
- Lee, C.J., Park, J., & Yu, J.A. (2002). Catalyst effect on carbon nanotubes synthesized by thermal chemical vapor deposition. *Chem. Phys. Lett.*, 360, 250-255.
- Lee, J.H., Kim, J., Seo, H.W., Song, J.W., Lee, E.S., Won, M., & Han, C.S. (2008). Bias modulated highly sensitive NO₂ gas detection using carbon nanotubes. *Sensors and Actuators B*, 129, 628-631.
- Lu, X., & Chen, Z. (2005). Curved Pi-Conjugation, Aromaticity, and the Related Chemistry of Small Fullerenes (<C₆₀) and Single-Walled Carbon Nanotubes. *Chem. Rev.*, 105, 3643-3696.
- Merkoci, A. (2005). Carbon Nanotubes in Analytical Sciences. *Microchim Acta*, 152, 157-174.
- Peng, S., Cho, K., Qi, P., & Dai, H. (2004). Ab initio study of CNT NO₂ gas sensor. *Chem. Phys. Lett.*, 387, 271-276.
- Pop, E., Mann, D., Wang, Q., Goodson, K., & Dai, H. (2005). Thermal Conductance of an Individual Single-Wall Carbon Nanotube above Room Temperature. *Nano Lett.*, 6, 96-100.
- Popov, V. N. (2004). Carbon nanotubes: Properties and application. *Mater. Sci. Eng. R*, 43, 61-102.
- Ren, Z.F., Huang, Z.P., Xu, J.W., Wang, J.H., Bush, P., Seigal, M.P., & Provencio, P.N. (1998). Synthesis of Large Arrays of Well-Aligned Carbon Nanotubes on Glass. *Science*, 282, 1105-1107.
- Robertson, D.H., Brenner, D.W., & Mintmire, J.W. (1992). Energetics of nanoscale graphitic tubules. *Phys Rev B Condens Matter.*, 45, 12592-12595.

- Seo, K., Park, K.A., Kim, Ch., Han, S., Kim, B., & Lee, Y.H. (2005). Chirality- and Diameter-Dependent Reactivity of NO₂ on Carbon Nanotube Walls. *J. AM. CHEM. SOC.*, 127, 15724-15729.
- Sinha, S., Barjami, S., Iannacchione, G., Schwab, A., & Muench, G. (2005). Off-axis Thermal Properties of Carbon Nanotubes Films. *Journal of Nanoparticle Science*, 7, 651-657.
- Son, S.Y., Lee, Y., Won, S., & Lee, D.H. (2008). High-Quality Multiwalled Carbon Nanotubes from Catalytic Decomposition of Carbonaceous Materials in Gas-Solid Fluidized Beds. *Ind. Eng. Chem. Res.*, 47, 2166-2175.
- Terrones, M. (2003). Science and technology of the twenty-first century: synthesis, properties, and application of carbon nanotubes. *Annu Rev. Mater. Res.*, 33, 419-501.
- Thess, A., Lee, R., Nikoleav, P., Dai, H., Petit, P., Robert, J., Xu, C., Lee, Y.H., Kim, S.G., Rinzler, A.G., & Smalley, R.E. (1996). Crystalline Ropes of Metallic Carbon Nanotubes. *Science*, 279, 483-487.
- Thostenson, F.T., Ren, Z., & Chou, T.-W. (2001). Advances in the science and technology of carbon nanotubes and their composites: a review. *Composites Science and Technology*, 61, 1899-1912.
- Ting kai, Z., Yongning, L., & Jiewu, Z. (2004). Gas and pressure effects on the synthesis of amorphous carbon nanotubes. *Chinese Science Bulletin*, 49, 2569-2571.
- Treacy, M.M.J., Ebbesen, T.W., & Gilson, J.M. (1996). Exceptionally high Young's modulus observed for individual carbon nanotubes. *Nature*, 381, 678-680.
- Ueda, T., Katsuki, S., & Takahashi, K. (2008). Fabrication and characterization of carbon nanotube based high sensitive gas sensors operable at room temperature. *Diamond & Related Materials*, 17, 1586-1589.
- Valentini, L., Mercuri, F., Armentano, I., Cantalini, C., Picozzi, S., Lozzi, L., Santucci, S., Sgamellotti, A., & Kenny, J.M. (2004). Role of defects on the gas sensing properties of carbon nanotubes thin films: experiment and theory. *Chem. Phys. Lett.*, 387, 356-361.
- Williams, K.A., & Eklund, P.C. (2000). Monte Carlo simulations of H₂ physisorption in finite-diameter carbon nanotube ropes. *Chem. Phys. Lett.*, 320, 352-358.

- Wong, E.W., Sheehan, P.E., & Lieber, C.M. (1997). Nanobeam Mechanics : Elasticity, Strength, and Toughness of Nanorods and Nanotubes. *Science*, 277, 1971-1975.
- Ycow, J.T.W., & She, J.P.M. (2006). Carbon nanotube-enhanced capillary condensation for a capacitive humidity sensor. *Nanotechnology*, 17, 5441-5448.
- Yi, W., Lu, L., Zhang, D.L., Pan, Z.W., & Xie, S.S. (1999). Linear specific heat of carbon nanotubes. *Phys. Rev. B*, 59, 9015-9018.
- Yu, M.F. (2000). Tensile Loading of Ropes of Single Wall Nanotubes and their Mechanical Properties. *Phys. Rev. Lett.*, 84, 5552-5555.
- Yudasaka, M., Kikuchi, R., Matsui, T., Ohki, Y., Yoshimura, S., & Ota, E. (1995). Specific conditions for Ni catalyzed carbon nanotube growth by chemical vapor deposition. *Appl. Phys. Lett.*, 67, 2477-2479.
- Yudasaka, M., Kikuchi, R., Ohki, Y., Ota, E., & Yoshimura, S. (1997). Behavior of Ni in carbon nanotube nucleation. *Appl. Phys. Lett.*, 70, 1817-1818.
- Yun, J.H., Soo, H.C., Kim, J., Song, J.W., Shin, D.H., & Park, Y.G. (2008). Fabrication of carbon nanotube sensor device by inkjet printing. Nano/Micro Engineered and Molecular Systems, *Proceedings of the 3rd IEEE Int. Conf. on*
- Zhang, H., Xue, X., Wang, D., He, Y., & Peng, S. (1999). The effect of different kinds of inert gases and their pressures on the preparation of carbon nanotubes by carbon arc method. *Mater. Chem. Phys.*, 58, 1-5.
- Zhangyi, C., Zhuo, S., Pingsheng, G., & Yiwei, CH. (2007). Effect of acetylene flow rate on morphology and structure of carbon nanotube thick films grown by thermal chemical vapor deposition. *Front.Mater.Sci.China*, 1, 92-96.
- Zhao, J., Buldum, A., Han, J., & Lu, P. (2002). Gas molecule adsorption in carbon nanotubes and nanotube bundle. *Nanotechnology*, 13, 195-200.