

บรรณานุกรม

- กอบกุล บุญปราศภัย. (2546). *พยาธิสรีรวิทยาของโรคหลอดเลือดหัวใจโคโรนารีและการพยาบาล*. กรุงเทพฯ: พี.เอ.ลีฟวิ่ง.
- จรียา ตันติธรรม. (2547). กลยุทธ์การพยาบาลผู้ป่วย: โรคหัวใจขาดเลือดเฉียบพลัน. ใน จรียา ตันติธรรม และคณะ. *การพยาบาลผู้ป่วยวิกฤต*. กรุงเทพฯ: นิติบรรณาการ.
- จุฬาลักษณ์ บาร์มี. (2551). *สถิติเพื่อการวิจัยทางสุขภาพและการวิเคราะห์ข้อมูลด้วยโปรแกรม SPSS*. ชลบุรี: ศรีศิลป์การพิมพ์.
- โณมนภา กิตติศัพท์. (2536). *ผลของดนตรีต่อการลดความเจ็บปวดและความวิตกกังวลในผู้ป่วยผ่าตัดหัวใจแบบเปิด*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- ช่อลดา พันธุเสนา. (2536). *การพยาบาลจิตสังคมในผู้ป่วยภาวะวิกฤตตามแบบแผนสุขภาพ*. กรุงเทพฯ: อมรินทร์พริ้นติ้งกรุ๊ป.
- ณอมศรี คูอาริยะกุล. (2538). *ผลของโปรแกรมการให้ความรู้ร่วมกับการสนับสนุนอารมณ์ต่อความรู้สึกไม่แน่นอนและความวิตกกังวลในผู้ป่วยที่ได้รับการตัดเต้านม*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- ทิพมาส ชินวงศ์ และช่อลดา พันธุเสนา. (2537). การศึกษาปรากฏการณ์ทางการพยาบาลเรื่องการรับรู้การเจ็บหน้าอกและการเผชิญปัญหาของผู้ป่วยโรคหัวใจ. *วารสารพยาบาลสงขลา นครินทร์*, 14, 14 – 20.
- เทวพร ศุภรัชจันดา. (2538). *ผลของการใช้สื่ออารมณ์ขันต่อความวิตกกังวลของผู้ป่วยก่อนผ่าตัด*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- นพรัตน์ ธนะชัยจันทร์. (2546). โรคแทรกซ้อนจากกล้ามเนื้อหัวใจตายเฉียบพลัน ใน อภิชาติ สุขนธรรมพ์และศรีณย์ การประเสริฐ. *New guidelines in coronary artery disease*. เชียงใหม่: ไอแอมออร์เกไนเซชันแอนแอ็ดเวอร์ไทซิง.
- น้ำเพชร หล่อตระกูล. (2544). การสนับสนุนทางสังคมและพฤติกรรมส่งเสริมสุขภาพของผู้สูงอายุโรคหลอดเลือดหัวใจตีบ. *พยาบาลสาร*, 28, 49 - 56.

นิตยา กชศิลา. (2548). ผลของการใช้โปรแกรมการสนับสนุนด้านข้อมูลและอารมณ์ร่วมกับการฝึกผ่านคลายกล้ำเนื้อต่อความวิตกกังวลของผู้ดูแลในครอบครัวผู้ติดเชื้อเอชไอวีที่มีอาการ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

ประคอง กรรณสูตร. (2542). สถิติเพื่อการวิจัยทางพฤติกรรมศาสตร์. กรุงเทพฯ: คณะครุศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.

ประณีต ส่งวัฒนา, แสงอรุณ อิศระมาลัย, เนตรนภา คู่พันธ์วิ, ปัทมา คลทเจริญนซ์ และ กาญจนา แรกพิณิจ. (2543). การพัฒนาระบบการพยาบาลที่ส่งเสริมให้ญาติมีส่วนร่วมในการดูแลผู้ป่วยที่มีปัญหาทางระบบประสาทและสมองในโรงพยาบาล. วารสารสภาการพยาบาล, 15(3), 1-19.

ผ่องพรรณ อรุณแสง. (2551). การพยาบาลผู้ป่วยโรคหัวใจและหลอดเลือด. (พิมพ์ครั้งที่ 5). ขอนแก่น: คลังนานาวิทยา.

พรพิศ เศษยศติ. (2550). ผลของการให้ข้อมูลในระยะเปลี่ยนผ่านออกจากหอผู้ป่วยหนักต่อการลดความวิตกกังวลในผู้ป่วยกลุ่มอาการ โรคหลอดเลือดหัวใจเฉียบพลัน. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยขอนแก่น.

พิมพร ลีละวัฒนากุล. (2546). ผลของดนตรีประเภทผ่อนคลายต่อความวิตกกังวลในผู้ป่วยโรคกล้ามเนื้อหัวใจตาย. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

รพีพรรณ น้อยปัน. (2551). การประเมินผลการใช้โปรแกรมฟื้นฟูสมรรถภาพหัวใจสำหรับผู้ป่วยกล้ามเนื้อหัวใจตายเฉียบพลัน รพ.ลำปาง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

ระพีพล ฤกษ์ขร. (2551). เวชศาสตร์ฟื้นฟูหัวใจเล่ม 2. กรุงเทพฯ: How Can Do Company Limited.

รุจา ภูไพบูลย์. (2541). การพยาบาลครอบครัว : แนวคิดทฤษฎีและการนำไปใช้ (พิมพ์ครั้งที่ 3). กรุงเทพฯ: วิ.เจ. พรินติ้ง.

วรรณวิมล คงสุวรรณ, สุธีรัตน์ พิมพ์พงศ์, วรรณิ สัตยวิวัฒน์และอุษาดี อัครวิเศษ. (2545). ผลของการสนับสนุนด้านข้อมูลและอารมณ์ต่อความวิตกกังวลของญาติขณะรอผู้ป่วยรับการผ่าตัด. วารสารพยาบาลห้องผ่าตัดแห่งประเทศไทย, 7(1), 56-64.

วิมลทิพย์ แก้วถา. (2545). ผลของการฝึกผ่อนคลายร่วมกับการใช้ใบโอไฟด์แบบต่อความเครียดและความดันโลหิตในผู้ที่มีความดันโลหิตสูง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

วิไลรัตน์ ชัยนนธิ. (2549). การได้รับการสนับสนุนทางสังคมของผู้ป่วยในหอผู้ป่วยหนัก. สมเด็จพระพุทธราชบัว จ. น่าน. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

สำนักการแพทย์ทางเลือก. (2551). คนตรีบำบัด. กรุงเทพฯ: สุขุมวิทมีเดียมาร์เก็ตติ้ง.

สำนักนโยบายและยุทธศาสตร์ สำนักปลัดกระทรวงสาธารณสุข. (2552). สถิติผู้ป่วยโรคหัวใจ.

วันที่ค้นข้อมูล 20 พฤศจิกายน 2552, เข้าถึงได้จาก <http://moph.go.th>.

สินีนานู ทิพย์มุสิก. (2549). ผลของการให้คำปรึกษาแบบกระชับกับการเจริญสมาธิด้วยการสวดมนต์ต่อความวิตกกังวลของผู้ป่วยในระยะก่อนผ่าตัด. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, จุฬาลงกรณ์มหาวิทยาลัย.

สุกิดา โกเมนไท. (2546). ผลของคนตรีต่อคุณภาพการนอนหลับของผู้ป่วยในหอผู้ป่วยหนัก.

วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

สุรศักดิ์ พุฒินิชย์. (2545). การวิเคราะห์เมตาเกี่ยวกับวิธีการพยาบาลเพื่อลดความวิตกกังวล.

วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

สุวพีร์ จันทระเจษฎา. (2547). ผลของการจัดการรูปแบบการให้ข้อมูลแก่สมาชิกในครอบครัวผู้ป่วยโรคหลอดเลือดสมองต่อความวิตกกังวลของครอบครัวและความพึงพอใจในการจัดการรูปแบบ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, จุฬาลงกรณ์มหาวิทยาลัย.

เสาวณี สังฆโสภณ. (2537). คนตรีบำบัดในเทคโนโลยีก้าวหน้าเทคนิคการแพทย์และ

กายภาพบำบัด. ประชุมวิชาการ คณะเทคนิคการแพทย์ มหาวิทยาลัยขอนแก่น.

หอผู้ป่วยวิกฤตอายุรกรรม. (2552). สถิติผู้ป่วย. เพชรบุรี: โรงพยาบาลพระจอมเกล้า จังหวัดเพชรบุรี.

อภิชาติ สุคนธทรัพย์. (2543). การวินิจฉัยโรคหลอดเลือดหัวใจโคโรนารีโดยคลื่นเสียงสะท้อนจาก

หัวใจในอภิชาติ สุคนธทรัพย์ (บรรณาธิการ). เชียงใหม่: ศูนย์โรคหัวใจภาคเหนือ คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่.

อภิญา วังศิริโยธา. (2535). ผลของการฝึกการผ่อนคลายต่อการลดความวิตกกังวลและความ

เจ็บปวดในผู้ป่วยหลังผ่าตัดหัวใจแบบเปิด. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

- องค์การ เรื่องรัตนอัมพร. (2550). “Chest Pain Pathway and Mobile CCU” ใน เกียรติชัย
 ฤทธิปัญญา และคณะ. *Update Cardiology for Internist*. (หน้า 45-62). กรุงเทพฯ: ๗
 แกนดู.
- อังฉรา โอประเสริฐสวัสดิ์. (2531). ความสัมพันธ์ระหว่างการสนับสนุนทางสังคมกับพฤติกรรมกับ
 การปฏิบัติตนด้านสุขภาพในผู้ป่วยหลอดเลือดอุดตันเรื้อรัง. วิทยานิพนธ์วิทยาศาสตร์
 มหาวิทยาลัย, สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- อารีย์ ฟองเพชร. (2540). ความสัมพันธ์ระหว่างปัจจัยส่วนบุคคล การสนับสนุนจากครอบครัวกับ
 แบบแผนการดำเนินชีวิตของผู้สูงอายุที่เป็นโรคกล้ามเนื้อหัวใจขาดเลือด คลินิก
 โรคหัวใจโรงพยาบาลจุฬาลงกรณ์. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต,
 สาขาการบริหารการพยาบาล, บัณฑิตวิทยาลัย, จุฬาลงกรณ์มหาวิทยาลัย.
- อุไร ศรีแก้ว. (2543). การพยาบาลผู้ป่วยหัวใจและหลอดเลือด: กรณีศึกษา. กรุงเทพฯ: โอเดียนสโตร์.
- American Heart Association. (2007). *Cardiovascular Diseases Statistic*. Retrieved November 20
 2009, from <http://www.american heart. Org>.
- An, K., De Jong, M. J., Riegel, B. J., McKinley, S., Garvin, B. J., & Doering, L. V. (2004). A
 cross- sectional examination of changes in anxiety early after acute myocardial
 infarction. *Heart & Lung*, 33(20), 75-81.
- Baker, C. F., Garvin, B. J., Kenusly, C. W., & Polivka, B. J. (1993). The effect of environments
 sound and communication on CCU patient 's heart rate and blood pressure. *Research
 in Nursing and Health*, 16(3), 415-421.
- Barry, C. L., Kasl, V. S., Lichtman, J., Vaccarino, V., & Krumholz, M. H. (2005). Social support
 and change in health- related quality of life 6 month after coronary artery by pass graft.
Journal of Psychosomatic Research, 60, 185-193.
- Beck, A. T., & Rush, A. J. (1986). Formation and anxiety resolution. In. C. D Spielberger & I. E.
 Sarason (Eds), *Stress and Anxiety. A Source Book of Theory and Research*.
 Washington: Hemisphere.
- Beinart, S. C., Sales, A. E., Spertus, J. A., Plomondon, M. E., Every, N. R., Rumsfeld, J.S., &
 Colo, D. (2003). Impact of angina burden and other factors on treatment satisfaction
 after acute coronary syndromes. *American Heart Journal*, 146(4), 646-651.
- Birch, A. D. (1998). Identifying source of social support. *Journal of School Health*, 68(4),
 151-162.

- Bjerkset, O., Nordahl, H. M., Mykletun, A., Holmen, J., & Dahl, A. A. (2004). Anxiety and depression following myocardial infarction : Gender differences in 5 - years prospective study. *Journal of Psychosomatic Research*, 58, 153-161.
- Boyer, L., Barrau, K. B., Cano, N., Belzeaux, R., Limousin, S., Magalon, D., Samuelian, J. C., Lancon, C., & Auquier, P. (2009). Assessment of psychiatric inpatient satisfaction: A systematic review of self - reported instruments. *European Psychiatry*, 24, 540-549.
- Broadbent, E., Ellis, C. J., Thomas, J., Gamble, G., & Petrie, K. J. (2008). Can an illness perception intervention reduce illness anxiety in spouses of myocardial infarction patients? A randomized controlled trial. *Journal of Psychosomatic*, 67, 11-15.
- Burn, N. & Grove, S. (2005). *The Practice of Nursing Research*. (5th ed). Missouri: Elsevier Saunders.
- Chan, D. S. K., Chan, J. P., & Chang, A. M. (2004). Acute coronary syndrome: Cardiac rehabilitation program and quality of life. *Journal of Advanced Nursing*, 49(6), 591-599.
- _____. (2007). Psychosocial outcomes of Hong Kong Chinese diagnosed with acute coronary syndromes: A prospective repeated measures study. *International Journal of nursing Studies*, 44, 945-952.
- Chen, Y. (1990). Psychological and social support systems in intensive and critical care. *Intensive Care Nursing*, 6, 59-66.
- Chien, W. T., Chiu, Y.-L., Lam, L. W., & Imi, W. Y. (2005). Effects of a needs-based education programme for family carers with a relative in an intensive care unit: A quasi-experimental study. *International Journal of Nursing Studies*, 43, 39-50.
- Cobb, S. (1976). Social support as a moderator of life stress. *Psychosomatic Medicine*, 38, 300-314.
- Cohen, C. D. (1991). *Anxiety in The Elderly and General Medical Disorders*. New York: Springer.
- Cohen, S., & Will, T. A. (1985). Stress social support and the buffering hypothesis. *Psychological*, 310-357.
- Connett, D. F. (2005). Classification of social support. *Journal of Nursing Scholarship*, 137(1), 4-9.

- Cortes, L. O., Villar, C. J., Devereaux, J. P., & Dicenso, A. (2009). Early mobilization for patients following acute myocardial infarction: A systematic review and meta-analysis of experimental studies. *International Journal of nursing Studies*, 22(2), 1-9.
- Coughlan, A. (1994). Music therapy in I.C.U. *Nursing Times*, 90(17), 35.
- Coyle, A. M. (2001). Transfer anxiety: Preparing to leave intensive care. *Intensive and Critical Care Nursing*, 17, 138-143.
- Crowe, J. M., Runious, J., Ebbesen, L. S., Oldridge, N. B., & Streiner, D. L., (1996). Anxiety and depression after acute myocardial infarction. *Heart & Lung*, 25(2), 98-107.
- Cutshall, S. M., Wentworth, L. J., Engen, D., Sendt, T. M., Kelly, R. F., & Baner, K. B. (2010). Effect of massage therapy on pain, anxiety, and tension in cardiac surgical patient: A pilot study. *Complementary Therapies in Clinical Practice*, 16(2), 92-95.
- Davey, A. H., Barrette, P., & Butow, J. D. (2006). A- One- Item question with a likert or visual analog scale adequately measured current anxiety. *Journal of Clinical Epidemiology*, 60, 356-360.
- Davis- Rollans, C., & Cunningham, S. G. (1987). Physiological responses of coronary care patients to selected music. *Heart & Lung*, 16(4), 370-378.
- Deja, M., Denke, C., Carstens, W. S., Schroder, J., Pille, E. C., Hokema, F., & Kaisers, U. (2006). Social support during intensive care unit stay might improve mental impairment and consequently health-related quality of life in survivors of severe acute respiratory distress syndrome. *Critical Care*, 10(5), 1-12.
- DeJong, M. J., An, K., McKinley, S., Garvin, B. J., Hall, L. A., & Moser, D. K. (2006). Using a 0-10 scale for assessment of anxiety in patients with acute myocardial infarction. *Dimensions of Critical Care Nursing*, 24(3), 239-146.
- DeJong, M. J., Chung, M. L., Roser, L. P., Jensen, L. A., Kelso, L. A., Dracup, K., McKinley, S., Yamasaki, K., Kim, C. J., Riegel, B., Ball, C., Doering, L. V., An, K., Basnett, M. & Moser, D. K. (2004). Five - Country comparison of anxiety early after acute myocardial infarction European. *Journal of Cardiovascular Nursing*, 3, 129-134.
- Doering, L. V., Moser, D. K., Riegel, B., McKinley, S., Davidson, P., Baker, H., Meischke, H., & Dracup, K. (2009). Persistent co morbid symptoms of depression and anxiety predict mortality in heart disease. *International Journal of Cardiology*, 3, 1-5.

- Donabedian, A. (1980). *Explorations in Quality Assessment and Monitoring: Vol. I. The Definition of Quality and Approaches to Its Assessment*. Ann Arbor, MI: Health Administration Press.
- Dyson, M. (1998). Intensive care unit psychosis, The therapeutic nurse- patient relationship and the influence of the intensive care setting: Analyses of interrelating factors. *Journal of Critical Nursing*, 8, 284-290.
- Eisendrath, J. S., & Shim, J. J. (2006). Management of psychiatric problems in critically ill patient. *The American Journal of Medicine*, 119, 22-29.
- Faul, F., Erdfelder, E., Lang, A.- G.& Buchner, A. (2007). G*Power.3: A flexible statistical power analysis programe for the social, behavioral, and biomedical science. *Behavior Research Methods*, 39, 175-191.
- Faymonville, M. E., Mamboung, P. H., Jovis, J., Vrijerns, B., Fissette, J., Albert, A. & Lany, M. (1997). Psychological approaches during conscious sedative hypnosis versus stress reducing strategies: A propective randomized study. *Pain*, 73(3), 361-367.
- Frazier, K. S., Moser, K. D., Daley, K. L., Mckinley, S., Riegel, B., Garvin, J. B., & An, K. (2003). Critical care nurse's beliefs about and reported management of anxiety. *American Journal of Critical care*, 12(1), 19-27.
- Fumis, R. R., Nishimoto, I. N., & Deheinzelin, D. (2008). Family' interactions with physicians in the intensive care unit: The impact on family's satisfaction. *Journal of Critical Care*, 23, 281-286.
- Funagalli, S., Bohcinelli, L., Nosto, L. A., Valoti, P., Baldererchi, G., Bari, M., Ungor, A., Baldasseroni, S., Grppetti, P., Masotti, G., Pini, R., & Marchionni, N. (200). Reduced cardiocirculatory complications with unrestrictive visiting policy in an intensive care unit . *Circulation*, 113, 946 - 952.
- Gaberson, K. B. (1991). The effect of humorous distraction on preoperative anxiety. *Association of Operating Room Nurse Journal*, 54(6), 1258-1264.
- Galvan, J. P., & Martinez, M. R. (2009). Scales for evaluating self- perceived anxiety levels in patients admitted to intensive care units: A review. *American Journal of Critical Care*, 18(6), 571-580.

- Gomez, E. A., & Otto, D. A. (1984). Anxiety as a human emotion: Some basic conceptual models. *Nursing Forum*, 21(1), 38-42.
- Gustad, T. L., Chaboyer, W., & Wallis, M. (2008). ICU. patient's transfer anxiety: A prospective cohort study. *Australian Critical Care*, 21, 181-189.
- Guzzetta, C. E. (1995). Music therapy: Hearing the melody of the soul In Dossey, L. Keegn, C.E., Guzzetta, & L. G. Kolkmeier (Eds), *A Hand book for Practice*. (2nd ed). Maryland: Aspen Publish Inc.
- Haak, S. W. ,& Huether, S. E. (1992). The person-with myocardial infarction . In. C. E. Guzzetta, & B. M. Dossey (eds), *Cardiovascular Nursing. Holistic Practice*. St Lous: Mosby.
- Hamner, J. B. (1994). Visitation policies in the ICU: A time for change. *Critical Care Nurse*, 10 (1), 48-53.
- Harkness, G. A., & Dincher, J. R. (1996). *Medical- Surgical Nursing : Total Patient Care* (9th ed.). St Lous: Mosby.
- Hegyvary, S. T. (2004). Clarifying social support. *Journal of Nursing Scholarship*, 36(4), 287-289.
- Heitkemper, M. M., Dirksen, S. R., & Lewis, S. M. (2007). *Medical-Surgical Nursing: Assessment and Management of Clinical Problem* (7th ed.). St. Louis: Mosby.
- Heitman, L. K. (2004). Social support and cardiovascular health promotion in families. *Journal of Cardiovascular Nursing*, 19(1), 86-91.
- Henry, L. L. (1995). Music Therapy: A nursing Intervention for the control of pain and anxiety in the I.C.U.: A review of the research literature. *Dimension of Critical Care Nursing*, 14 (6), 295-304.
- House, J. S. (1981). *Work Stress and Social Support*. Readind, M.A: Addison wesly.
- Hudak, C. M., Gallo, B. M., & Morton, P. G. (1998). *Critical Care Nursing* (7th ed.). Philadelphia: J. B. Lippincot.
- Hughes, J. W., Sketch, H. M., Biumenthal, A., Davidson, J., &Watkins, L. L. (2004). Social support and religiosity as coping strategies for anxiety in hospitalized cardiac patients. *Ann Behav Med*, 28(3), 179-185.
- Johnson, J. L., & Morse, J. M. (1990). Regaining control: The process of adjustment after myocardial infarction. *Heart & Lung*, 19(2), 126-135.

- Kahn, R. L. (1979). *Aging and Social Support in Aging from Birth to Death: Interdisciplinary Perspective*: Edited by M.W. Riley (Eds) colorado: Westview Press.
- Kipper, D. A., & Glitadi, D. (1978). Effectiveness of structured psychodrama and systematic desensitize in reducing test anxiety. *Journal of Counselling Psychology*, 25(6), 499-505.
- La Monica, E. L., Oberst, M. T., Madea, A. R., & Wolf, R. M. (1986). Development of a patient satisfaction scale. *Research in Nursing and Health*, 9, 42-50.
- Lazarus, R. S., & Lannier, R. (1984). *Stress- Appraisal and Coping*. New York: Spring.
- Lin, C. C. (1996). Patient satisfaction with nursing care as an outcome variable: Dilemmas for nursing evaluation researchers. *Journal of Professional Nursing*, 12(4), 207-216.
- Linn, L. (1980). *Clinical Manifestations of Psychiatric Disorder*. Maryland: William & Wilkins.
- Luckmann, J., & Sorensen, K.C. (1987). *Medical – Surgical Nursing: A Psychophysiologic Approach* (2nd ed). Philadelphia: W.B. Saunders.
- McKinley, S., Parbury, J. S., Chehelabi, A., & Lovas, J. (2004). Assessment of anxiety in intensive care patients by using the faces anxiety scale. *American Journal of Critical Care*, 13(2), 146-152.
- McKinley, S. (2009). The effect of a short one- on- one nursing intervention on knowledge, attitudes and beliefs related to response to acute coronary syndrome in people with coronary heart diseases : A- Randomized controlled trial. *International Journal of Nursing Studies*, 46, 1037-1046.
- Miller, K. S. (1998). Coping cognitive appraisal, optimism, gender, and ages as carelates of depression and anxiety in myocardial infarction patient. *Psychology*, 58(9), 5132.
- Mohta, M., Sethi, A. K., Tyagi, A., & Mohha, A. (2003). Psychological care in trauma patient. *Journal of Injuriend*, 34 (1), 17-25.
- Moser, D. K., Chung, M. L., Mckinley, S., Regel, B., An, K., & Cherington, C. C. (2003). Critical care nursing practice regarding patient anxiety assessment management. *Intensive and Critical Care Nursing*, 19, 276-288.
- Moser, D. K. (2007). The rust of life: Impact of anxiety on cardiac patients. *American Journal of Critical Care*, 16(4), 361-369.

- Nicolas, P. K., & Lenner, J. M. (1999). Hardiness social support and health status: Are there difference in order African- American and Anglo American adults. *Holistic Nursing Practice, 13*(3), 53-61.
- Norbeck, J. S. (1983). Life stress social support and emotional disequilibrium in complication of pregnancy: A prospective, multi-varient study. *Journal of Health Behavior, 24*(1), 30-45.
- O' Brien, J. L., Moser, D. K, Riegel, B., Frazier, S. K., Garvin, B. J., & Kim, K. A. (2001). *Comparison of Anxiety Assessment Between Clinician and Patients with Acute Myocardial Infarction in Cardiac Critical Care Unit*. Retrieved July 19, 2009. From <http://www.AACN.org/AACN/JrnIajcc.nsf>.
- OKa, R. K., Burke, L. E., & Froelicher, E. S. S. (1995). *Emotional Responses and Inpatient Education. Cardiac Nursing* (3rd ed.). Philadelphia: J.B. Lippincott.
- Oterhals, K., Hanestad, B. R., Eide, G. E., & Hanssen, T. A. (2006). The relationship between in-hospital information and patient satisfaction after acute myocardial infarction. *European Journal of Cardiovascular Nursing, 5*, 303-310.
- Pillion, J. M. (1991). Care of the cardiac patient. In M. R. Kinney, D. R. Packa, K. G. Andreoli, & D. P. Zipes (Eds), *Comprehensive Cardiac Care* (7th ed.). St Lous: Mosby.
- Pittman, D., & Fowler, S. (1998). Acute stress disorder: Application to families of head- Injury patients. *Journal of Neuroscience Nursing, 30*(4), 253-256.
- Polit, D. F., & Hungler, B. P. (1995). *Nursing Research: Principle and Methods* (4th ed.). Philadelphia: J. B. Lippincott.
- Saudel, K. L., Malmgren, S. R., Anderson, A., Wistedt, A., & Gustafsson, K. S. (2007). High frequency of anxiety and angina pectoris in depressed women with coronary heart disease. *Gender Medicine, 4*(2), 146-157.
- Schefer, C., Coyne, J. C., & Lazarus, R. S. (1981). The health related function of social support. *Journal of Behavior Medicine, 4*, 381-406.
- Scott, T. J., & Thompson, R. D. (2002). Accessing the information needs of post- myocardial infarction patients: A systematic review. *Patient Education and Counseling, 50*, 167 -177.
- Shives, L. R. (1994). *Basic Concepts of Psychiatric- Mental Health Nursing* (3rd ed.).

Philadelphia: J. B. Lippincott.

Shuldham, C. M., Cunningham, G., Hiscock, M., & Luscombe, P. (1995). Assessment of anxiety in hospital patients. *Journal of Advanced Nursing*, 22, 87-93.

Spielberger, C. D., & R. Diaz- Guerrero. (1976). *Cross-Cultural Anxiety*. Washington: Hemisphere.

Stevens, J., (1996). *Applied Multivariate Statistics for The Social Sciences* (3rd ed.). New Jersey: Lawrence Erlbaum Associates.

Saunders, M. M. (2003). Family caregivers need support with heart failure patient. *Holistic Nursing Practice*, 17(3), 136-143.

Tel, H., & Tel, H. (2005). The effect of individualized education on the transfer anxiety of patients with myocardial infarction and families. *Heart & Lung*, 35(2), 101-107.

Thelan, L. A., Urden, L. D., Lough, M. E., & Stacy, K. M. (1998). *Critical Care Nursing: Diagnosis and Management* (3rd ed.). St. Louis: Mosby.

Turner, R. J., & Marino, F. (1994). Social support and social structure: A descriptive epidemiology. *Journal of Health and Social Behavior*, 35, 193-212.

Urban, N. (1993). Patient response to environment. In M. R. Kinney, D. R. Pacha, & S. B. Dunbar, *AACN's Clinical Reference for Critical Care Nursing*. St. Louis: Mosby.

Webb, M. S., & Riggan, O. Z. (1994). A comparison of anxiety levels of female and male patients with myocardial infarction. *Critical Care Nursing*, 14(1), 118-124.

White, J. M. (1999). Effects of relaxing music on cardiac autonomic balance and anxiety after acute myocardial infarction. *American Journal Critical Care*, 8(4), 220-230.

_____. (2001). Music as intervention ; A notable endeavor to improve patient outcomes. *Nursing Clinic of North America*, 36(1), 83-92.

Whitley, G. G. (1989). Anxiety: Defining the diagnosis. *Journal of Psychosocial Nursing*, 27(10), 7-12.