

บรรณานุกรม

ธีรศักดิ์ อภาวัฒนาสกุล. (2552). หลักวิทยาศาสตร์ในการฝึกกีฬา. (พิมพ์ครั้งที่ 1). กรุงเทพฯ: ส. เอเชียเพรส.
ประภาพร จินนทุยา. (2550). แบบจำลองเชิงสาเหตุของพฤติกรรมการออกกำลังกายของผู้สูงอายุ
ในเขตกรุงเทพมหานคร. ดุษฎีบัณฑิตปริญญาบัณฑิต, สาขาวิชา
การพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

วิวารรณ ลีลาสำราญ. (2547). สุขภาพ สมรรถภาพ และการออกกำลังกาย. ใน วิวารรณ ลีลาสำราญ,
วิชัย เพ็มศิริวนิชย์ (บรรณาธิการ), การออกกำลังกายเพื่อสุขภาพและในโรคต่าง ๆ.
ลงชื่อ: ชานเมืองการพิมพ์.

ศิริชัย กาญจนวงศ์. (2552). ทฤษฎีการทดสอบแบบดั้งเดิม. (พิมพ์ครั้งที่ 6). กรุงเทพฯ: โรงพิมพ์แห่ง
จุฬาลงกรณ์มหาวิทยาลัย.

สุชีรา ภัทรยุตวรรตน์, กนกรัตน์ สุชะตุรงค์, จริยา จันตรະ, วิลาสินี ชัยสิทธิ์, กีรติ บรรณกุลโรจน์ และ¹
สร้อยสุดา อิ้มอรุณรักษ์. (2543). การสร้างเกณฑ์ปกติของแบบทดสอบ Standard
Progressive Matrices ในกลุ่มประชากรไทย. สารสารสนเทศจิตแพทย์แห่งประเทศไทย,
45(1), 45-57.

Aberg, M. A., Pedersen, N. L., Toren, K., Svartengren, M., Backstrand, B., Johnsson, T.,
Cooper-Kuhn, C. M., Aberg, N. D., Nilsson, M., & Kuhn, G. (2009).
Cardiovascular fitness is associated with cognition in young adulthood.
Proceeding of the National Academic of Sciences of the United States of America, 20906-20911.

American College of Sport Medicine. (2005). Position stand on the recommended
quantity and quality of exercise for developing and maintaining
cardiorespiratory and muscular fitness and flexibility in healthy adults.
Journal of Science and Medicine in Sport, 30(6), 975-1008.

Anderson, P. (2002). Assessment and development of executive function (EF) during
Childhood. *Child neuropsychology*, 82, 71-82.

Anokhin, A., & Vogel, F. (1996). EEG alpha rhythm frequency and intelligence in normal
adult. *Intelligence*, 23, 1-14.

Aron, A. R., Robbins, T. W., & Poldrack, R. A. (2004). Inhibition and the right inferior
frontal cortex. *Trends in Cognitive Sciences*, 84, 170–177.

- Artiola, F. A., & Heaton, R. K. (1996). Standard versus computerized administration of Wisconsin Card Sorting Test. *The Clinical Neuropsychologist, 10*, 419-424.
- Baddeley, A., & Wilson, B. (1988). Frontal amnesia and the dysexecutive syndrome. *Brain and Cognition, 7*, 212-230.
- Banich, M. T. (2009). Executive function: The search for an integrated account. *Current Direction in Psychological Science, 18*, 89-94.
- Barak, O., Popadić-Gačeša, J., Karaba-Jakovljević, D., Drapšin, M., Klašnja, A. (2004). Assessment of cognitive functions related to the level of physical exertion. *Eur J Appl Physiol, 409-414*.
- Barcelo, F., Sanz, M., Molina, V., & Rubia, F. J. (1997). The Wisconsin Card Sorting Test and the assessment of frontal function: A validation study with event-related potentials. *Neuropsychologia, 35(4)*, 399-408.
- Barcelo, F. (2001). Does the Wisconsin Card Sorting Test Measure Prefrontal function?. *Spanish Journal of Psychology, 4(1)*, 79-100.
- Barcelo, F. (2003). The Madrid card sorting test (MCST): a task switching paradigm to study executive attention with event-related potentials. *Brain Research Protocols, 11*, 27-37.
- Baron, I. S. (2004). *Neuropsychological evaluation of the child*. New York: Oxford University Press.
- Basak, C., Boot, W. R., Voss, M. W., & Kramer, A. F. (2008). Can training in a real-time-strategy video game attenuate cognitive decline in older adults?. *Psychol Aging, 23(4)*, 765-77.
- Best, J.R., Patricia, H.M., & Lara L.J. (2009). Executive function after age 5: Change and correlate g. *Developmental Review, 1-19*.
- Brownson, R. C., Chang, J. C., David, J. R., & Smith, C. (1991). Physical activity on the job and cancer in Missouri. *American Journal of Public Health, 81*, 639-642.
- Cahill, R., Frost, C., Jenkins, R., Whitwell, J., Ross, M., & Fox, N. (2003). A longitudinal study of brain volume changes in normal aging using serial registered magnetic resonance imaging. *Arch Neurol, 60*, 989-94.
- Carlson, S. M. (2005). Developmentally sensitive measures of executive function in preschool children. *Developmental Neuropsychology, 28*, 595-616.

- Castellano, V., White, L. J. (2008). Serum brain-derived neurotrophic factor response to aerobic exercise in multiple sclerosis. *Journal of Neurological Sciences*, 269, 85-91.
- Castelli, D. M., Hillman, C. H., Buck, S. M., & Erwin, H. (2007). Physical fitness and academic achievement in 3rd & 5th Grade Students. *Journal Sport Exerc. Psychol*, 29, 239-252.
- Cattell, R. B. (1971). *Abilities, their structure, growth, and action*. Boston: Houghton Mifflin.
- Cepeda, N. J., Kramer, A. F., & Gonzalez de, J. C. (2001). Changes in executive control across the life span: Examination of task-switching performance. *Developmental Psychology*, 37(5), 715-730.
- Chaddock, L., Erickson, K. I., Prakash, R. S., Voss, M. W., VanPatter, M., Pontifex, M. B., Hillman, C., & Kramer, A. F. (2012). A function MRI investigation of the association between childhood aerobic fitness and neurocognitive control. *Journal Sport Exerc. Psychol*, 89, 260-268.
- Chang, Y., & Ethier, J. L. (2009). Effect of acute bout of localized resistance exercise on cognitive performance in middle-aged adults: A randomized controlled trial study. *Journal Sport Exerc. Psychol*, 10, 19-24.
- Chodzko-Zajko, W. J., & Moore, K. A. (1994). Physical fitness and cognitive functioning in aging. *Exercise and Sport Science Review*, 22, 195-220.
- Colcombe, S. J., & Kramer, A. F. (2003). Fitness effects on the cognitive function of older adults: A meta-analytic study. *Psychological Science*, 14(2), 125-130.
- Colcombe, S. J., Kramer, A. F., Erickson, K., Scalf, P., McAuley, E., & Cohen, N. J. (2004). Cardiovascular fitness, cortical plasticity, and aging. *Proceedings of the National Academy of Sciences*, 101, 3316-3321.
- Colom, R. Abad, F. J., Quiroga, M. A., Shih, P. C., & Flores-Menzoda, C. (2008). Working memory and intelligence are highly related constructs, but why?. *Intelligence*, 36, 584- 606.
- Colzato, L. S., van Wouwe, N. C., & Lavender, T. J. (2006). *Intelligence and cognitive flexibility: Fluid intelligence correlates with feature “unbinding” across perception and action*. Retrieved December 18, 2007, from www.agenetwork.phhp.ufl.edu / CLUFF. Edwards.

- Cooper Institute for Aerobics Research. (2004). *The Prudential FITNESSGRAM test administration manual*. Dallas, TX: Cooper Institute for Aerobics Research.
- Cotman, C. W., & Berchtold, N. C. (2002). Exercise: a behavioral intervention to enhance brain health and plasticity. *Trends in Neuroscience*, 25, 295-301.
- Crone, E. A., Wendelken, C., Donohue, S. E., & Bunge, S. A. (2005). Neural evidence for dissociable components of task-switching. *Cerebral Cortex*, 28, 47-53.
- Currie, J., Ramsbottom, R., Ludlow, H., Nevill, A., & Gilder, M. (2009). Cardio-respiratory fitness, habitual physical activity and serum brain derived neurotropic factor (BDNF) in men and woman. *Neuroscience Letters*, 451, 152-155.
- Denckla, M. B. (1994). *Measurement of executive function*. In G. R. Lyon (Ed) Frame of reference for the assessment of learning disabilities: New views on measurement issues. Baltimore, MD: Paul H. Brooks.
- Diamond, A. (2006). *The early development of executive functions*. In E. Bialystok & F. Craik (Ed.), *Lifespan Cognition: Mechanisms of Change*. New York: Oxford University Press.
- Doppelmayr, M., Klimesch, W., Stadler, W., Pothhuber, D. & Heine, C. (2002). EEG alpha power and intelligence. *Intelligence*, 30, 289-302.
- Doppelmayr, M., Klimesch, W., Sauseng, P., Hodlmoser, K., Stadler, W., & Hanslmayr, S. (2005). Intelligence related difference in EEG-band power. *Neuroscience Letters*, 381, 309- 313.
- Duke, A. P., & Ree, M. J. (1996). Better candidates fly fewer training hours: Another time testing pays off. *International Journal of Selection and Assessment*, 4, 115- 121.
- Duncan, J. (1995). *Attention, intelligence, and the frontal lobes*. In M. S. Gazzaniga (Ed.) *the cognitive neurosciences*. Cambridge, MA: MIT Press.
- Duncan, C. C., Barry, R. J., Connolly, C. F., Fischer, C., Michie, P., Naatanen, R., Polich I. J., Reinvang, I., Petten, C. V., Fabiani, M., GrattonN, G., & Federmeier, K. D (2007). *Event-Related Brain Potentials: Methods, Theory, and Applications*. In Cacioppo, J. T., Tassinary, L. G., & Berntson, G.G. (Ed.). United States of America: Cambridge University Press.

- Duncan, C. C., Barry, R. J., Connolly, C. F., Fischer, C., Michie, P., Naatanen, R., Polich, I. J., Reinvang, I., Petten, C. V. (2009). Event-related potentials in clinical research: Guidelines for eliciting, recording and quantifying mismatch negativity, P300 and N400. *Clinical Neurophysiology*, 1883-1908.
- Etnier, J. L., Berry M. (2001). Fluid intelligence in an older COPD sample after short- or long- term exercise, *Medicine & Science in Sport & Exercise*, 1620-1628.
- Etnier, J. L., Nowell P. M., Landers D.M., Sibley, B. A. (2006). A meta- regression to examine the relationship between aerobic fitness and cognitive performance. *Brain Research Review*, 119-130.
- Gauvin, L., Rejeski, W. J., & Norris, J. L. (1996). A naturalistic study on the impact of acute physical activity on feeling states and affect in women. *Health Psychology*, 15, 391-397.
- Gioia, G. A., Isquith, P. K., Guy, S. C., & Kenworthy, L. (2000). *BRIEF: Behavior Rating Inventory of Executive Function Professional Manual*. Lutz, FL: PAR.
- Glass, G. V., & Hopkin, K. D. (1996). *Statistical methods in psychology and education* (3rd ed.). Needham Heights, MA: Allyn & Bacon.
- Goldberg, E. (2001). *The executive brain*. New York: Oxford University Press.
- Gottfredson, L S. (1997). Why g matters: the complexity of everyday life. *Intelligence*, 24, 79 – 132.
- Grabner, R. H., Fink, A., Stipacek, A., Neuper, C., & Neubauer, A.C. (2004). Intelligence and working memory system: evidence of neural efficiency in alpha band ERD. *Cognitive Brain Research*, 20, 212-225.
- Gutberlet, I., & Debener, S. (2009). *Techniques of EEG recording and preprocessing*. In Tong, S., & Thakoe, N. V. (Ed.). Quantitative EEG analysis method and clinical application. British, ARTECH HOUSE.
- Haier, R. J., Siegel, B. V., Nuechterlein, K. H., Hazlett, E., Wu, J. C., Paek, J., Browning, H. L., & Buchsbaum, M. S. (1988). Cortical glucose metabolic rate correlate of abstract reasoning and attention studied with positron emission tomography *Intelligence*, 12, 199-217.
- Heaton, R. K. (1981). *Wisconsin Card Sorting Test manual*. Odessa, FL: Psychological Assessment Resource, Inc.

- Heaton, R. K., Chelune, G. J., Talley, J. L., Kay, G. G., & Curtis, G. (1993). *Wisconsin Card-Odessa*, FL: Psychological Assessment Resources.
- Hillman, C. H., Snook, E. M., & Jerome G, J. (2003). Acute cardiovascular exercise and executive control function. *International journal of psychophysiology*, 48, 307-314.
- Hillman, C. H., Castelli, D. M., & Buck, S. M. (2005). Aerobic fitness and neurocognitive function in preadolescent children. *Medicine & Science in Sports & Exercise*, 37, 1967-1974.
- Hillman, C. H., Kramer, A. F., Belopolsky, A. V., & Smith, D. P. (2006a). A cross sectional examination of age and physical activity on performance and event related brain potentials in a task switching paradigm. *International Journal of Psychophysiology*, 59, 30-39.
- Huizinga, M., Dolan, C. V., van der Molen, M. W. (2006). Age-related change in executive Function: Developmental trends and a latent variable analysis. *Neuropsychologia*. 44, 2017-2036.
- Hoeger, W. K., & Hoeger, S. (2006). *Principles and labs for fitness and well* (8th ed.). United States of America: Thomson Wadsworth.
- Jaeggi, S. M., Buschkuhl, M., Jonides, J., & Perrig, W. J. (2008). Improving fluid intelligence with training in working memory. *Proceeding of the National Academic of Sciences of the United States of America*, 105, 1-5.
- Johnson, B., Christensen, L.. (2004). *Educational Research: quantitative, qualitative, and mixed approaches*. (2nd ed.). USA: Pearson Education, Inc.
- Jung, R. E., Haier, R. J. (2007). The parieto-frontal integration theory (P-FIT) of Intelligence: Converging neuroimaging evidence. *Behavioral and Brain Science*, 30, 135-154.
- Kalcher, J., & Pfurtscheller. (1995). Discrimination between phase-locked and non-phase-locked event-related EEG activity. *Electroencephalography and clinical Neurophysiology*, 94, 381-384.
- Kamijo, K., & Takeda, Y. (2010). Regular physical activity improves executive function *International journal of psychophysiology*, 75, 304-311.

- Karbach, J., & Kray, J. (2009). How useful is executive control training? Age difference in near and far transfer of task switching training. *Developmental Science*, 12, 978- 990.
- Kerling, F. N., & Lee, H. B. (1999). *Foundation of Behavioral Research* (4th ed.). United States of America: Wadsworth Publishing.
- Klimesch, W. (1999). EEG alpha and theta oscillation reflect cognitive and memory performance: a review and analysis. *Brain Research Reviews*, 29, 169-195.
- Klingberg, T., Forssberg, H., & Westerberg, H. (2002). Training of working memory in *Journal Clin Exp Neuropsychol*, 24(6), 781-91.
- Kok, A. (2001). On the utility of P3 amplitude as a measure of processing capacity. *Psychophysiology*, 38, 557-577.
- Kongs, Thompson, Iverson, & Heaton, R. K. (2000). *Wisconsin Card Sorting Test-64 Card Version*. Lutz, FL: Psychological Assessment Resources.
- Kotchoubey, B. (2006). Review Event-Related Potentials, cognition, and behavior: A biological approach. *Neuroscience and Biobehavioral Review*, 30, 42-65.
- Kropoto, J. D. (2009). *Quantitative EEG, Event-Related Potentials and Neurotherapy* (1st ed.). In Larson, L. A., & Yocom, R. D. (Ed.). *Measurement and Evaluation in physical, Health, Recreation, and Education*. St Louis: C.V. Mosby Co.
- Langer, N., Pedroni, A., Gianotti, L.R., Hänggi, J., Knoch, D., & Jäncke, L. (2012). Functional brain network efficiency predicts intelligence. *Human Brain Mapp*, 33, 1393-1406.
- Lezak, M. (1995). *Neuropsychological assessment* (3rd ed.). New York: Oxford University Press.
- Lezak, M. D., Howieson, D. B., & Loring, D. W. (2004). *Neuropsychological assessment* (4th ed.). New York: Oxford University Press.
- Liu, T., Shi, J., Zhao, D., & Yang, J. (2008). The relationship between EEG band power, cognitive processing and intelligence in school-age children. *Psychology Scienc Quarterly*, 50(2), 259-268.
- Lynn, R., Allik, J., & Irwing, P. (2004). Sex differences on three factors identified in Raven's Standard Progressive Matrices. *Intelligence*, 32, 411-424.
- Masley, S., Roetzheim, R., Gualtieri, T. (2009). Aerobic exercise enhances cognitive flexibility. *J Clin Phychol Med Setting*, 16, 186-193.

- McArdle, J. J., Ferrer –Caja, F., Hamagami, F., & Woodcock, R. W. (2002). Comparative longitudinal structural analysis of growth and decline of multiple intellectual abilities over the lifespan. *Development Psychol, 38*, 113-142.
- Miyake, A., Friedman, N. P., Emerson, M. J., Witzki, A. H., & Howerter, A. (2000). The unity and diversity of executive functions and their contributions to complex “frontal lobe” tasks: A latent variable analysis. *Cognitive Psychology, 41*, 49-100.
- Narayanan, N. S., Prabhakaran, V., Bunge, S. A., Christoff, K., Fine, E. M., & Gabrieli, J. D. (2005). The role of the prefrontal cortex in the maintenance of verbal working memory: An event-related fMRI analysis. *Neuropsychology, 19*(2), 223 – 232.
- Neubauer, A. C., Grabner, R. H., Freudenthaler, H., & Beckmann, J. F. (2004). Intelligence and individual differences in becoming neurally efficient. *Acta psychologica, 116*, 55-74.
- Neubauer, A., Grabner, R. H., Fink, A., & Neuper, C. (2005). Intelligence and neural efficiency: Further evidence of the influence of task content and sex on the brain- IQ relationship. *Cognitive Brain Research, 23*, 217-228.
- Neubauer, A. C., & Andreas, F. (2009). *Neuroscience and Biobehavioral Reviews*. Retrieved September 13, 2009, from <http://www.elsevier.com/doi/pdf/10.1016/j.neurobiol>
- Neubauer, A. C., & Fink, A. (2009). Intelligence and neural efficiency. *Neuroscience and biobehavioral Review, 1*-20.
- Newson, R. S., & Kemps, E. B. (2008). Relationship between fitness and cognitive performance in younger and older adults. *Psychology and Health, 23*, 369– 386.
- Niedermeyer, E., & Lopes da Silva, L. H. (1999). *Electroencephalography: Basic Principles, Clinical Applications, and Related Fields* (4th ed.). Baltimore, MD: Williams and Wilkins.
- Nyhus, E., & Barcelo, F. (2009). The Wisconsin Card Sorting Test and the cognitive assessment of prefrontal executive functions: A critical update. *Brain Cogn, 71*, 437-451.

- O'Donnell, S., Noseworthy, M. D., Levine, B., & Dennis, M. (2005). Cortical thickness of the frontopolar area in typically developing children and adolescents. *NeuroImage*, 4, 948-954.
- Olchawa, B., Kingwell, B. K., Hoang, A., Schneider, L., Miyazaki, O., Nestel, P., & Sviridov, D. (2004). Physical Fitness and Reverse Cholesterol Transport Arteriosclerosis. *Thromb Vasc Biol*, 24(6), 1087-1091.
- Oldfield, R. C. (1971). The assessment and analysis of Handedness: The Edinburgh Inventory. *Neuropsychologia*. 9, 97-113.
- Pfurtscheller, G., & Lopes da Silva, F. H. (1999). Event-related EEG/MEG synchronization and desynchronization: basic principle. *Clinical Neurophysiology*, 110, 1842-1857.
- Picton, T. W., Lins, O. G., & Scherg, M. (1995). *The recording and analysis of event-related potential*. Handbook of Neuropsychology, Johnson R. (Ed). Amsterdam: Elsevier.
- Ploughman, M., McCarthy, J., Bosse, M., Sullivan, H. J., & Corbett, D. (2008). Does treadmill Exercise improve performance of cognitive or upper-extremity tasks in people with chronic stroke? A randomized Cross-Over Trial, *Clinical Neurophysiology*, 89, 2041-2047.
- Plowman, S. A., & Smith, D. (2008). *The Warm-Up Exercise Physiology for Health, Fitness, and Performance* (2nd ed.). Philadelphia: Lippincott Williams & Wilkins.
- Polich, J. (2007). Updating P300: An integrative theory of P3a and P3b. *Clinical Neurophysiology*, 118, 2128-2148.
- Powers, S.K., & Dodd, S.L. (1997). *The essential of total fitness*. Boston: Allyn and Bacon.
- Primi, R., Ferrao, M. E., & Almeida, L. (2010). Fluid intelligence as a predictor of learning: longitudinal multilevel approach applied to math. *Learning and Individual Differences*, 10, 446-451.
- Rae, C., Digney, A. L., McEwan, S. R., & Bates, T. C. (2003). Oral creatine monohydrate supplementation improves brain performance: a double-blind, placebo-controlled, cross-over trial. *Proc Biol Sci*, 270(1529), 2147-2150.
- Raven, J., Raven, J. C., & Court, H. H. (2000a). *Raven manual: Section 3. Standard Progressive Matrices*. Oxford: Oxford Psychologists Press Ltd.

- Roca, M., Parr, A., Thompson, R., Woolgar, A., Torralva, T., Antoun, N., Manes, F., & Duncan, J. (2009). Executive function and fluid intelligence after frontal lobe lesion. *Brain*, 10, 1-14.
- Ruscheweyh, R., Willemer, C., Kruger, K., Duning, T., Warnecke, T., Sommer, J., Volker, K., Mooren, F., Knecht, S., & Floel, A. (2011). Physical activity and memory function: An intervention study. *Neurobiology of Aging*, 16, 1304-1319.
- Rushworth, M., Walton, M., Kennerley, S., & Bannerman, D. (2004). The role of medial frontal cortex in making decisions and changing tasks. *International Journal of Psychology*, 39(56), 514.
- Salthouse, T. A., Atkinson, T. M., & Berish, D. E. (2003). Executive functioning as a potential mediator of age-related cognitive decline in normal adults. *Journal of Experimental Psychology*, 132, 566-594.
- Salthouse, T. A., Pink, J. E., & Tucker-Drob, E. M. (2008). Contextual analysis of fluid intelligence. *Intelligence*, 36, 464- 486.
- Scahill, R. I., Frost, C., Jenkins, R., Whitwell, J. L., Rossor, M. N., Fox, N. C. (2003). A longitudinal study of brain volume changes in normal aging using serial registered magnetic resonance imaging. *Arch Neurol*, 60(7), 989-994.
- Schellenberg, E. G. (2004). Music Lessons Enhance IQ. *Psychol Sci*, 15(8), 511-514.
- Schneider, S., Brummer, V., Abel, T., Askew, C. D., & Struder, H.K. (2009). Change in brain cortical activity measured by EEG are related to individual exercise preferences. *Physiology & Behavior*, 447-452.
- Scisco, J. L., Andrew, L., & Jie, K. (2008). Cardiovascular fitness and executive control during task - switching: An ERP study. *International Journal of psychophysiology*, 69, 52– 60.
- Shaughnessy, J. J., Zechmeister, E., & Zechmeister, J. S. (2006). *Research methods in psychology*. New York: The McGraw-Hill Companies, Inc.
- Singh- Manoux, A., Hillsdon, M., Brunner, E., & Marmot, M. (2005). Effect of physical activity on cognitive functioning in middle age: evidence from the Whitehall prospective cohort study. *American Journal of public health*, 95(12), 2252 – 2258.
- Sibley, B. A., & Etnier, J. L. (2003). The relationship between physical activity and cognition in children: a meta-analysis. *Ped. Exerc. Sci*, 15, 243–256.

- Sternberg, R. V. (1994). Systematic implications of color pattern polymorphism in *Goniopsis pulchra* (Decapoda: Brachyura: Grapsidae), *Ecuador. Proc. Biol. Soc. Wash.*, 107, 721-728.
- Strauss, E., Sherman, E. M. S., & Spreen, O. (2006). *A compendium of neuropsychological tests* (3rd ed.). New York: Oxford University Press.
- Stuss, D. T., & Knight, R. T. (2002). *Introduction*. In D.T. Stuss & R.T. Knight (Ed.), *Principles of frontal lobe function*. New York: Oxford University Press.
- Themanson, J. R., & Hillman, C.H. (2006). Cardiorespiratory fitness and acute aerobic exercise effects on neuroelectric and behavioral measures of action monitoring. *Neuroscience*, 141, 757-767.
- Themanson, J. R., & Pontifex. (2008). Fitness and action monitoring: Evidence for improved cognitive flexibility in young adult. *Sport Medicine*, 157, 319-328.
- Tomporowslei , P. D. (2003b). Effects of acute bouts of exercise on cognition. *Acta Psychologica*, 112, 297-324.
- Tomporowski, P. D., Zagrodnik, J. (2008). Acute aerobic exercise and information processing: energizing motor processes during a choice reaction time task. *Acta Psychologica*, 129, 410-419.
- van Albada, S. J., Kerr, C.C., Chiang, A. K. I., Rennie, C. J., & Robinson, P. A. (2010). Neurophysiological changes with age probed by inverse modeling of EEG spectra. *Clinical Neurophysiology*, 121, 21-38.
- Wenger, H. A., & Bell, G. J. (1986).The interactions of intensity frequency and duration of exercise training in altering cardiovascular fitness. *Sports Medicine*, 3, 346-356.
- West, R. (1996). An application of prefrontal cortex function theory to cognitive aging. *Psychological Bulletin*, 120, 272-292.
- Yanagisawa, H., Dan, I., Tsuzuki, D., Kato, M., Okamoto, M., Kyutoku, Y., & Soya, H., Acute moderate exercise elicits increased dorsolateral prefrontal activation and improve cognitive performance with Stroop test. *NeuroImage*, 50, 1702-1710.
- Yuan, K., Shavelson, R., Alozo, A., & Steedle, J. (2007). *Improving Students, Working Memory, Fluid Intelligence, and Science Achievement Computerized Cognitive- Training*. Retrieved January 5, 2008, from www. ebutation.net/go/ review sciencecentric.com.