

บรรณานุกรม

- จุฬาลักษณ์ บารมี. (2551). สถิติเพื่อการวิจัยทางสุขภาพและการวิเคราะห์ข้อมูลด้วยโปรแกรม SPSS. ชลบุรี: ศรีศิลป์การพิมพ์.
- เจน จิตะพันธ์กุล, สารสิน กิตติโพวนันท์, และวินูลย์ ตรรภกุลสุน. (2545). การประเมินภาวะทุพโภชนาการในผู้ป่วยศัลยกรรมโดยใช้ *Nutrition Triage*. กรุงเทพฯ: กองศัลยกรรมโรงพยาบาลศุภลักษณ์เดช.
- ธนาคม เปรมนประภา. (2549). *Metabolic Response to Injury and Surgical Nutrition*. สงขลา: หน่วยศัลยศาสตร์หลอดเลือด ภาควิชาศัลยศาสตร์ คณะแพทยศาสตร์ มหาวิทยาลัยสงขลานครินทร์. เอกสารการสอน.
- บุญใจ ศรีสถิตย์นราภรณ์. (2553). ระเบียบวิธีการวิจัยทางพยาบาลศาสตร์ (พิมพ์ครั้งที่ 5). กรุงเทพฯ: ยูแอนด์ไออินเตอร์เน็ต.
- พรรณวดี พุชวัฒน์. (2537). โภชนาการสำหรับผู้ป่วยที่อยู่ในภาวะวิกฤต. ใน สมจิต หนูเริ่มกุล. (บรรณาธิการ), การพยาบาลทางอายุรศาสตร์ เล่ม 2 (พิมพ์ครั้งที่ 11: หน้า 295-310).
- กรุงเทพฯ: โครงการตำราภาควิชาพยาบาลศาสตร์ คณะแพทยศาสตร์ โรงพยาบาลรามาธิบดี มหาวิทยาลัยมหิดล.
- รังสรรค์ ภูริyananathanthai. (2549). โภชนาการในผู้ป่วยวิกฤติ. สงขลานครินทร์เวชสาร, 24(5), 426-443.
- รัตน์ศิริ ทาโต. (2552). การวิจัยทางพยาบาลศาสตร์: แนวคิดสู่การประยุกต์ใช้ (พิมพ์ครั้งที่ 2). กรุงเทพฯ: โรงพยาบาลแห่งจุฬาลงกรณ์มหาวิทยาลัย.
- โรงพยาบาลสมเด็จพระบรมราชเทวี ณ ศรีราชา. (2553). ข้อมูลสถิติผู้ป่วย โรงพยาบาลสมเด็จพระบรมราชเทวี ณ ศรีราชา. วันที่ค้นข้อมูล 16 ตุลาคม 2553, เข้าถึงได้จาก HIS/C:pccprog/copymenu _ new/ipdwdeq01/programlink.
- ลัดดา จำพัฒน์. (2549). ภาวะโภชนาการและภาวะสุขภาพของผู้ป่วย โรคปอดอุดกั้นเรื้อรัง. วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต, สาขาวิชาพยาบาลผู้ไข้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยจุฬาลงกรณ์.
- วินูลย์ ตรรภกุลสุน. (2550). Day to Day Nutrition Support: Practice Use. ใน เอกринทร์ ภูมพิเชฐ และ ไชยรัตน์ เพิ่มพิกุล. (บรรณาธิการ), *Critical Care in Everyday Practice* (หน้า 364-376). กรุงเทพฯ: บีคอนด์ อิมเพรสชัน.

- วิบูลย์ ตระกูลอุน และหน่วยโภชนาบำบัด โรงพยาบาลภูมิพลอดุลยเดช. (2552). คู่มือการใช้แบบประเมิน *Bhumibol Adulyadej Hospital Triage: BNT*. วันที่ค้นข้อมูล 24 ตุลาคม 2552,
เข้าถึงได้จาก <http://www.bhumibolhospital.rtaf.mi.th>.
- สุรัตน์ โคมินทร์. (2543). โภชนาบำบัดในผู้ป่วยวิกฤต. ใน สุมาลี เกียรตินุญศรี (บรรณาธิการ).
การดูแลโรคระบบทางเดินหายใจในผู้ใหญ่ (หน้า 581-597). กรุงเทพฯ: ภาพพิมพ์.
ศักขณญา ชิติศักดิ์. (2552). โภชนาการในผู้ป่วยวิกฤต. กรุงเทพฯ: หลักสูตรการพยาบาลเฉพาะทาง
ผู้ป่วยวิกฤตวัยผู้ใหญ่และผู้สูงอายุ วิทยาลัยพยาบาลสภากาชาดไทย, เอกสารการสอน.
- Ackerman, M. H., Evans, N. J., & Ecklund, M. M. (1994). Systemic inflammatory response syndrome, sepsis and nutritional support. *Critical Care Nursing Clinical North American*, 6, 321-340.
- Alberda, C., Graf, A., & McCargar, L. (2006). Malnutrition: Etiology, consequences, and assessment of a patient at risk. *Best Practice & Research Clinical Gastroenterology*, 20(3), 419-435.
- Aldrich, T. K., & Prezant, D. J. (1994). Indication for mechanical ventilation In J. M. Tobin (Ed.).
Principles and Practice of Mechanical Ventilation. (pp.155-189). New York:
McGraw-Hill.
- Allison, S. P., & Kinney, J. M. (2000). Perioperative nutrition. *Current Opinion in Clinical Nutrition and Metabolic Care*, 3(1), 1-3.
- American Heart Society. (1999). Dyspnea mechanisms, assessment, and management: a consensus statement. *American Review Respiratory Critical Care Medicine*, 159, 321-340.
- American Thoracic Society. (2002). AST statement: guideline for the six- minute walk test.
American journal of Respiratory and Critical Care Medicine, 166, 111-117.
- Anahi, O. M., & Ingrid, D. S. (2008). Nutrition assessment of severely ill patients. *Rev Bras Ter Intensiva*, 20(3), 286-295.
- Arrowsmith, H. (1999). A critical evaluation of the use of nutrition screening tools by nurses.
British Journal of Nursing, 8(22), 1483-1490.
- ASPEN Board of Director, Clinical Guideline Task Force. (2002). Guideline for the use of parenteral and enteral nutrition in adult and pediatric patients. *Journal of Parenteral and Enteral Nutrition*, 26, 144.

- ASPEN Board of Directors. (2009). Enteral nutrition practice recommendations. *Journal of Parenteral and Enteral Nutrition*, 33(2), 121-167.
- Barker, A. L., Gout, S. B., & Crown, C. T. (2011). Hospital malnutrition: Identification and impact on patients and the healthcare system. *International Journal of Environmental Research and Public Health*, 8, 514-527.
- Baker, J. P., Detsky, A. S., Whitwell, J., Langer, B., & Jeejeebhoy, K. N. (1982). A comparison of the predictive value of nutritional assessment techniques. *Human Nutrition and Clinical Nutrition*, 36, 233-241.
- Baldwin, C., & Parson, T. J. (2004). Dietary advice and nutritional supplements in the management of illness-related malnutrition: systematic review. *Clinical Nutrition*, 23, 1267-1279.
- Banner, M. J. (1995). Respiratory muscle loading and the work of breathing. *Journal of Cardiothoracic and Vascular Anesthesia*, 9(2), 192-204.
- Barendregt, K., Soeters, P. B., Alison, S. P., & Kondrup, J. (2008). Basic concepts in nutrition: Diagnosis of malnutrition-screening and assessment. *European e-Journal of Clinical Nutrition and Metabolism*, 3, 121-125.
- Barr, J., Hecht, M., Flavin, K. E., Khorana, A., & Gould, M. K. (2004). Outcomes in the critically ill patients before and after the implementation of an evidence-based nutritional management protocol. *Chest*, 125, 1446-1457.
- Bassili, H. R., & Deitel, M. (1981). Nutritional support in long term intensive care with special reference to ventilator patients: a review. *Canadian Anesthesia Society Journal*, 28(1), 17-21.
- Baston, A. D., Beigg, C. L., Macdonald, I. A., & Allison, S. P. (2000). High food wastage and low nutritional intakes in hospital patients. *Clinical Nutrition*, 19(6), 445-449.
- Bei-Wen Wu., Tao Yin., Wei-Xin Cao., Zhi-D0ng Gu., Xiao-Jin Wang., Min Yan., & Bing-Ya Liu. (2009). Clinical application of subjective global assessment in Chinese patients with gastrointestinal cancer. *World Journal of Gastroenterology*, 15(58), 3542-3549.
- Berger, M., & Pichard, C. (2012). Best timing for energy provision during critical illness. *Critical Care*, 16(215), 1-7.
- Bessey, P. Q. (2004). *Metabolic Response to Critical Illness*. *Critical Care*. Retrieved May 24, 2010, from <http://www.slideshare.net/medbookonline/acs0825>.

- Borg, G. A. (1982). Psychophysical bases of perceived exertion. *Medical Science Sports Exercises*, 14, 377-381.
- Braga, M., Gianotti, L., Gentilini, O., & Di Carlo, V. (2002). Feeding the gut early after digestive surgery: Result of a nine-year experience. *Clinical Nutrition*, 21, 59-65.
- Braunschweig, C., Gomez, S., & Sheean, P. M. (2000). Impact of declines in nutritional status on outcomes in adult patients hospitalized for more than 7 days. *Journal of the American Dietetic Association*, 100(11), 1316-1322.
- Brozek, J. (1990). Effect of generalized malnutrition on personality. *Nutrition*, 6, 389-395.
- Buzby, G. P., Mullen, J. L., Matthews, D. C., Hobbs, C. L., & Rosato, E. F. (1980). Prognostic nutritional index in gastrointestinal surgery. *American Journal of Surgical*, 139(1), 160-167.
- Cathy, A., Andrea, G., & Linda, M. (2006). Malnutrition: Etiology, consequences, and assessment of a patient at risk. *Best Practice & Research Clinical Gastroenterology*, 20(3), 419-435.
- Chapman, M. J., Nyugen, N. Q., & Fraser, R. J. (2007). Gastrointestinal motility and prokinetics in the critically ill. *Current Opinion Critical Care*, 13, 187-194.
- Chiolero, R., Revelly, J. P., & Tappy, L. (1997). Energy metabolism in sepsis and injury. *Nutrition*, 13, 45S-51S.
- Chittawatanarat, K., & Chuntrasakul, C. (2006). Enteral feeding in surgical critically ill patients. *The Thai Journal of Surgical*, 27, 5-10.
- Cochrane Injuries Group Albumin Reviewers. (1988). Human albumin administration in critically ill patients: Systematic review of randomized controlled trials: Why albumin may not work. *BMJ*, 317, 235-240.
- Cohen, J. (1992). Quantitative methods in psychology: A power primer. *Psychological Bulletin*, 112(1), 155-159.
- Cook, D. J., Walter, S. D., Cook, R. J., Griffith, L. E., Guyatt, G. H., & Leasa, D. (1998). Incidence of and risk factors for ventilator-associated pneumonia in critically ill patients. *Annals of Internal Medicine*, 129, 433-440.
- Corish, C. A. (1999). Pre-operative nutritional assessment. *Proceeding of the Nutrition Society*, 58(4), 821-829.

- Corish, C. A., & Kennedy, N. P. (2000). Protein-energy undernutrition in hospital in patients. *British Journal of Nutrition, 83*, 575-591.
- Corish, C. A., Flood, P., & Kennedy, N. P. (2004). Comparison of nutritional risk screening tools in patients on admission to hospital. *Journal of Human Nutrition and Dietetics, 17*, 133-139.
- De Janghe, B., Appere-De-Vechi, C., Fournier, M., Tran, B., Merrer, J., Melchior, J. C., & Outin, H. (2001). A prospective survey of nutritional support practices in intensive care unit patients: What is prescribed, what is delivery. *Critical Care Medicine, 29*, 8-12.
- Detsky, A. S., Baker, J. P., O'Rourke, K., Johnston, N., Whitwell, J., & Mendelson, R. A. (1987). Predicting nutrition-associated complications for patients undergoing gastrointestinal surgery. *Journal of Parenteral and Enteral Nutrition, 11*(5), 440-446.
- Dimaria-Ghalili, R. A. (2002). Chang in nutritional status and post operative outcome in eldery CABG patients. *Biological Research for Nursing, 4*(2), 73-84.
- Douglas, W. W. (2000). Metabolic response to severe surgical illness: Overview. *World Journal of Surgery, 24*, 705-711.
- Elia, M. (2003). *Screening for malnutrition: A multidisciplinary responsibility, development and use of the Malnutrition Universal Screening Tool (MUST) for adults*. Retrieved May 24, 2009, from <http://www.bapen.org.uk>.
- Frankenfield, D., Hise, M., Malone, A., Russell, M., Gradwell, E., & Compher, C. (2007). Prediction of resting metabolic rate in critically ill adult patients: Result of a systemic review of the evidence. *Journal of The American Dietetic Association, 107*(9), 1552-1561.
- Gariballa, S., & Forster, S. (2005). Age as determinant of nutritional status: A cross sectional study. *Nutrition Journal, 4*(28), 1-5.
- Gianino, S., & Johm, R. E. (1993). Nutritional assessment of the patient in the intensive care unit. *Critical Care Nursing Clinical North American, 5*, 1-16.
- Green, S. M., & Watson, R. (2005). Nutritional screening and assessment tools for use by nurse: literature review. *Journal of Advanced Nursing, 50*(1), 69-83.
- Hebuterne, X., Bermon, S., & Schneider, S. M. (2001). Aging and muscle: The effects of malnutrition re-nutrition and physical exercise. *Current Opinion in Clinical Nutrition and Metabolic Care, 4*, 295-300.

- Heyland, D. K., Dhaliwal, R., Jiang, X., & Day, A. G. (2011). Identifying critically ill patients who benefit the most from nutrition therapy: The development and initial validation of a novel risk assessment tool. *Critical Care*, 15(R268), 1-11.
- Heslin, M. J., & Brennan, M. F. (2000). Advances in perioperative nutrition: Cancer. *World Journal of Surgery*, 24(12), 1477-1485.
- Hickson, M. (2005). Malnutrition and aging. *Postgraduate Medical Journal*, 82, 2-8.
- Hofler, L. J. (2001). Clinical nutrition: Protein-energy malnutrition in the inpatient. *Canadian Medical Association Journal*, 165(10), 1345-1349.
- Huang, Y. C., Yen, C. E., Cheng, C. H., Jih, K. S., & Kan, M. N. (2000). Nutrition status of mechanically ventilated critically ill patients: Comparison of different types of nutritional support. *Clinical Nutrition*, 19(2), 101-107.
- Huhmann, M. B., & Cunningham, R. S. (2005). The importance of nutritional screening in treatment of cancer-related weight loss. *Lancet Oncology*, 6, 334-343.
- Ingenbleek, Y., & Carpentier, Y. (1985). A prognostic inflammatory and nutrition index scoring critical ill patients. *International Journal of Vitamin and Nutrition Research*, 55, 91-101.
- Isabel, M., Correia, M. I., & Waitzberg, D. L. (2003). The impact of malnutrition on morbidity, mortality, length of hospital stay and costs evaluated through a multivariate model analysis. *Clinical Nutrition*, 22(3), 235-239.
- Japur, C. C., Monteiro, J. P., Marchini, J. H., Diez Garcia, R. W., & Basile-Filho, A. (2010). Can an adequate energy intake be able to reverse the negative nitrogen balance in mechanically ventilated critically ill patients. *Journal of Critical Care*, 25(3), 445-450.
- Jeejeebhoy, K. N. (2000). Nutritional assessment. *Nutrition*, 16(7-8), 585-590.
- Jennifer, K. H., Jeremy, L., & Lorna, S. (2005). An investigation into the immediate impact of breathlessness management on breathless patient: Randomized controlled trial. *Chartered Society of Physiotherapy*, 91, 175-185.
- Jones, J. M. (2002). The methodology of nutritional screening and assessment tools. *Journal of Human Nutrition and Dietetics*, 15, 59-71.
- Kan, M. N., Chang, H. H., Sheu, W. F., Cheng, C. H., Lee, B. J., & Huang, Y. H. (2003). Estimation of energy requirements for mechanically ventilated critically ill patients using nutritional status. *Critical Care*, 7(5), 107-115.

- Karla, R. K., Sunita, C. B., & Robert, M. S. (2000). Usefulness of the modified 0-10 Borg scale in assessing the degree of dyspnea in patient with COPD and asthma. *Journal of Emergency Nursing*, 26, 216-222.
- Klein, S., Kinney, J., Jeejeebhoy, K., Alpers, D., Hellerstein, M., & Murray, M. (1997). Nutrition support in clinical practice: Review of published data and recommendations for future research directions. Summary of a conference sponsored by the National Institutes of Health, American Society for Parenteral and Enteral Nutrition, and American Society for Clinical Nutrition. *American Journal of Clinical Nutrition*, 66(3), 683-706.
- Knaus, W. A., Draper, E. A., Wagner, D. P., & Zimmerman, J. E. (1985). APACHE II: A severity of disease classification system. *Critical Care Medicine*, 13(10), 818-829.
- Kreymann, K. G., Berger, M. M., Deutz, N. E. P., Hiesmayr, M., Lolliet, P., Kazandjiev, G., Nitenberg, G., Berghe, G., & Werner, J. (2006). ESPEN guidelines on enteral nutrition: Intensive care. *Clinical Nutrition*, 25, 210-223.
- Kubrak, C., & Jensen, L. (2007). Malnutrition in acute care patients: A narrative review. *International Journal of Nursing Studies*, 44, 1036-1054.
- Kyle, U. G., Genton, L., Slosman, D. O., & Pichard, C. (2001). Fat-free and fat mass percentiles in 5225 healthy subjects age 15 to 98 years. *Nutrition*, 17, 534-541.
- Lefrangois, R. G. (1996). *The Lifespan* (5th ed.). California: Wadsworth.
- Lewis, S. J., Egger, M., Sylvester, P. A., & Thomas, S. (2001). Early enteral feeding versus “nil by mouth” after gastrointestinal surgery: Systematic review and meta-analysis of controlled trials. *British Medical Journal*, 323(7316), 773-776.
- Lichtenberg, K., Guay-Berry, P., Pipitone, A., Bondy, A., & Rotello, L. (2010). Compensatory increased enteral feeding goal rates: A way to achieve optimal nutrition. *Nutrition Clinical Practice*, 25, 653-657.
- Lim, S. H., Lee, J. S., Chae, S. H., Ahn, B. S., Chang, D. J., & Shin, C. S. (2005). Prealbumin is not sensitive indicator of nutrition and prognosis in critical ill patients. *Yonsei Medical Journal*, 46, 21- 26.
- Ljungqvist, O., & Soreide, E. (2003). Preoperative fasting. *British Journal of Surgery*, 90(4), 400- 406.
- Loris, A. T. (2009). Effective dyspnea management strategies identified by elders with end-state chronic obstructive pulmonary disease. *Applied Nursing Research*, 22, 79-85.

- Martindale, R. G., Shikora, S. A., & Nishikawa, R. (2002). The metabolic response to stress and alteration in nutrient metabolism. In Shikora, S. A., Martindale, R. G., & Schwatzberg, S. D. (Eds.). *Nutrition Consideration in the Intensive Care Unit* (pp. 11-19). New York: Silver Spiring.
- Mazolewski, P., Turner, J. F., Baker, M., Kurtz, T., & Little, A. G. (1999). The impact of nutritional status on the outcome of lung volume reduction surgery: A prospective study. *Chest*, 116, 693-696.
- McClave, S. A., Snider, H. L., & Spain, D. A. (1999). Preoperative issues in clinical nutrition. *Chest*, 115(Suppl.5), 64S-70S.
- McKibbin, B., Cresci, G., & Hawkins, M. (2003). Nutrition support for the patient with an open abdomen after major abdominal trauma. *Nutrition*, 19(6), 563-566.
- Mechanick, J. I. (2004). Practical aspects of nutritional support for wound-healing patients. *American Journal of Surgery*, 188(Suppl.1A), 52-56.
- Medical Dictionary. (1998). *Work of Breathing Definition*. Retrieved October 16, 2010, from <http://www.medicaldictionaryweb.com>.
- Mejia, R., Ward, J., Lentine, T., & Mahler, D. R. (1999). Target Dyspnea rating predict expected oxygen consumption as well as target heart rate values. *American Journal of Respiratory Critical Care Medicine*, 159, 1485-1489.
- Meijers, J. M., van Bokhorst-de van der Schueren, M. A., Schols J. M., Soeters, F. B., & Halfens, J. G. (2010). Defining malnutrition: Mission or mission impossible. *Nutrition*, 26, 432-440.
- Mullen, J. L., Buxby, G. P., Matthews, D. C., Smale, B. F., & Rosato, E. R. (1980). Reduction of operative and postoperative nutrition support. *Annual of Surgery*, 192, 604-613.
- Muthu, G. M., Muthu, E. A., & Factor, P. (2001). GI complications in patients receiving mechanical ventilation. *Chest*, 119, 1222-1241.
- Naber, T. H. (2004). Lean body mass depletion is associated with an increased length of hospital stay. *American Journal of Clinical Nutrition*, 79(4), 527-528.
- Negro, F., & Cerra, F. B. (1988). Nutritional monitoring in the ICU: Rational and practical application. *Critical Care Clinical*, 4, 559-572.

- Neumayer, L. A., Smout, R. J., Horn, H. G., & Horn, S. D. (2001). Early and sufficient feeding reduces length of stay and charges in surgical patients. *Journal of Surgical Research*, 95(1), 73-77.
- Nieuwenhuizen, W. F., Weenen, H., Rigby, P., & Hetherington, M. M. (2010). Older adult and patients in need of nutritional support: Review of current treatment options and factors influencing nutritional intake. *Clinical Nutrition*, 29, 160-169.
- O'Leary-Kelley, C. M., Puntillo, K. A., Barr, J., Stotts, N., & Douglas, M. K. (2005). Nutritional Adequacy in patients receiving mechanical ventilation who are fed enterally. *American Journal of Critical Care*, 14, 222-231.
- Paran, H., Silverberg, D., & Mayo, A. (2000). Treatment of acute colonic pseudo-obstruction with neostigmine. *Journal of American Collage Surgery*, 190, 315-318.
- Patricia, A. H., Barbara, J. D., & Amy, R. L. (2006). Assessing nutritional status in chronically critically ill adult patients. *American Journal of Clinical Nutrition*, 15, 166-176.
- Peter, J. V., Moran, J. I., & Phillips-Hughes, J. (2005). A meta-analysis of treatment outcomes of early enteral versus early parenteral nutrition in hospitalized patients. *Critical Care Med*, 33, 213-220.
- Pham, N. V., Cox-Reijven, P. L., & Greve, P. B. (2006). Application of subjective global assessment as a screen tool for malnutrition in surgical patient in Vietnam. *Clinical Nutrition*, 25, 102-108.
- Pichard, C., Kyle, U. G., Morabia, A., Perrier, A., Vermeulen, B., & Unger, P. (2004). Nutritional assessment: I can body mass depletion at hospital admission is associated with and length of stay. *American Journal of Clinical Nutrition*, 79(4), 613-618.
- Pinsky, M. R., Brochard, L., Mancebo, J., & Hedenstierna, G. (2009). *Apply Physiology in Intensive Care Medicine* (2nd ed.). London: Springer Dordrecht Heidelberg.
- Power, J., & Bennett, S. J. (1999). Measurement of dyspnea in patients treated with mechanical ventilation. *American Journal of Clinical Nutrition*, 8, 254-261.
- Reid, C. L. (2004). Nutritional requirements of surgical and critically-ill patients: do we really know what they need? *Proceedings of the Nutrition Society*, 63(3), 467-472.
- Reilly, J. R., Hull, S. F., Albert, N., Waller, A., & Bringardener, S. (1988). Economic impact of malnutrition: A model system for hospitalized patients. *Journal of Parenteral and Enteral Nutrition*, 12(4), 371-376.

- Reinhard, I., Remy, M., Peter, K., Paul, J., Bernhard, H., Max, H., Deniel, S., Maya, W., & Peter, E. (2009). Prevalence of undernutrition on admission to Swiss hospitals. *Clinical Nutrition*, 10, 1-4.
- Robert, W. L., Richard, H. G., & Robert, B. B. (2009). The multiple dimension of dyspnea: Review and hypotheses. *Respiratory Physiology & Neurobiology*, 167, 53-60.
- Robert, W. L., Shakeeb, H. M., & Robert, B. B. (2003). Measurement of dyspnea: Word labeled visual analog scale vs. verbal ordinal scale. *Respiratory Physiology & Neurobiology*, 134, 77-83.
- Roberts, S. R., Kennerly, D., Keane, D., & George, C. (2003). Nutrition support in the intensive care unit adequacy, timeliness, and outcomes. *Critical Care Nursing*, 23(6), 49-57.
- Robinson, G., Goldstein, M., & Leving, G. M. (1987). Impact of nutritional status on DRG length of stay. *Journal of Parenteral and Enteral Nutrition*, 11, 49-51.
- Romijn, J. A. (2000). Substrate metabolism in the metabolic response to injury. *Proceedings of the Nutrition Society*, 59, 447-449.
- Rosenthal, R. A. (2004). Nutritional concerns in the older surgical patient. *Journal of the American College of Surgeons*, 199(5), 785-791.
- Rossi, A., & Roussos, C. (1996). Respiratory muscles and weaning failure. *European Respiratory Journal*, 9, 2383-2400.
- Rypkema, G., Adang, E., Dicke, H., Naber, T., de Swart, B., & Disselhorst, L. (2004). Cost-effectiveness of an interdisciplinary intervention in geriatric inpatients to prevent malnutrition. *Journal of Nutrition Health and Aging*, 8(2), 122-127.
- Sara, A. Q. (n.d.). *Assessment of Nutritional Status*. Retrieved May 11, 2011, from <http://www.answers.com/topic/assessment-of-nutritional-status#ixzz1M1MtnN4n>.
- Schutz, T., Herbst, B., & Koller, M. (2006). Methodology for the development of the ESPEN guideline on enteral nutrition. *Clinical Nutrition*, 25(2), 180-186.
- Sciija, M., Helena, S., Merja, S., & Kaisu, P. (2010). Nutritional status and psychological well-being. *e-SPEN, the European e-Journal of Clinical Nutrition and Metabolism*, 5, e26-e29.
- Sherwood, L. (2008). *Human Physiology: From Cell to Systems* (7th ed.). Toronto: Nelson Education.

- Singh, N., Gupta, D., Aggarwal, N. R., Agarwal, R., & Jindal, S. K. (2009). An assessment of nutritional support to critical ill patients and its correlation with outcome in a respiratory intensive care unit. *Respiratory Care*, 54(12), 1688-1696.
- Smedley, F., Bowling, T., Stokes, J.M., Goodger, E., O'Connor, C., Odale, O., Jones, C., & Silk, D. (2004). Randomized clinical trial of the effects of preoperative and postoperative oral nutritional supplements on clinical course and cost of care. *British Journal of Surgery*, 91(8), 983-990.
- Soler, J. J., Sunchez, I., Rom, P., Martnez, M., & Perpina, M. (2004). Prevalence of malnutrition in outpatients with stable chronic obstructive pulmonary disease. *Archives of Bronconeumol*, 40, 250-258.
- Sukhminder Jit Singh Bajwa., & Ashish Kulshrestha. (2012). Critical nutrition aspects in intensive care patients. *Journal of Medical Nutrition and Nutraceuticals*, 1(1), 9-16.
- Susan, R. R., Donald, A. K., Deanna, K., & Caron, G. (2003). Nutrition support in the intensive care: Unit adequacy, timeliness, and outcome. *Critical Care Nurse*, 23, 49-57.
- Thomas, D. R., Zdrowski, C. D., Wilson, M. M., Conright, K. C., Lewis, C., & Tariq, S. (2002). Malnutrition in subacute care. *American Journal of Clinical Nutrition*, 75(2), 308-313.
- Thomas, R. Z. (2009). Parenteral Nutrition in Critically Ill Patient. *The New England Journal of Medicine*, 361, 1088-1097.
- Vellas, B., Guigoz, Y., Garry, P. J., Nourhashemi, F., & Bennahum, D. (1999). The Mini Nutrition Assessment (MNA) and its use in grading the nutritional state of elderly patients. *Nutrition*, 15(2), 116-122.
- Veteran Affair Total Parenteral Nutrition Cooperative Study Group. (1991). Perioperative total parenteral nutrition in surgical patients. *New England Journal of Medicine*, 325, 525-532.
- Waydhas, C. (1999). Equipment review. Intrahospital transport of critically ill patients. *Critical Care Medicine*, 5, 83-89.
- World Health Organization [WHO]. (2004). *International Classification of Adult BMI, Asian & Pacific Population*. Retrieved July 31, 2010, from http://apps.who.int/bmi/index.jsp?introPage=intro_3.html.

Zeno, S., Joy, F., Samuel, I., Armin, S., Dileep, N., & Simon, P. A. (2007). The effect of Nutritional management on the mood of malnutrition patient. *Clinical Nutrition*, 26, 379-382.

