

รายการอ้างอิง

ชลธ ลิ้มสุวรรณ และพรเลิศ จันทร์รัชกุล.(2547). อุตสาหกรรมการเพาะเลี้ยงกุ้งในประเทศไทย.
สำนักงานคณะกรรมการวิจัยแห่งชาติ.

ชนินทร์ กำศี. (2543). ผลของความเค็มน้ำต่อการลอกคราบของปูทะเต (Scylla sp.). ปัจุหพิเศษ
วิทยาศาสตรบัณฑิต, ภาควิชาวาริชศาสตร์, คณะวิทยาศาสตร์, มหาวิทยาลัยบูรพา.

บุญรัตน์ ประทุมชาติ. (2545). เอกสารประกอบการสอนวิชาการเพาะเลี้ยงชายฝั่ง. ภาควิชาวาริช
ศาสตร์, คณะวิทยาศาสตร์, มหาวิทยาลัยบูรพา.

บุญรัตน์ ประทุมชาติ, บัลลังก์ เนื่องแสง และอนุมศักดิ์ บุญกักดี. (2547). ผลของการเสริมเกลือแร่
ในอาหารและการเปลี่ยนแปลงสรีระเครื่องกุ้งกุลาดำที่เลี้ยงระบบพัฒนา. ภาควิชาวาริช
ศาสตร์, คณะวิทยาศาสตร์, มหาวิทยาลัยบูรพา.

บุญรัตน์ ประทุมชาติ, พิชญ สว่างวงศ์ และจอร์จ มาชาโด. (2546). ผลของความเค็มน้ำต่อ
ขบวนการลอกคราบและการเปลี่ยนแปลงทางสรีระเครื่องบูทะเต (Scylla serrata).
รายงานวิจัย มหาวิทยาลัยบูรพา.

. (2547). ผลของความเค็มน้ำต่อขบวนการลอกคราบและการเปลี่ยนแปลงทางสรีระเครื่อง
ของปูม้า (Portunus pelagicus) ในรอบวงจรการลอกคราบ. รายงานวิจัย
มหาวิทยาลัยบูรพา.

ภาณุ แซ่บซื่น, อรรถพล ฐานี และบุญรัตน์ ประทุมชาติ. (2551). ผลของความเค็มต่อการ
เปลี่ยนแปลงօสโนลาลิตี้ในเลือด ความเข้มข้นของโปรตีน คาร์โนไซเดรต โซเดียม
โพแทสเซียม แคลเซียม แมgnีเซียม และคลอเรนในพลาสม่าปูม้า (Portunus pelagicus).
ในการประชุมวิชาการของมหาวิทยาลัยเกษตรศาสตร์ ครั้งที่ 46 (หน้า 119-127).

กรุงเทพฯ: มหาวิทยาลัยเกษตรศาสตร์.

ศุรชัย แสนดวง. (2549). ผลของความเค็มที่มีต่ออัตราการเจริญเติบโต อัตราการอดตาย อัตราการ
แลกนื้อ (FCR) และความถี่ในการลอกคราบของกุ้งขาว (Litopenaeus vannamei). ปัจุห
พิเศษวิทยาศาสตรบัณฑิต, ภาควิชาวาริชศาสตร์, คณะวิทยาศาสตร์, มหาวิทยาลัยบูรพา.

Bray, W.A., Lawrence, A.L., & Leung-Trujillo, J.R. (1994). The effect of salinity on growth and
survival of *Penaeus vannamei*, with observation on interaction of IHNV virus and
salinity. *Aquaculture*, 122, 133–146.

- Burton, R.F. (1995). Cation balance in crustacean haemolymph: relationship to cell membrane potentials and membrane surface charge. *Comparative Biochemistry and Physiology Part A*, 111, 125-131.
- Castille, F.L., & Lawrence, A.L. (1981). The effect of salinity on the osmotic, sodium and chloride concentrations in the hemolymph of euryhaline shrimp of the genus *Penaeus*. *Comparative Biochemistry and Physiology Part A*, 68, 75-80.
- Chen, J.C., & Lin, J.L. (1994). Osmolality and chloride concentration in the hemolymph of subadult *Penaeus chinensis* subjected to different salinity levels. *Aquaculture*, 125, 167-174.
- _____. (1998). Osmotic concentration and tissue water of *Penaeus chinensis* juveniles reared at different salinity and temperature levels. *Aquaculture*, 164, 173-181.
- Cheng, K.-M., Hu, C.-Q., Liu, Y.-N., Zheng, S.-X., & Qi, X.-J. (2005). Dietary magnesium requirement and physiological responses of marine shrimp *Litopenaeus vannamei* reared in low salinity water. *Aquaculture Nutrition*, 11, 5-385.
- _____. (2006). Effects of dietary calcium, phosphorus and calcium/phosphorus ratio on the growth and tissue mineralization of *Litopenaeus vannamei* reared in low salinity water. *Aquaculture*, 251, 472-483.
- Cheng, W., Liu, C.H., Yan, D.F., & Chen, J.C. (2002). Hemolymph oxyhemocyanin, protein, osmolality and electrolyte levels of whiteleg shrimp. in relation to size and molt stage. *Aquaculture*, 211, 325-339.
- Cheng, W., Liu, C.H., & Kuo, C.M. (2003). Effects of dissolved oxygen on hemolymph parameters of fresh water giant prawn, *Macrobrachium rosenbergii* (de Man). *Aquaculture*, 220, 843-856.
- Cooper, A.R., & Morris, S. (1997). Osmotic and ionic regulation by *Leptograpsus variegatus* during hyposaline exposure and in response to emersion. *Journal of Experimental Marine Biology and Ecology*, 214, 263-282.
- Cuzon, G., Lawrence, A., Gaxiola, G., Rosas, C., & Guillaume, J. (2004). Nutrition of *Litopenaeus vannamei* reared in tanks or in ponds. *Aquaculture*, 235, 513-551.
- Davis, D.A., & Lawrence, A.L. (1997). Minerals. In *Crustacean Nutrition Advances in World Aquaculture Vol.6*. D' Abramo L.R. et al. (Eds.)(pp.150-163).

- Davis, D.A., Saoud, I.P., Boyd, C.E., & Rouse, D.B. (2005). Effects of potassium, magnesium and age on growth and survival of *Litopenaeus vannamei* post-larvae reared in inland low salinity well waters in west Alabama. *World Aquaculture Soc.*, 36, 403–406.
- Frederich, M., Sartoris, F.J., Arntz, W.E., & Portner, H.O. (2000). Haemolymph Mg²⁺ regulation in decapod crustaceans: physiological correlates and ecological consequences in polar areas. *Journal of Experimental Biology*, 203, 1383–1393.
- Funge-Smith, S.J., Taylor, A.C., Whitley, J., & Brown, J.H. (2001). Osmotic and ionic regulation in the giant Malaysian fresh water prawn, *Macrobrachium rosenbergii* (de Man) with special reference to strontium and bromine. *Comparative Biochemistry and Physiology Part A*, 110, 357–365.
- Ferraris, R.P., Parado-Estepa, F.D., Ladja, J.M., & de Jesus, E.G. (1986). Effect of salinity on the osmotic, chloride, total protein and calcium concentrations in the hemolymph of the prawn *Penaeus monodon* (Fabricius). *Comparative Biochemistry and Physiology Part A*, 83, 701–708.
- Gong, H., Jiang, D.H., Lightner, D.V.C.C., & Brock, D. (2004). A dietary modification approach to improve the osmoregulatory capacity of *Litopenaeus vannamei* cultured in the Arizona desert. *Aquaculture Nutrition*, 10, 227–236.
- Henry, R.P., & Cameron, J.N. (1982). Acid - Base in *Callinectes sapidus* during acclimation from high to low salinity. *Journal of Experimental Biology*, 101, 255–264.
- Kinsey, S.T., & Lee, B.C. (2003). The effect of rapid salinity change in vivo arginine kinase flux in the juvenile blue crab *Callinectes sapidus*. *Comparative Biochemistry and Physiology Part B*, 135, 521–531.
- Lall, S.P. (1989). The minerals. In Halver, J.E. (Ed.), *Fish Nutrition* (2nd ed.) (p.231). Academic Press, San Diego, CA.
- Lee, M.H., & Shiau, S.Y. (2002). Dietary copper requirement of juvenile grass shrimp, *Penaeus monodon*, and effects on non-specific immune responses. *Fish Shellfish Immunology*, 13, 259–270.
- Li, E.C., Chen, L.Q., Zeng, C., Chen, X.M., Yu, N., Lai, Q.M., & Qin, J.G., (2007). Growth, body composition, respiration and ambient ammonia nitrogen tolerance of the juvenile white shrimp, *Litopenaeus vannamei*, at different salinities. *Aquaculture*, 265, 385–390.

- _____. (2008). Comparison of digestive and antioxidant enzymes activities, haemolymph oxyhemocyanin contents and hepatopancreas histology of white shrimp, *Litopenaeus vannamei*, at various salinities. *Aquaculture*, 274, 80-86.
- Lignot, J.H., Spanings-Pierrot, C., & Charmantier, G. (2000). Osmoregulatory capacity as a tool in monitoring the physiological condition and the effect of stress in crustacean. *Aquaculture*, 191, 209-245.
- Lin, S.C., Liuu, C.H., & Cheng, J.H. (2000). The role of the antennal glands in ion and body volume regulation of cannulated *Penaeus japonicus* reared in various salinity conditions. *Comparative Biochemistry and Physiology Part A*, 127, 121-129.
- Lin, Y.C., & Chen, J.C. (2001). Acute toxicity of ammonia on *Litopenaeus vannamei* Boone juveniles at different salinity levels. *Journal of Experimental Marine Biology and Ecology*, 259, 109-119.
- _____. (2003). Acute toxicity of nitrite on *Litopenaeus vannamei* (Boone) juveniles at different salinity levels. *Aquaculture*, 224, 193-201.
- Lovett, D.L., Verzi, M.P., Clifford, P.D., & Borst, D.W. (2001). Hemolymph levels of Methyl farnesoate increase in response to osmotic stress in the green crab *Carcinus maenas*. *Comparative Biochemistry and Physiology Part A*, 128, 299-306.
- Lovell, R.T. (1989). *Nutrition and Feeding of Fish*. New York:Van Nostrand Reinhold.
- Mananes, L.A.A., Meligeni, C.D., & Goldemberg, A.L. (2002). Response to environmental salinity of $\text{Na}^+ - \text{K}^-$ ATPase activity in individual gills of the euryhaline crab *Cyrtograpsus angulatus*. *Journal of Experimental Marine Biology and Ecology*, 274, 75-85.
- Mangum, C. P., & Johansen, K. (1975). The colloid osmotic pressures of invertebrate body fluids. *Journal of Experimental Biology*, 63, 661-671.
- Mangum, C.P., Silverthorn, S. U., Harris, J.L., Towle, D.W., & Krall, A.R. (1976). The relationship between blood pH, ammonia excretion, and adaptation to low salinity in the Blue crab, *Callinectes sapidus*. *Journal of Experimental Zoology*, 195, 129-136.

- Mantel, L.H., & Farmer, L.L. (1983). Osmotic and ionic regulation. In Mantel, L.H.(Ed.) *The Biology of Crustacean 5: Internal Anatomy and Physiological Regulation.* (pp. 53-161). New York, USA.
- McNevin, A.A., Boy, C.E., Silapajarm, O., & Silapajarm, K. (2004). Ionic supplementation of pond water for inland culture of marine shrimp. *Journal of World Aquaculture*, 35, 460-467.
- Mendaz, L., Acosta, B., Palacios, E., & Magallon, F. (1997). Effect of stocking densities trace metal concentration in three tissue of brown shrimp *Penaeus californiensis*. *Aquaculture*, 156, 21-34.
- Palacios, E., Bonilla, A., Luna, D., & Racotta, I.S. (2004). Survival, Na^+/K^- -ATPase and lipid responses to salinity challenge in fed and starved white pacific shrimp (*Litopenaeus vannamei*) postlarvae. *Aquaculture*, 234, 497–511.
- Peñaflorida, V.D. (1999). Interaction between dietary levels of calcium and phosphorus on growth of juvenile shrimp *Penaeus monodon*. *Aquaculture*, 172, 281-289.
- Perry, H., Trigg, C., Larsen, K., Freeman, J., Erickson, M., & Henry, R. (2001). Calcium concentration in seawater and exoskeletal calcification in the blue crab *Callinectes sapidus*. *Aquaculture*, 198, 197-208.
- Prangnell, D.I., & Fotedar, R. (2006). Effect of sudden salinity change on *Penaeus latisulcatus* Kishinouye osmoregulation, ionoregulation and condition in inland saline water and potassium-fortified inland saline water. *Comparative Biochemistry and Physiology Part A*, 145, 449–457.
- Pratoomchat, B., Sawangwong, P., Guedes, R., Reis, M. D. L., & Machado, J. (2002a). Cuticle ultrastructure changes in the crab *Scylla serrata* over the molt cycle. *Journal of Experimental Zoology*, 293(4), 414-426.
- Pratoomchat, B., Sawangwong, P., Pakkong, P., & Machado, J. (2002b). Organic and inorganic variations in haemolymph, epidermal tissue and cuticle over the molt cycle in *Scylla serrata* (Decapoda). *Comparative Biochemistry and Physiology Part A*, 131, 243-255.
- Price sheets, W. C., & Dendinger, J. E. (1983). Calcium deposition into the cuticle of the blue crab, *Callinectes sapidus*, related to external salinity. *Comparative Biochemistry and Physiology Part A*, 74, 903-907.

- Rainbow, P.S. (1997). Ecophysiology of trace metal uptake in crustaceans. *Estuarine, Coastal and Shelf Science*, 44, 169-175.
- Rosas, C., Martinez, E., Gaxiola, G., Brito, R., Sanchez, A., & Soto, L.A. (1999). The effect of dissolved oxygen and salinity on oxygen consumption, ammonia excretion and osmotic pressure of *Penaeus setiferus* (Linnaeus) Juveniles. *Journal of Experimental Marine Biology and Ecology*, 234, 41-57.
- Roy, L.A., Davis, D.A., Saoud, I.P., & Henry, R.P., (2007). Supplementation of potassium magnesium and sodium chloride impractical diets for the Pacific white shrimp, *Litopenaeus vannamei* reared in low salinity water. *Aquaculture*, 262, 461–469.
- Sang, H.M., & Foteder, R. (2004). Growth, survival, haemolymph osmolality and organosomatic of the western king prawn (*Penaeus latisulcatus* Kishinouye, 1896) reared at different salinities. *Aquaculture*, 234, 601-614.
- Santos, M.C.F., & Moreira, G. S. (1999). Time course of osmoionic compensations to acute salinity exposure in the ghost crab *Ocypode quadrata* (Fabricius, 1787). *Journal of Experimental Marine Biology and Ecology*, 235, 91-104
- Saoud, I.P., Davis, D.A., & Rouse, D.B. (2003). Suitability studies of inland well waters for *Litopenaeus vannamei* culture. *Aquaculture*, 217, 373–383.
- Tantulo, U., & Foteder, R. (2006). Comparison of growth, osmoregulatory capacity, ionic regulation and organosomatic indices of black tiger prawn (*Penaeus monodon* Fabricius, 1798) juveniles reared in potassium fortified inland saline water and ocean water at different salinities. *Aquaculture*, 258, 543-550.
- Villarreal, H., Hinojosa, P., & Naranjo, J. (1994). Effect of temperature and salinity on the oxygen consumption of laboratory produced *Penaeus vannamei* postlarvae. *Comparative Biochemistry and Physiology Part A*, 108, 331–336.
- Vijayan, K.K., & Diwan, A.D. (1996). Fluctuations in Ca, Mg, and P level in the hemolymph, muscle, midgut gland and exoskeleton during the moult cycle of the Indian White Prawns, *Penaeus indicus* (Decapoda penaeidae). *Comparative Biochemistry and Physiology Part A*, 114, 91-97.
- Watanabe, T., Kiron, V., & Satoh, S. (1997). Trace minerals in fish nutrition. *Aquaculture*, 151, 185-207.

- Weiland, A.L., & Mangum, C.P. (2005). The influence of environmental salinity on hemocyanin function in the blue crab, *Callinectes sapidus*. *Journal of Experimental Zoology*, 193A, 265–273.
- Zanotto, F.P., & Wheatly, M.G. (2003). Calcium balance in crustaceans: nutritional aspects of physiological regulation. *Comparative Biochemistry and Physiology Part A*, 133, 645-660.
- Zare, S., & Greenway, P. (1998). The effect of moulting and sodium depletion on sodium transport and the activities of Na⁺K⁺-ATPase, and V-ATPase in freshwater crayfish *Cherax destructor* (Crustacea: Parastacidae). *Comparative Biochemistry and Physiology Part A*, 119, 739-745.
- Zhu, C., Dong, S., Wang, F., & Huang, G. (2004). Effects of Na/K ratio in seawater on growth and energy budget of juvenile *Litopenaeus vannamei*. *Aquaculture*, 234, 485-496.
- Zhu, C., Dong, S., Wang, F., & Huang, G. (2006). Effects of seawater potassium on the dietary potassium requirement of *Litopenaeus vannamei*. *Aquaculture*, 258, 543-550.