

บรรณานุกรม

- คณะกรรมการแห่งชาติด้านยา. (2543). *บัญชียาหลักแห่งชาติ พ.ศ. 2542 (บัญชียาจากสมุนไพร)* กรุงเทพฯ: โรงพิมพ์ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย, บุตรพวงษ์ ศรีมงคล, ไพจิตร วราชิด, ปราณ ขวลิตรำรง, บุญราวรรณ ศรีวรรณะ, รัตติไพบระ, จันทิดา อินเทพ, บุญญาณี สุขผล, ประไพ วงศ์สินมั่งคง. (2550). *การเปรียบเทียบสรรพคุณของสารสกัดเถาวัลย์เปรียงกับโคโคโลฟีแนคเป็นยาบรรเทาอาการปวดหลังส่วนล่าง:วารสารการแพทย์แผนไทยและการแพทย์ทางเลือก*, 5(1), 12
- ถัดดาวัลย์ บุญรัตนกรกิจ, นกคณ ทองนพเนื้อ, สถาพร นิมกุลรัตน์, อรลักษณ์ แพร่ดกุล. (2550). *ยา สมุนไพร และกีฬา: วารสารการแพทย์แผนไทยและการแพทย์ทางเลือก*, 5 (1), 24
- พานี ศรีสะอาด, สุวรรณ เวชอภิกุล, ชีรวุฒิ มโนไพบุลย์, สุนีย์ จันทร์สกา, สุรพล นธการกิจกุล (2544). *การพัฒนาตำรับแคปซูลจากเหง้าขิง. คณะเภสัชศาสตร์ มหาวิทยาลัยเชียงใหม่.*
- สุกัญญา เจริญวัฒน์. (2547). *สภาพโภชนาการนักกีฬาบาสเกตบอลเยาวชน วิทยาลัยนิพนธ์ระดับมหาวิทยาลัย, สาขาวิทยาศาสตร์การกีฬา, บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.*
- เอกสารแผนก Q.C. (2007). *การผลิตแคปซูลขิงโรงพยาบาลเจ้าพระยาอภัยภูเบศร, ปราจีนบุรี.*
- Abdel-Aziz, H., Nahrstedt, A., Petereit, F., Windeck, T., Ploch, M. & Verspohl, E.J. (2005). 5-HT₃ receptor blocking activity of arylalkanes isolated from the rhizome of *Zingiber officinale*. *Planta. Med.*, 71(7), 609-616.
- Afzal, M., Al-Hadidi, D., Mcnon, M., Pesek, J. & Dhami, M.S. (2001). Ginger: an ethnomedical, chemical and pharmacological review. *Drug Metabol Drug Interact*, 18(3-4), 159-190.
- Ajith, T.A., Hema, U. & Aswathy, M.S. (2007). *Zingiber officinale* Roscoe prevents acetaminophen-induced acute hepatotoxicity by enhancing hepatic antioxidant status. *Food Chem Toxicol*, 45(11), 2267-2272.

- Ajith, T.A., Nivitha, V. & Usha, S. (2007) Zingiber officinale Roscoe alone and in combination with alpha-tocopherol protect the kidney against cisplatin-induced acute renal failure. *Food Chem Toxicol*, 45(6). 921-927.
- Akhani, S.P., Vishwakarma, S.L. & Goyal, R.K. (2004). Anti-diabetic activity of Zingiber officinale in streptozotocin-induced type I diabetic rats. *J Pharm Pharmacol*, 56(1), 101-105.
- Akoachere, J.F., Ndip, R.N., Chenwi, E.B., Ndip, L.M., Njock, T.E., Anong, D.N. (2002). Antibacterial effect of Zingiber officinale and Garcinia kola on respiratory tract pathogen. *East Afr. Med. J*, 79(11), 588-592.
- Al-Amin, Z.M., Thomson, M., Al-Qattan, K.K., Peltonen-Shalaby, R. & Ali, M. (2006). Anti-diabetic and hypolipidaemic properties of ginger (Zingiber officinale) in streptozotocin-induced diabetic rats. *Br J Nutr.*, 96(4), 660-666.
- Ali, B.H., Blunden, G., Musbah, O. Tanira, M.O. & Nemmar, A. (2008) Some phytochemical, pharmacological and toxicological properties of ginger (Zingiber officinale Roscoe): A review of recent research. *Food and Chemical Toxicology*. 46; 409-20.
- Ansari, M.N., Bhandari, U. & Pillai, K.K. (2006) Ethanolic Zingiber officinale R. extract pretreatment alleviates isoproterenol-induced oxidative myocardial necrosis in rats. *Indian J Exp Biol*, 44 (11), 892-897.
- Amin, A. & Hamza, A.A. (2006). Effects of Roselle and Ginger on cisplatin-induced reproductive toxicity in rats. *Asian J Androl*, 8(5), 607-612.
- Balladin, D.A., & Headley, O. (1998). High pressure liquid chromatographic analysis of the main pungent principles of solar dried West Indian ginger (Zingiber officinale Rosc.) *Renewable Energy*, 13(4), 531-536.
- Betz, O., Krankc, P., Geldner, G., Wulf, H. & Eberhart, L.H. (2005) [Is ginger a clinically relevant anticmctic? A systematic review of randomized controlled trials] *Forsch Komplementarmed Klass Naturheilkd*. 12 (1), 14-23.

- Bhandari, U., Kanojia, R. & Pillai, K.K. (2005) Effect of ethanolic extract of *Zingiber officinale* on dyslipidaemia in diabetic rats. *J Ethnopharmacol*, 28, 97(2), 227-230.
- Bidinotto, L.T., Spinardi-Barbisan, A.L., Rocha, N.S., Salvadori, D.M. & Barbisan, L.F. (2006). Effects of ginger (*Zingiber officinale* Roscoe) on DNA damage and development of urothelial tumors in a mouse bladder carcinogenesis model. *Environ Mol Mutagen*, 47(8), 624-630.
- Black, C.D. & O'Connor, P.J. (2008). Acute effects of dietary ginger on quadriceps muscle pain during moderate-intensity cycling exercise. *International Journal of Sport Nutrition and Exercise Metabolism*. 18.653-664
- Bone, M.E., Wilkinson, D.J., Young, J.R., McNeil, J., & Charlton, S. (1990) Ginger root - a new antiemetic. The effect of ginger root on postoperative nausea and vomiting after major gynaecological surgery. *Anaesthesia*, 45, 669-671.
- Borrelli, F., Capasso, R., Pinto, A. & Izzo, A.A. (2004). Inhibitory effect of ginger (*Zingiber officinale*) on rat ileal motility in vitro. *Life Sci.*, 23, 74(23):2889-2896.
- Brooks, G.A., Fahey, T.D., White, T.P. & Bald, K.M. (1999). *Exercise Physiology*. 3rd. USA. McGraw Hill.
- Bucci, L.R. (2000). Selected herbals and human exercise performance: *Am J Clin Nutr.* USA. Suppl. 624s-636s.
- Bunc, V. (2000). Energy cost of treadmill running in non-trained females differing in body fat. *J. Sports Med Phys Fitness*. 40, 290-296.
- Burtis, G. (1988) Lipid: the condensed energy, In: *Applied Nutrition and Diet Therapy*. Philadelphia, W.B. Saunders.
- Chen, C.Y., Chen, C.H., Kung, C.H., Kuo, S.H. & Kuo, S.Y. (2008). [6]-gingerol induces Ca²⁺ mobilization in Madin-Darby canine kidney cells. *J. Nat. Prod.*, 71(1), 137-140.

- Chrubasik, S., Pittler, M.H. & Roufogalis, B.D. (2005). *Zingiberis rhizoma*: a comprehensive review on the ginger effect and efficacy profiles. *Phytomedicine*, 12(9), 684-701
- Dias, M.C., Spinardi-Barbisan, A.L., Rodrigues, M.A., de Camargo, J.L., Tcrán, E., Barbisan, L.F. (2006). Lack of chemopreventive effects of ginger on colon carcinogenesis induced by 1,2-dimethylhydrazine in rats. *Food Chem Toxicol*, 44(6), 877-884.
- Eberhart, L.H., Maycr, R., Betz, O., Tsolakidis, S., Hilpert, W., Morin, A.M., Geldner, G., Wulf, H. & Seeling, W. (2003). Ginger does not prevent postoperative nausea and vomiting after laparoscopic surgery. *Anesth. Analg*, 96(4), 995-998.
- Etoh, H., Kondoh, T., Noda, R., Singh, I.P., Sekiwa, Y., Morimitsu, K. & Kubota, K. (2002). Shogaols from *Zingiber officinale* as promising antifouling agents. *Biosci Biotechnol Biochem*, 66(8), 1748-1750.
- Ficker, C., Smith, M.L., Akpagana, K., Gbeassor, M., Zhang, J., Durst, T., Assabgui, R. & Arnason, J.T. (2003). Bioassay-guided isolation and identification of antifungal compounds from ginger. *Phytother Res*, 17(8), 897-902.
- Ficker, C.E., Arnason, J.T., Vindas, P.S., Alvarez, L.P., Akpagana, K., Gbéassor, M., De Souza C. & Smith, M.L. (2003). Inhibition of human pathogenic fungi by ethnobotanically selected plant extracts. *Mycoses*, 46(1-2), 29-37.
- Fischer-Rasmussen, W., Kjaer, S.K., Dahl, C. & Asping U. (1991). Ginger treatment of hyperemesis gravidarum. *Eur J Obstet Gynecol Reprod Biol*, 4, 38(1), 19-24.
- Ghayur, M.N., Gilani, A.H., Afridi, M.B. & Houghton, P.J. (2005). Cardiovascular effects of ginger aqueous extract and its phenolic constituents are mediated through multiple pathways. *Vascul Pharmacol*, 43 (4), 234-241.
- Ghayur MN & Gilani AH. (2005). Ginger lowers blood pressure through blockade of voltage-dependent calcium channels. *J Cardiovasc Pharmacol*, 45(1), 74-80
- Ghayur, M.N. & Gilani, A.H. (2006). Species differences in the prokinetic effects of ginger. *Int J Food Sci Nutr*, 57 (1-2), 65-73.

- Ghayur, M.N., Khan, A.H. & Gilani, A.H. (2007) Ginger facilitates cholinergic activity possibly due to blockade of muscarinic autoreceptors in rat stomach fundus. *Pak J Pharm Sci.* 20(3), 231-235.
- Glanville, J. & Lefebvre, C. (2000). Identifying systematic reviews: Keys Resources. *ACP J. Club.* 132 , A11-A14.
- Gonlachavit, S., Chen, Y.H., Hasler, W.L., Sun, W.M. & Owyang, C. (2003). Ginger reduces hyperglycemia-evoked gastric dysrhythmias in healthy humans: possible role of endogenous prostaglandins. *J Pharmacol Exp Ther.* 307(3):1098-1103.
- Goyal, R.K. & Kadnur, S.V. (2006). Beneficial effects of *Zingiber officinale* on goldthioglucose induced obesity. *Fitoterapia*, 77(3), 160-163.
- Grzanna, R., Lindmark, L. & Frondoza, C.G. (2005). Ginger an herbal medicinal product with broad anti-inflammatory actions. *J Med Food*, 8(2), 125-132.
- Haugen, H.A., et al (2003) Variability of resting metabolic rate. *Am J Clin Nutr*, 78, 1141.
- He, X.G., Bernart, M.W., Lian, L.Z., & Lin, L.Z. (1998). High-performance liquid chromatography-electrospray mass spectrometric analysis of pungent constituents of ginger. *Journal of chromatography A*, 796, 327-334.
- Ippoushi, K., Azuma, K., Ito, H., Horic, H. & Higashio, H. (1997). [6]-Gingerol oxidation and nitration reactions inhibits nitric oxide synthesis in activated J774.1 mouse macrophages and prevents peroxynitrite-induced oxidation and nitration reactions. *Journal of Chromatography*, 771, 267-274.
- Jantan, I., Rafi, I.A. & Jalil, J. (2005) Platelet-activating factor (PAF) receptor-binding antagonist activity of Malaysian medicinal plants. *Phytomedicine*, 12(1-2), 88-92.
- Jiang, H., Xie, Z., Koo, H.J., McLaughlin, S.P, Timmermann, B.N., & Gang, D.R.(2006). Metabolic profiling and phylogenetic analysis of medicinal *Zingiber* species: Tools for authentication of ginger (*Zingiber officinale* Rosc). *Phytochemistry*, 67(15), 1673-1685.

- Jiang, H., Timmermann, B.N. & Gang, D.R. (2007) Characterization and identification of diarylheptanoids in ginger (*Zingiber officinale* Rosc.) using high-performance liquid chromatography/electrospray ionization mass spectrometry. *Rapid Commun Mass Spectrom.* 21(4): 509-518.
- Jolad, S.D., Lantz, R.C., Solyom, A.M., Chen, G.J., Bates, R.B. & Timmermann, B.N. (2004). Fresh organically grown ginger (*Zingiber officinale*): composition and effects on LPS-induced PGE2 production. *Phytochemistry*, 65(13), 1937-1954.
- Lantz, R.C., Chen, G.J., Sarihan, M., Solyom, A.M., Jolad, S.D. & Timmermann, B.N. (2007). The effect of extracts from ginger rhizome on inflammatory mediator production. *Phytomedicine*, 14(2-3), 123-128.
- Leal, P.F., Braga, M.E., Sato, D.N., Carvalho, J.E., Marques, M.O. & Meireles, M.A. (2003). Functional properties of spice extracts obtained via supercritical fluid extraction. *J Agric Food Chem.* 23, 51(9), 2520-2525.
- Ma, X. & Gang, D.R. (2006). Metabolic profiling of in vitro micropropagated and conventionally greenhouse grown ginger. (*Zingiber officinale*). *Phytochemistry*, 67, 2239-2255.
- Manju, V. & Nalini, N. (2005). Chemopreventive efficacy of ginger, a naturally occurring anticarcinogen during the initiation, post-initiation stages of 1,2 dimethylhydrazine-induced colon cancer. *Clin Chim Acta*, 358 (1-2), 60-67.
- Marasco, C., Vargas, R., Villagomez, S., Infante, B. (1996). Double-blind study of a multivitamin complex supplemented with ginseng extract. *Drugs Exp Clin Res*, 22, 323-329.
- Masuda, Y., Kikuzaki, H., Hisamoto, M. & Nakatani, N. (2004) Antioxidant properties of gingerol related compounds from ginger. *Biofactors*, 21(1-4), 293-296.
- McArdle WD, Katch FI and Katch VL. (2007) Exercise Physiology. 6nd. Philadelphia, Lippincott Williams & Wilkins.

- McNaughton, L. & Egan, G. (1989). A comparison of Chinese and Russian ginseng as ergogenics aids to improve various facts of physical fitness. *Int Clin Nutr Rev*, 90, 32-35.
- Nabekura, T., Kamiyama, S. & Kitagawa, S. (2003). Effects of dietary chemopreventive phytochemicals on P-glycoprotein function. *Life Science*, 73(26), 3427-3437.
- Nagazawa, K. & Ohsawa, K. (2002). Metabolism of [6]-gingeral in rats. *Life Science Elsevier science*, 70, 2165-2175.
- Nagasawa, H., Watanabe, K. & Inatomi, H. (2002). Effects of bitter melon (*Momordica charantia* L.) or ginger rhizome (*Zingiber officinale* Roscoe) on spontaneous mammary tumorigenesis in SHN mice. *Am J Chin Med*, 30(2-3), 195-205.
- Nicoll, R., & Hencin, M.Y. (2007). Ginger (*Zingiber officinale* Roscoe): A hot remedy for cardiovascular disease? *Int. J. Cardiol*, 90, 22-25.
- Nostro, A., Cellini, L., Di Bartolomeo, S., Cannatelli, M.A., Di Campli, E., Procopio, F., Grande R, M.L. & Alonzo, V. (2006). Effects of combining extracts (from propolis or *Zingiber officinale*) with clarithromycin on *Helicobacter pylori*. *Phytother Res*, 20(3), 187-190.
- Nurtjahja-Tjendraputra, E., Ammit, A.J., Roufogalis, B.D., Tran, V.H. & Duke, C.C. (2003). Effective anti-platelet and COX-1 enzyme inhibitors from pungent constituents of ginger. *Thromb Res*, 111(4-5), 259-265.
- Ojewole, J.A. (2006). Analgesic, antiinflammatory and hypoglycaemic effects of ethanol extract of *Zingiber officinale* (Roscoe) rhizomes (*Zingiberaceae*) in mice and rats. *Phytother Res*, 20(9), 764-772.
- Oliveira, C.H., Moraes, M.E., Moraes, M.O., Bezerra, F.A., Abib, E. & De Nucci, G. (2005). Clinical toxicology study of an herbal medicinal extract of *Paullinia cupana*, *Trichilia catigua*, *Ptychopetalum olacoides* and *Zingiber officinale* (Catuama) in healthy volunteers. *Phytother Res*. 19(1). 54-57.
- Penna, S.C., Medeiros, M.V., Aimbire, F.S., Faria-Neto, H.C., Sertié, J.A. & Lopes-Martins, R.A. (2003). Anti-inflammatory effect of the hydralcoholic extract of

- Zingiber officinale rhizomes on rat paw and skin edema. *Phytomedicine*, 10(5), 381-385.
- Phan, P.V., Sohrabi, A., Polotsky, A., Hungerford, D.S., Lindmark, L. & Frondoza, C.G. (2005). Ginger extract components suppress induction of chemokine expression in human synoviocytes. *J Altern Complement Med*, 11(1), 149-154.
- Quark PFT. (2003) *User Manual*; Quark Series Pulmonary Function Testing. Italy, Cosmed.
- Rai, S., Mukherjee, K., Mal, M., Wahile, A., Saha, B.P., Mukherjee, P.K. (2006). Determination of 6-gingerol in ginger (*Zingiber officinale*) using high-performance thin-layer chromatography. *J Sep Sci*. 29(15), 2292-2295.
- Riyazi, A., Hensel, A., Bauer, K., Geissler, N., Schaaf, S. & Verspohl, E.J. (2007). The effect of the volatile oil from ginger rhizomes (*Zingiber officinale*), its fractions and isolated compounds on the 5-HT₃ receptor complex and the serotonergic system of the rat ileum. *Planta Med*, 73(4), 355-362.
- Rocland, B., Gockint, M., Heyman, E., Piacentini, M.F., Watson, P., Hasegawa, H., Buyse, L., Pauwels, F., Schutter, G.D. & Meeusen, R. Acute norepinephrine reuptake inhibition decreases performance in normal and high ambient temperature. *J. Appl Physiol*, 105, 206-218.
- Rotblatt, M. & Ziment, I. (2002). Evidence- Based Herbal Medicine. Philadelphia, USA. Hanley & Belfus.
- Shen, C.L., Hong, K.J. & Kim, S.W. (2003). Effects of ginger (*Zingiber officinale* Rose.) on decreasing the production of inflammatory mediators in sow osteoarthrotic cartilage explants. *J Med Food*, 6(4), 323-328.
- Shen, C.L, Hong, K.J. & Kim, S.W. (2005). Comparative effects of ginger root (*Zingiber officinale* Rose.) on the production of inflammatory mediators in normal and osteoarthrotic sow chondrocytes. *J Med Food*. Summer, 8(2), 149-153.
- Shukla, Y. & Singh, M. (2007). Cancer preventive properties of ginger: a brief review. *Food and Chemical Toxicology*, 45, 683-690.

- Siddaraju, M.N. & Dharmesh, S.M. (2007). Inhibition of gastric H⁺, K⁺-ATPase and *Helicobacter pylori* growth by phenolic antioxidants of *Zingiber officinale*. *Mol Nutr Food Res*, 51(3), 324-332.
- Stephens, B.R., Cole, A.S. & Mahon, A.D. (2006) The Influence of Biological Maturation on Fat and Carbohydrate Metabolism During Exercise in Males. *International Journal of Sport Nutrition and Exercise Metabolism*, 16, 166-179.
- Surh, Y.J., Park, K.K., Chun, K.S., Lee, L.J., Lee, E. & Lee, S.S. (1999). Anti-tumor-promoting activities of selected pungent phenolic substances present in ginger. *J Environ Pathol Toxicol Oncol*, 18(2), 131-139.
- Tao, Q.F., Xu, Y., Lam, R.Y., Schneider, B., Dou, H., Leung, P.S., Shi, S.Y., Zhou, C.X., Yang, L.X., Zhang, R.P., Xiao, Y.C., Wu, X., Stöckigt, J., Zeng, S., Cheng, C.H., Zhao, Y. (2008) Diarylheptanoids and a monoterpenoid from the rhizomes of *Zingiber officinale*: antioxidant and cytoprotective properties. *J Nat Prod*, 71(1), 12-17.
- Tesch, P.A., Johansson, H. & Kaiser, P. (1987). Effect of ginseng, vitamin and minerals on physical work capacity in middle-aged man. Sweden, *Lartidningen*, 29, 143-150.
- Thomson, M., Al-Qattan, K.K., Al-Sawan, S.M., Alnaqeeb, M.A., Khan, I. & Ali, M. (2002) The use of ginger (*Zingiber officinale* Rose.) as a potential anti-inflammatory and antithrombotic agent. *Prostaglandins Leukot Essent Fatty Acids*, 67(6), 475-478.
- Ueki, S., Miyoshi, M., Shido, O., Hasegawa, J. & Watanabe, T. (2008) Systemic administration of [6]-gingerol, a pungent constituent of ginger, induces hypothermia in rats via an inhibitory effect on metabolic rate. *Eur J Pharmacol*.
Links <http://pubs.acs.org>
- Vichai Chokviwat. (2007). *Policy and Vision for Thai Traditional: Journal of Thai Traditional & Alternative Medicine*, 5, 1.

- Vijaya Padma, V., Arul Diana Christie, S. & Ramkuma, K.M. (2007). Induction of apoptosis by ginger in HEP-2 cell line is mediated by reactive oxygen species. *Basic Clin Pharmacol Toxicol*, 100(5), 302-307.
- Von, Ardenne., M. & Klemme, W. (1987). Measurements of the increase in the difference between the arterial and venous Hb-O₂ oxygen saturation obtained with daily administration of 200 mg standardized ginseng extract G115 for four weeks: long-term increase of oxygen transport into the organs and tissues of the organism through biologically active substances. *Panminerva Med*, 29, 143-150.
- Vutyavanich, T., Kraissarin, T. & Ruangsri, R. (2001) Ginger for nausea and vomiting in pregnancy: randomized, doublemasked, placebo-controlled trial. *Obstet Gynecol*, 97(4), 577-582.
- Wang, W.H. & Wang, Z.M. (2005). Studies of commonly used traditional medicine- ginger, 30 (20), 1569-73.
- Wei, Q.Y., Ma, J.P., Cai, Y.J., Yang, L. & Lui, Z.L. (2005). Cytotoxic and apoptotic activities of diarylheptanoids and gingerol-related compounds from the rhizome of Chinese ginger. *Journal of Ethnopharmacology*, 102, 177-184.
- Weidner, M.S. & Sigwart, K. (2000). The safety of a ginger extract in the rat. *J. Ethnopharmacol.*, 73(3), 513-520.
- White, B. (2007). Ginger: an overview. *Am Fam Physician*, 1, 75(11), 1689-1691.
- Wigler, I., Grotto, I., Caspi, D. & Yaron, M. (2003) The effects of Zintona EC (a ginger extract) on symptomatic gonarthrosis. *Osteoarthritis Cartilage*, 11(11), 783-789.
- Williams, M.H. (2007) *The ergogenics edge: Pushing the limits of sports performance*. USA: *Human Kinetics*.
- Young, H.Y., Liao, J.C., Chang YS, Luo, Y.L., Lu, M.C. & Peng, W.H. (2006). Synergistic effect of ginger and nifedipine on human platelet aggregation: a study in hypertensive patients and normal volunteers. *Am J Chin Med*, 34(4), 545-551.

Zhou, H.L., Deng, Y.M. & Xie, Q.M. (2006) The modulatory effects of the volatile oil of ginger on the cellular immune response in vitro and in vivo in mice. *J Ethnopharmacol*, 21, 105 (1-2), 301-305.

Zinker, B.A., Britz, K., & Brooks, G.A. (1990). Effect of a 36 hrs fast upon human endurance and substrate utilization. *J. Appl. Physiol*, 69, 1849-1855.

มหาวิทยาลัยบูรพา
Burapha University