

บรรณานุกรม

บรรณานุกรม

- กรมประมง. (2540). ภาพปลาและสัตว์น้ำของไทย. กรุงเทพฯ : กรมประมง กระทรวงเกษตรและสหกรณ์.
- กอบทอง รูปหอม, และคณะ. (2530). การศึกษาหาปริมาณสารเคมีกำจัดแมลงประเภทออร์กาโนคลอรีนแลพีซีบีในน้ำทะเลและตัวอย่างหอยที่เลี้ยงบริเวณชายฝั่งตะวันออกและตะวันตกของไทย. กรุงเทพฯ : กรมวิชาการเกษตร.
- ขวัญชัย สมบัติศิริ. (2528). สารฆ่าแมลง. กรุงเทพฯ : ภาควิชากีฏวิทยา คณะเกษตรศาสตร์ มหาวิทยาลัยเกษตรศาสตร์.
- จำนงค์ หัยกิจโกศล. (2544). การประกันคุณภาพของผลการทดสอบและตรวจสอบความใช้ได้ของวิธีทดสอบ. กรุงเทพฯ : บริษัทไทยยูนิค. เอกสารประกอบการบรรยาย
- จุลิศร พุฒนวล. (2538). การแพร่กระจายและการสะสมของปริมาณสารฆ่าศัตรูพืชและสัตว์กลุ่มออร์กาโนคลอรีน บริเวณแหล่งชุมชนชายฝั่งทะเลภาคตะวันออก. ชลบุรี : มหาวิทยาลัยบูรพา.
- เบญจวัฒน์ พรหมมานนท์. (2530). การศึกษาวัตถุมีพิษกลุ่มออร์กาโนคลอรีนที่ตกค้างในน้ำตามชั้นคุณภาพลุ่มน้ำต่าง ๆ บริเวณลุ่มแม่น้ำชี. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต, สาขาวิทยาศาสตร์สิ่งแวดล้อม บัณฑิตวิทยาลัย มหาวิทยาลัยเกษตรศาสตร์.
- ประภัสสรา พิมพ์พันธ์, และคณะ. (2535). การสะสมและการถ่ายทอดสารพิษผ่านห่วงโซ่อาหารในแหล่งน้ำ. กรุงเทพฯ : กรมวิชาการเกษตร.
- ประโยชน์ ตันติเจริญยศ, และคณะ. (2529). การศึกษาสารตกค้างจำพวกยาฆ่าแมลงในเนื้อเยื่อสัตว์ที่ใช่บริโภค. กรุงเทพฯ : มหาวิทยาลัยเกษตรศาสตร์.
- เปี่ยมศักดิ์ เมนะเสวต. (2525). แหล่งน้ำกับปัญหามลพิษ. กรุงเทพฯ : จุฬาลงกรณ์มหาวิทยาลัย.
- พลาถ ลิงหเสนี. (2528). พิษของยาฆ่าแมลงต่อผู้เลี้ยงและสิ่งแวดล้อม. กรุงเทพฯ : ภาควิชาเกษตรวิทยา คณะเกษตรศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.
- มโนชัย กิริตติกร. (2528). หลักการป้องกันกำจัดแมลงศัตรูพืช. กรุงเทพฯ : ฟันนี่พับบลิชซิ่ง.
- วิภา เมฆสุด. (2523). การวิเคราะห์คุณภาพและปริมาณวัตถุมีพิษในแหล่งน้ำจากสภาพการใช้ที่ดินแบบต่าง ๆ บริเวณสถานีวิจัยสิ่งแวดล้อมสระแก้ว. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต, สาขาวิทยาศาสตร์สิ่งแวดล้อม บัณฑิตวิทยาลัย มหาวิทยาลัยเกษตรศาสตร์.

- สิริวัฒน์ วงษ์ศิริ. (2521). *ยาฆ่าแมลง*. กรุงเทพฯ : แผนกวิชาชีววิทยา คณะวิทยาศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.
- สุภาณี พิมพ์สมาน. (2537). *สารฆ่าแมลง*. กรุงเทพฯ : มหาวิทยาลัยเกษตรศาสตร์
- อมรา วงศ์พุทธพิทักษ์, และคณะ. (2528). สารเคมีกำจัดแมลงประเภทสารประกอบคลอรีนในสัตว์ทะเลบริเวณน่านน้ำไทย พ.ศ. 2516 – 2526. *วารสารกรมวิทยาศาสตร์การแพทย์*. 27(3), 31-37.
- อมรพรรณ อาศรัยพล. (2534). ชนิดและปริมาณสารฆ่าแมลงกลุ่มออร์กาโนคลอรีนที่ตกค้างในดินตะกอน ตามชั้นคุณภาพลุ่มน้ำจันทบุรี ระยอง และชลบุรี. วิทยานิพนธ์วิทยาศาสตร์ มหาบัณฑิต สาขาวิทยาศาสตร์สิ่งแวดล้อม บัณฑิตวิทยาลัย มหาวิทยาลัยเกษตรศาสตร์.
- Allah, A.M. (1994). Rose residue levels of organochlorine pollutants in fish from Abu - Quir Bay and Idku Lake. Alexandria, Egypt, Toxically. *Environment & Science and Technology*, 44 , 65 – 71.
- Boer, J.D., Meer, J.V., & Brinkman, A.T. (1996). Determination of chlorobiphenyls in seal blubber , marine sediment , and fish : Interlaboratory study. *Journal of AOAC International* , 79(1), 83-96.
- Chiang, T.C.H., & Liao, W. (1987). Use of solid phase florisil cartridges to separate fat from semivolatile organic compounds in adipose tissue. *Journal of AOAC International*, 70(2), 100-103.
- Chumnantana, R., & Abe, S. (1993). Concentration of residual organo chlorine pesticide in the meat of marine animals caught in the coastal waters of Chantaburi, Eastern Thailand Thai Mar. *Journal of AOAC International*, 55(3), 59 – 66
- Diserens, H. (1989). Simplified extraction and clean-up for multiresidue determination of pesticides in lanolin. *Journal of AOAC International*, 72, 991-993.
- Doheim, S.M., Mohamed, E.Z., Alla, S.G., Saied, S.E., Emel, S.Y., & Mohsen, A.M. (1996). Monitoring of pesticide residues in human milk, soil, water, and food sample collected from Kafr-El – Zayat Governorate. *Journal of AOAC International*, 79(1), 111-116.
- Duke, T.W. (1979). *Pesticide in aquatic environments and overview*. New York : Van Nostrand Reinhold Company.

- Durham, W.B. (1974). *Pesticide in the environment*. New York : Van Nostrand Reinhold Company.
- Edwards, C.A. (1973). *Pesticides residues in soil and water : Environmental Pollution by Pesticides*. London : Plenum Press.
- Furusawa, N., Okazaki, K., Iriguchi, S., Yamaguchi, H., & Saitoh, M., (1998). Gel permeation and florisil chromatographic cleanup and gas chromatographic determination of organochlorine pesticide in eggs, *Journal of AOAC International*, 81(5), 1033-1036.
- Galino – Reyes, I.G., Guerrero – Ibarra, M.A., Villagrana - Lizarraga, C., Quezada – Urenda, L.G., & Escalante, S.A. (1992). Pesticide contamination in water sediments shrimps and clams in two coastal ecosystems in Sinaloa, Mexico. *Journal of AOAC International*, 71(3), 172 - 180.
- Gillespie, A.M., Daly, S.L., Gilvydis, D.M., & Walters, S.M. (1995). Multicolumn solid-phase extraction clean-up of organophosphorus and organochlorine pesticide residues in vegetable oils and butterfat. *Journal of AOAC International*, 78(2), 431-437.
- Gretch, F.M. (1987). Automated sample clean-up for pesticide multiresidue analysis III evaluation of complete system for screening subtolerance residues in vegetables. *Journal of AOAC International*, 70(3), 109-111.
- Hamence, I.H., Hall, P.S., & Cavery, D.J. (1965). A method for the analysis of fish tissue for chlorinated pesticide residue. *Analyst*, 90, 649-654.
- Haque, R., Kearney, P.C., & Freed, V.H. (1977). *Dynamic of pesticides in aquatic environment*. New York : Plenum Press.
- Harold, G.M. (1975). Occurrence of chlorinated hydrocarbon insecticides, Southern Florida : 1968 – 1972. *Journal Applied Ecology*, 9, 106 – 114.
- Harris, C.I. (1969). Movement of pesticides in soil. *Journal of AOAC International*, 17 (1), 80 – 82.
- Holden, A.V. (1966). Study pesticide residues in fish tissue by gas chromatography. *Journal Applied Ecology*, 45(1), 45 – 53.
- Holstege, D.M. (1994). A rapid multiresidue screen for organophosphorus , organochlorine , and N – methyl carbamate insecticides in plant and animal tissues. *Journal of AOAC International*, 77, 1263-1274.

- Hudson, L. (1971). *Soil conservation*. New York : Cornell University Press.
- Hwang, B.H., & Lee, M.R. (2000). Solid-phase microextraction for organochlorine pesticide residues analysis in chinese herbal formulations. *Journal of Chromatography A*, 898, 245-256.
- Krahn, M.M., Moor, R.S., & Brown, D.W. (1988). High performance liquid chromatographic method for isolating organic contaminants from tissue and sediment extracts. *Journal of Chromatography*, 437, 161-175.
- Karant, N.G., Srimathi, M.S., & Majumder, S.K. (1982). A chromagenic paper for ultrapid detection of organochlorine insecticides residues in vegetable. *Journal of Chromatography A*, 435, 221-224.
- Ling, Y.C., & Teng, H.C. (1997). Supercritical fluid extraction and clean – up of organochlorine pesticide and polychlorinated biphenyls in mussels. *Journal of Chromatography A*, 790, 153-160.
- Long, A.R., Crouch, D., & Barker, A.B. (1991). Multiresidue matrix solid phase dispersion (MSPD) extraction and gas chromatography screening of nine chlorinated pesticides in catfish (*Ictalurus punctatus*) muscle tissue. *Journal of AOAC International*, 74(3), 663-668.
- Long, A.R., Soliman, M.M., & Barker, S.A. (1991). Matrix solid phase dispersion (MSPD) extraction and gas chromatographic screening of nine chlorinated pesticide in beef fat. *Journal of AOAC International*, 74(3), 493-496.
- Lopez, J.E., Aguilar, R.L., & Diez, L.M. (1992). Comparative study of cleanup and fractionation methods for the determination of organochlorine pesticides in lipid by gas chromatography. *Journal of Chromatography*, 591, 303-311.
- Lott, M.H., & Barker, S.A. (1993). Matrix solid phase dispersion extraction and gas chromatographic screening of 14 chlorinated pesticides in oyster (*Crassostrea virginica*). *Journal of AOAC International*, 76(1), 67-71.
- Manes, J., Font, G., & Pico, Y. (1993). Evaluation of a solid phase extraction system for determining pesticide residues in milk. *Journal of Chromatography*, 642, 195-204.
- Moore, D.G., & Loper, B.R. (1980). DDT residues in the forest floors and soils of Western Oregon. *Journal of AOAC International*, 14 (3), 77 – 85.

- Najam, A.R., Korver, M.P., Williams, C.C., Burse, V.W., & Needham, L.L. (1999). Analysis of a mixture of polychlorinated biphenyls and chlorinated pesticide in human serum by column fraction and dual- column capillary gas chromatography with electron capture detection. *Journal of AOAC International*, 82(1), 177-185.
- Newsome, W.H., Andrews, P., & Conacher, B.S. (1993). Total organochlorine content of fish the great lakes. *Journal of AOAC International*, 76(4), 703-710.
- Ottaway, J.H. (1980). *The biochemistry of pollution*. London : Edward Arnold.
- Pastor, A., Vazquez, C.R., & Guardia, M.C. (1997). Efficiency of the microwave-assisted extraction of hydrocarbons and pesticides from sediments. *Analytica Chimica Acta*, 344, 241-249.
- Peart, T.E., & Lee, H.B. (1995). Rapid supercritical carbon dioxide extraction method for determination of polychlorinated biphenyls in fish. *Journal of AOAC International*, 78(3), 437-444.
- Porter, M.L., Yong, S.J., & Burk, J.A. (1970). A method for the analysis of fish, animal and poultry tissue for chlorinated pesticide residues. *Journal of AOAC International*, 53(6), 1300-1303.
- Repetto, R.G., Garrido, I., & Repetto, M. (1996). Determination of organochlorine, organophosphorus, and triazine pesticide in wine by gas chromatography with electron capture and nitrogen- phosphorus detection. *Journal of AOAC International*, 79(6), 1423-1427.
- Santilio, A. (1990). Behaviour of 23 persistent organochlorine compound during sulphuric acid clean - up on a solid- matrix column. *Journal of Chromatography*, 513, 333-337.
- Schenck, F.J. (1996). Screening of nonfatty fish for of organochlorine pesticide residues by solid phase extraction clean-up : Interlaboratory study. *Journal of AOAC International*, 79(5), 1215-1219.
- Schenck, F.J., Calderon, L., & Podhorniak, L.V. (1996). Determination of organochlorine pesticide and polychlorinated biphenyl residues in fatty fish by tandem solid-phase extraction clean - up. *Journal of AOAC International*, 79(5), 1209-1214.

- Schenck, F.J., Wagner, R., Hennessy, M.K., & Okresinski, J.L. (1994). Screening of organochlorine pesticide and polychlorinated biphenyl residues in nonfatty seafood products by tandem solid-phase extraction clean – up. *Journal of AOAC International*, 77(1), 102-106.
- Snyder, J.S., Grob, L.R., Mary, E., & Timothy, S.O. (1992). Comparison of supercritical fluid extraction with classical sonication and soxhlet extractions for selected pesticides. *Analytical Chemistry*, 64, 1940-1946.
- Stoker, H.S., & Seager, S.L., (1976). *Environmental Chemistry* (2d ed). Scott : Illenoissis.
- Woodwell, G.M. (1967). Toxic substances and ecological cycle. *Journal of AOAC International*, 73(5), 15-19.