

บรรณานุกรม

บรรณานุกรม

- จรี จอห์นีย์. (2544). อาการกลืนปัสสาวะไม่อยู่ของผู้สูงอายุสตรีมุสลิมในจังหวัดสงขลา : ผลกระทบและวิธีจัดการ. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลผู้ใหญ่ บัณฑิตวิทยาลัย มหาวิทยาลัยสงขลานครินทร์.
- ชุตีวรรณ ปรีนทรากิบาล. (2541). การประยุกต์ใช้ทฤษฎีความสามารถตนเองเพื่อส่งเสริมพฤติกรรมสุขภาพด้านการรับประทานอาหารของผู้สูงอายุในชมรมผู้สูงอายุ จังหวัดปทุมธานี. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต, สาขาวิชาสุขศึกษา บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ถนอมขวัญ ทวีบุรณ์, สมจินต์ เพชรพันธุ์ศรี, และกรรณกาญจน์ ศรีภักดี. (2540). ปัจจัยที่มี ความสัมพันธ์กับอาการกลืนปัสสาวะไม่อยู่. วารสารพยาบาลศาสตร์, 15(2), 46-54.
- ธีระ ทองสง, จตุพล ศรีสมบูรณ์, และอภิชาติ โอพารัตนชัย. (2539). นรีเวชวิทยา ฉบับสอบ บอร์ด (เรียบเรียงครั้งที่ 2). กรุงเทพฯ : พี. บี. ฟอร์เรนบุ๊กส์ เซนเตอร์.
- ธวัชชัย วรพงศธร. (2543). หลักการวิจัยทางสาธารณสุขศาสตร์. กรุงเทพฯ : สำนักพิมพ์แห่ง จุฬาลงกรณ์มหาวิทยาลัย.
- ปฤศณา ภูวนันท์. (2539). การพยาบาลผู้ป่วยปัสสาวะเล็ด. วารสารพยาบาลศาสตร์, 14(4), 8-14.
- ประภาภรณ์ สมณะ. (2544). ผลของการบริหารกลัมนเนื้อพื้ในเชิงกรานต่อภาวะปัสสาวะเล็ดจากการ เพิ่มแรงดันในช่องท้องในสตรีวัยหมดระดู. วิทยานิพนธ์ปริญญาพยาบาลศาสตร มหาบัณฑิต, สาขาวิชาการพยาบาลสตรี บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- พิชัย บุญยะรัตนเวช. (2538). การถ่ายปัสสาวะปกติและการรักษา. กรุงเทพฯ : สำนักพิมพ์แห่ง จุฬาลงกรณ์มหาวิทยาลัย.
- เพ็ญศิริ สันตโยภาส. (2542). ปัจจัยที่เกี่ยวข้องและวิธีการจัดการกับตนเองต่อภาวะกลืนปัสสาวะ ไม่อยู่ของผู้สูงอายุสตรีไทยในชุมชน. วิทยานิพนธ์ปริญญาพยาบาลศาสตรดุษฎีบัณฑิต, สาขาวิชาการพยาบาลผู้ใหญ่ บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ไพรัตน์ วงษ์นาม. (2538). การวิเคราะห์ความแปรปรวนสองตัวประกอบที่วัดซ้ำหนึ่งตัวประกอบ และวัดต่างกลุ่มหนึ่งตัวประกอบตามวิธีทางสถิติของฮาวเวล (Howell, 1997) ด้วยภาษา QBASIC. ชลบุรี : มหาวิทยาลัยบูรพา.

- รณิศา กองเจริญ. (2545). ผลของการส่งเสริมความสามารถในการฟื้นฟูสมรรถภาพปอดโดย
ประยุกต์ใช้ทฤษฎีความสามารถตนเองในผู้สูงอายุที่มีโรคปอดอุดกั้นเรื้อรัง. วิทยานิพนธ์
ปริญญาพยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลผู้สูงอายุ บัณฑิตวิทยาลัย
มหาวิทยาลัยบูรพา.
- วิเชียร เกตุสิงห์. (2538). คำเฉลี่ยกับการแปลความหมาย : เรื่องง่าย ๆ ที่บางครั้งก็ผิดได้.
ข่าวสารการวิจัยการศึกษา, 14(3), 8-11.
- วชิร คุชการ. (2546). คู่มือการดูแลผู้ป่วยกลั้นปัสสาวะไม่อยู่. กรุงเทพฯ : ภาควิชาศัลยศาสตร์
คณะแพทยศาสตร์โรงพยาบาลรามาธิบดี.
- วันดี บุญอุดมศาสตร์. (2539). การบริหารกลั่นเนื้ออุ้งเชิงกราน. วารสาร โรงพยาบาลวชิระภูเก็ต,
3(4), 9-12.
- สุชีรา ภักธายุตวรรตน์. (2545). คู่มือการวัดทางจิตวิทยา. กรุงเทพฯ : เมดิคัลมีเดีย.
- สุทธิชัย จิตตะพันธ์กุล. (2541). หลักสำคัญของเวชศาสตร์ผู้สูงอายุ. กรุงเทพฯ : ภาควิชาอายุรศาสตร์
คณะแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.
- สุทธิชัย จิตตะพันธ์กุล และคณะ. (2544). ร่างแผนผู้สูงอายุแห่งชาติฉบับที่ 2 (พ.ศ. 2545-พ.ศ. 2564).
กรุงเทพฯ : โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- สมโภชน์ เอี่ยมสุภาษิต. (2541). ทฤษฎีและเทคนิคการปรับพฤติกรรม (พิมพ์ครั้งที่ 3). กรุงเทพฯ :
สำนักพิมพ์จุฬาลงกรณ์มหาวิทยาลัย.
- Alewijnse, D., Mesters, I., Metsemakers, J., Adriaans, J., & Vanden - Borne, B. (2001). Predictors
of incontinence to adhere to physiotherapy among woman with urinary incontinence.
Health Education Research, 16(2), 173-184.
- Appleby, S. (1999). A home health perspective on the management of urinary incontinence.
Journal of Wound Ostomy and Continence Nurse Society, 22(3), 145-151.
- AHCPR. (2000). Frequency asked question urinary incontinence. [Online]. Available :
<http://www.Medlineplus and incontinence.html>.
- Bandura, A. (1997). *Self-efficacy : The exercise of control*. New York : Freeman.
- _____. (2000). Guide for constructing self-efficacy scales. [Online]. Available :
<http://www.Overview Self-efficacy defin.html>.
- Bartholomew, L. K., Sockrider, M. M., Selheimer, D. K., Czyzewski, D. I., Parcel, G. S., &
Spinelli, S. H., (1993) Performance objectives for the self-management of cystic
fibrosis. *Patient Education And Counseling*, 22(1), 15-25.

- Bedford, N. K. (1996). Urinary incontinence/Constipation. In A. S. Luggen (Ed.) *NGNA core curriculum for gerontological Nursing*. St. Louis : Mosby Year Book.
- Berghmans, L. C. M., Hendriks, H. J. M., Bo, K., Hay-smith, E. J., Bie, R. A., & Waalwijkvan Doorn, E. S. C. (1998). Conservative treatment of stress urinary incontinence in woman : A system review of randomized clinic trials. *British Journal of Urology*, 82, 181-181.
- Biehler, R. F., & Snowman, J. (1991). *Psychology applicol to teaching*. (7th ed.). Boston : Houghton mifflin.
- Bogner, H. R. (2002). Urinary incontinence and psychological distress in community-dwelling older adults. *The American Geriatric Society*, 50(3), 489-495.
- Brook, M. J., (1995). Assessment and nursing management of homebound clients with urinary incontinence. *Home Healthcare Nurse*, 13(5), 11-16.
- Broome, B. A. S. (1999). *Development and testing scale to measure self-efficacy for pelvic muscle exercise in woman with urinary incontinence*. [CD-ROM]. Abstract from : Proquest File : Dissertation Abstract Item : 9816849.
- Brown, J. S., Grady, D., Ouslander, J. G., Herzog, A. R., Varner, R. E., Posner, S. F., & The Heart & Estrogen/Progestin Replacement Study Research Group. (1999). Prevalence of Urinary incontinence and associated risk factors in postmenopausal woman. *Obstetric And Gynecology*, 94(1), 66-70.
- Brown et al. (1996). Urinary incontinence in older woman : Who is at Risk. *Obstetrics & Gynecology*, 87(5), 720.
- _____. (2000). Costs and consequence of urinary incontinence. [Online]. Available : <http://www.consequence of incontinence.html>.
- Burgio, K. L., & Goody, P. S. (1997). Behavioral intervention for incontinence in ambulatory geriatric patients. *The American Journal of the Medical Science*, 314(4), 257-261.
- Case-Gamble, M. K. (1995). Urinary Incontinence in the elderly. In M. Stanley & P. G. Bear. (Eds.), *Gerontological Nursing*. Philadelphia : F.A. Davis.
- Chirvertson, P. A., Well, T. J., Brink, C. A., & Mayer, R. (1996). Phychological factors associated with urinary incontinence. *Clinical Nursing Specialist*, 10(5), 229-330.

- Clark, M. J. (1992). The epidemiologic prevention process model and care of older clients. In *Nursing in the Community*. Norwalk : Appleton & Lange.
- Clark, A., & Romm, J. (1993). Effect of urinary incontinence on sexual activity woman. *Journal of Reproductive Medicine*, 39(9), 679-683.
- Colling, J. C., Owen, T. R., & McCredy, M. R. (1994). Urine volumes and voiding patterns among incontinence nursing home residents : Residents at highest risk for dehydration are often the most difficult to track. *Geriatric Nursing*, 15(4), 188-192.
- Concensus Conference. (1989, March/April). Reading a consensus on Incontinence. *Geriatric Nursing*, 78-80.
- Dougherty, M., Bishop, K., Mooney, R., Gimotty, P., & Williams, B. (1993). Graded pelvic muscle exercise : Effort on stress urinary incontinence. *Journal of Reproductive Medicine*, 38(9), 684-691.
- Dandy, D. (1999) Assessment tool promotes continence after childbirth. *Nursing Times*, 95 (28), 42-43.
- Dugan et al., (2000). The association of depressive symptoms and urinary incontinence among older adults. *The American Geriatrics Society*, 48(4), 413-416.
- Engberg, S. J., Mc Dowell, B. J., Burgio, K. L., Watson, J. E., & Bells, S. (1995). Self care Behavior of older Woman with Urinary Incontinence. *Journal of Gerontological Nursing*, 21(8), 7-14.
- Engberg. (2002). Efficacy of biofeedback to treat urinary incontinence in woman. [Online]. Available : <http://www.School of Nursing Research UI.html>.
- Fantl, J. A., Cordozo, L., McClish, D. K., & The Hormone and Urogenital Therapy Committee. (1994). Estrogen therapy in the management of urinary incontinence in menopausal woman :A meta-analysis. *Obstetric and Gynecology*, 83(1), 12-18.
- Fantl, J. A., Newman, D. K., Colling, J. (1996). *Urinary incontinence in adults : Acute and chronic management*. Clinical Practice Guideline No. 2 : Update. Agency for Health Care Policy and Research Publication No 96-0682. Rockville, MD : U.S. Department of Health and Human Services, Public Health Service, Agency for Health Care Policy and Research.

- Grimby, A., Milson, I., Molander, U., Wiklund, I., & Ekelund, P. (1993). The influence of urinary incontinence in the quality of life of elder woman. *Age & Aging*, 22, 82-89.
- Hahn, I. M. (1993). *Pelvic floor training for stress urinary incontinence : Evaluation and longterm results*. [CD-ROM]. Abstract from : ProQuest File : Dissertation Abstract Item : Not Available.
- Howell, C. D. (1997). *Statistical Methods for psychology*. New York : CA : Duxbury.
- Jitapunkul, S., & Kamolratanakul, P., & Ebrahim, S. (1994). The meaning activities of daily living in thai elderly population : development of new index. *Age and Aging*, 23, 97-101.
- Jitapunkul, S., Lailert, C., & Worakul, P. (1996). Chula mental test : A sreening test for elderly people in less developed countries. *International Journal of Geriatric Psychiatry*, 11, 715-721.
- Jitapunkul, S., & Khovidhonkit, W. (1998). Urinary Incontinence in Thai elderly living in Klong Toey Slum. *Journal of the Medical Association of Thailand*, 81(3), 160-168.
- Johnson, S. T. (2000). From incontinence to confidence. *Advanced Journal of Nursing*, 100(2), 69-75.
- Kangchai, W. (2002). *Efficacy of self-management promotion program for elderly woman with urinary incontinence*. Bangkok : Mahidol University.
- _____. (2002). Efficacy of Self-management promotion program for elderly woman with urinary incontinence. *Thai Journal of Nursing Research*, 6(3), 101-114.
- Kincade & Dasherty. (2002). Pelvic floor muscle training for urinary incontinence in woman. [Online]. Available : <http://www.Pelvic floor muscle exercise.html>.
- Kim, J. (2001). Continence efficacy incontinence program for community resding woman with stress urinary incontinence in Japan. *Public Health Nursing*, 18 (1), 64-71.
- Lagro-Janssen, D., Smits, T & Well, S. (1990). Womwn with urinary incontinence : Self perceived worries and general practioners' knowleage of problem. *British Journal of Gernerel Pravtice*, 40, 331-334.
- Mc Dowell, B. J., Burgio, K. L., Dombrowski, M., Locher, J. L., & Rodriguez, E. (1992). An interdisciplinary approach to the assessment and behavior in geriatric outpatients urinary incontinence in geriatric outpatients. *The American Geriatric Society*, 40, 370-374.

- Martin. (2001). Managing incontinence in the elderly. [Online]. Available : <http://www.Incontinence in elderly.html>.
- Miller, C. A., (1999). *Nursing care of older adult : Theory and practice*. (3rd ed.). Philadelphia : Lippincott.
- Mitteneess, L. S. (1990). Knowlege & brliefa about urinary incontinence in adulthood and old. *Age*, 38(3), 374-378.
- Moore. (2001). The impact of incontinence. [Online]. Available : <http://www.The impact of incontinence in elderly.html>.
- Mukherjee, K., & Constantine, G. (2001). Urinary stree incontinence in obese woman : Tension-free vaginal type is answer. *BJU International*, 88, 881-883.
- National Institues of Health Concensus Development Conference. (1990). Urinary incontinence in adult. *Journal of American Geriatrics*, 38, 265-272.
- National Research Council, Food and Nutrition Board. (1990). *Recommended dietary allowances*. (10th ed.). Washington, D. C. : National Academy Press.
- Newman, D. K. (1991). Restoring urinary incontinence. *American Journal of Nursing*, 91(1), 28-34.
- _____. (1996). Urinary incontinence management in the USA : The Rok of the nurse. *British Journal of Nursing*, 5(2), 78-88.
- Noriko. (2000). *A minor complaint with major consequence : A survey of urinary incontinence in Japan*. [CD-ROM]. Abstract from : Proquest File : Dissertation Abstract Item : 9977578.
- NAFC. (2000). Treatment options. [Online]. Available : <http://www.treatment options.html>.
- NIH. (2001). Urinary incontinence in the elderly. [Online]. Available : <http://www.Incontinence in elderly.html>.
- NIDDK. (1997). Exercising your pelvic muscle. [Online]. Available : <http://www.niddk.nih.gov>.
- Olson, T. R., (1996). A. M. D. D. student atlas of anatomy. Bultimore : Williams & Wilkins.
- Ory, S. et al. (1986). Psychosocial factors in urinary incontinence. *Clinics in Geriatric Medicine*, 2(4), 657-671.
- Palmer, M. H. (1996). Level 1 : Basic assessment and management of uronary incontinence in nursing home. *Nurse Practictioner Forum*, 5(3), 152-157

- Penn, C., Lekan-Rutledge, D., Joers, A. M., Stolley, J. M., & Amhof, N. V. (1996). Assessment of urinary incontinence. *Journal of Gerontological Nursing*, 1, 8-19.
- Patel, C. et al., (2001). Recovery from poststroke urinary incontinence associated factors and Impact on outcome, *Journal of Gerontological Nursing*, 49(9), 1299-1232.
- Pearson, B. D., & Kelber, S. (1996). Urinary incontinence : Treatments intervention and outcome. *Clinical Nurse Specialist*, 10(4), 177-182.
- Publicover. (1996). Urinary incontinence in adult : Acute and chronic management. [Online]. Available : <http://www.Text.nlm.nih.gov>.
- Roe, B., & May, C. (1999). Incontinence and sexuality : Finding from a qualitative oerspective. *Journal of Advance Nursing*, 30(3), 573-579.
- Roe, Williams, & Palmer. (2002). Bladder training for urinary incontinence in adults. [Online]. Available : <http://www.Bladdertraining.html>.
- Sally, S. R. (2001). *Gerontological nursing*. Philadelphia : lippincott William & Wilkins.
- Sanvik. (2002). Costs and consequences of incontinence. [Online]. Available : <http://www.Consequencesofincontinence.html>.
- Schneider. (2001). Incontinence in the elderly. [Online]. Available : <http://www.IncontinenceintheElderly.html>.
- Seim, A., Sivertsen, B., erickson, B. C., & Hunskaar, S. (1996). Treatment of urinary incontinence in general practice : Observational study. *British Medical Journal*, 312, 1459-1462.
- Staab, A. S., & Hodges, L. C. (1996). *Essentials of gerontological nursing adaptation to the aging process*. Philadelphia : J. B. Lippincott.
- Stone, J. T. ,Wyman, J. F., & Salisbury, S. A. (1999). *Clinical gerontological nursing : A guide to advanced nursing practice* (2rd ed.). Philadelphia : W. B. Saunders.
- Temml, C., Haidinger, G., & Schmibaver, J. (2000). Urinary incontinence in both sexes : Prevalence rates and impact on quality of life and sexual life. *Neurourol Urodynam*, 19(2), 259-271.
- Thomas, A. M., & Morse, J. M. (1999). Managing urinary incontinence with self care practice. *Journal of Gerontological Nursing*, 17(6), 9-14.

- Watson, R. (1997). Urinary incontinence in elderly people. *Elderly care*, 9(5), 27-32.
- Weiss, B. D. (1991). Nonpharmacologic treatment of urinary incontinence. *Journal of American Geriatrics Society*, 38, 311-316.
- Well, I. J. (1990). Pelvic floor muscle exercise. *The American Geriatric Society*, 38(1), 333-337.
- . (1991). Pelvic floor muscle exercise for stress urinary incontinence in elderly woman. *The American Geriatric Society*, 39(1), 785-790.
- Wyman, J. F. (1991). Bladder training in ambulatory care management of urinary incontinence. *Urologic Nursing*, 11(3), 11-17.
- . (1999). Stress urinary incontinence in woman. [Online]. Available : <http://www.ThePhysiocianandSportsmedicineStressIncontinenceinWoman.html>.
- Wyman, J. F., Harkins, S. W., & Fantl, J. A. (1992). Phycho social impact of urinary incontinence in the community-dwelling population. *Journal of the American Geriatrics*, 8, 282-288.