

บรรณานุกรม

- กรมวิชาการเกษตร. (2000). วัตถุอันตรายนำเข้าทางค่านตรวจสอบปี 2543, pp. 181-215.
- Atisook, K., Ningnoi, T. (1996). General guidelines for validation of food chemical analytical methods. *Department of Medical Sciences, 1*, pp. 7-11.
- Beltran, J., Lopez, F. J., & Hernández, F. (2000). Solid-phase microextraction in pesticide residue analysis. *Journal of Chromatography A*, 885, pp. 389-404.
- Campoy, C., Jimenez, M., Olea, M. F., Serrano, M. F., Frias, M. M., Canabate, F., Olea, N., Bayes, R., Molina, J. A., & Font, J. A. (2001). Analysis of organochlorine pesticide in human milk: preliminary results. *Early Human Development*, 65 Suppl, pp. 183-190.
- Cerkvernik, V., Doganoc, D. Z., Jan, J. (2000). Evidence of some trace elements, Organochlorine pesticides and PCBs in Slovenian cow's milk. *Food technol. Biotechnol*, 32(2), pp. 155-160.
- Emma, R. B., Alexis, J. H., & Ian, C. S. (2003). A method to determine residue levels of persistent organochlorine pesticide in human milk from Indonesian women. *Chemosphere*, 50, pp. 529-535.
- Farid, E. A. (2001). Analyses of pesticide and their metabolites in foods and drinks. *Analytical Chemistry*, 20, pp. 649-661.
- Filek, G., Bergamini, M., & Lindner, W. (1995). Steam distillation-solvent extraction, a selective sample enrichment technique for the gas chromatographic-electron-capture detection of organochlorine compounds in milk powder and other milk products. *Journal of Chromatography A*, 712, pp. 355-364.
- Greizerstein, H. B., Gigliotti, P., Vena, J., Freudenheim, J., & Kostyniak, P. J. (1997). Standardization of a method for the routine analysis of polychlorinated biphenyl congeners and selected pesticides in human serum and milk. *Journal of Analytical, Toxicology* 21: pp. 558-566.
- Guardino, X., Serra, C., Obiols, J., Rosell, M. G., Berenguer, M. J., López, F., & Brosa, J. (1996). Determination of DDT and related compounds in blood samples from agricultural workers. *Journal of Chromatography A*, 719, pp. 141-147.

- Ho, W. H., Yu, L. J. (2000). Determination of organochlorine pesticides in milk by electron capture capillary gas chromatography. *Journal of the Chinese Chemical Society*, 47, pp. 469-473.
- Holstege, D. M. (1994). A rapid multiresidues screen for organophosphorus, organochlorine and N-methyl carbamate insecticides in plant and animal tissues. *Journal of AOAC International*, 77, pp. 1263-1274.
- John, P. J., Bakore, N., & Bhatnagar, P. (2001). Assessment of organochlorine pesticide residue level in dairy milk and buffalo milk from Jaipur city Rajasthan, India. *Environment International*, 26, pp. 231-236.
- Krauss, T., Braga, A. M. C. B., Rosa, J. M., Kypke, R. (2004). Leveles of organochlorine pesticides in brazilian human milk. *Organohalogen compounds, Volume 66*, pp. 2773-2777.
- Leon, D. S., Bernadette, M. M., & Harvey, W. N. (1996). Official methods of analysis of AOAC International. 16th Edition 1995 Volume 1. *AOAC Official method 970.52, Chapter 10*, pp. 1-10.
- Lian Kuet, A. C., Seng, L. (2004). Solid phase extraction clean up for the determination of organochlorine pesticides in vegetable. *Malaysian Journal of Chemistry*, Vol 6, No.1, pp. 039-047.
- Lopez, J. E., Aguilar, R. L., & Diez, L. M. (1992). Comparative study of cleanup and fractionation methods for the determination of organochlorine pesticides in lipid by gas chlomatography. *Journal of Chlomatography*, 591, pp. 303-311.
- Losada, A., Fernandez, N., Diez, M. J., Teran, M. T., Garcia, J. J., & Sierra, M. (1996). Organochlorine pesticide residue in bovine milk from Leon (Spain). *The Science of the Environment*, 181, pp. 133-135.
- Lott, M. H., & Barker, S. A. (1993). Matrix solid phase dispersion extraction and gas chlomatographic screening of 14 chlorinated pesticides in oyter (*Cassostrea Virginica*). *Journal of AOAC International*, 76(1), pp. 67-71.
- Miller, J. C., Miller, J. N. (1993). *Statistics for Analytical Chemistry (3rd ed.)*. pp. 104-107.

- Najam, A. R., Kover, M. P., Williams, C. C., Burse, V. W., & Needham, L. L. (1999). Analysis of a mixture of polychlorinated biphenyls and chlorinated pesticide in human serum by column fraction and dual-column capillary gas chromatography with electron capture detection. *Journal of AOAC International*, 82(1), pp. 177-185.
- Onley, J. H. (1964). Rapid method for chlorinated pesticide residue in fluid milk. *Journal of AOAC*, 47(2): pp. 317-321.
- Wan, H. B., & Wong, M. K. (1996). Minimization in pesticide residue analysis. *Journal of Chromatography A*, 754, pp. 43-47.