

บรรณานุกรม

- กำไลย ศรีวิชา. (2544). การปรับตัวและความต้องการของมารดาที่บุตรเจ็บป่วยเมื่อกลับบ้าน. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลครอบครัว, บัณฑิตวิทยาลัย, มหาวิทยาลัยขอนแก่น.
- กมลเนตร ใฝ่ชำนาญ. (2546). ผลของการให้มารดามีส่วนร่วมซึ่งกันและกันกับพยาบาลในการดูแลบุตรที่บุตรเจ็บป่วยต่อความเครียดของมารดา. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลเด็ก, บัณฑิตวิทยาลัย, มหาวิทยาลัยขอนแก่น.
- งานหอผู้ป่วยทารกแรกเกิดวิกฤต โรงพยาบาล ชลบุรี. (2545, 2546, 2547). สถิติทารกแรกเกิดที่เข้ารับการรักษาในหอผู้ป่วยทารกแรกเกิดวิกฤต. ชลบุรี: โรงพยาบาลชลบุรี.
- จินตนา วัชรสินธุ์. (2549). เอกสารคำสอน ทฤษฎีการพยาบาลครอบครัวขั้นสูง. ชลบุรี: ภาควิชาการพยาบาลแม่และเด็ก คณะพยาบาลศาสตร์ มหาวิทยาลัยบูรพา.
- นภัสวรรณ แก้วหลวง. (2545). ผลการใช้กลุ่มช่วยเหลือตนเองต่อพฤติกรรมการดูแลบุตรและความเครียดของการเป็นมารดาในมารดาที่มีบุตรเจ็บป่วยด้วยโรคธาลัสซีเมีย. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลครอบครัว, บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.
- บุญใจ ศรีสถิตนรากร. (2544). ระเบียบวิธีการวิจัยทางพยาบาลศาสตร์. กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- ปราชญาวดี ยมนันทกุล. (2538). ความสัมพันธ์ระหว่างระดับความเครียด การเผชิญความเครียด และปัจจัยที่เกี่ยวข้องของมารดาที่มีบุตรเจ็บป่วยที่ได้รับการรักษาในหออภิบาลทารกแรกเกิด. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลกุมารเวชศาสตร์ และเด็ก, บัณฑิตวิทยาลัย, มหาวิทยาลัยสงขลานครินทร์.
- มานี ปิยะอนันต์, ชาญชัย วันทนา, สิงห์เพชร สุขสมปอง และมงคล เบญจภิบาล. (2543). สถิติศาสตร์. กรุงเทพฯ: พี เอ ลีฟวิ่ง.
- เขวลักษณ์ ศิลาวรรณ. (2544). การปรับตัวและความต้องการของมารดาที่บุตรเจ็บป่วยเมื่อกลับบ้าน. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลครอบครัว, บัณฑิตวิทยาลัย, มหาวิทยาลัยขอนแก่น.

รักชนก เจริญสุข. (2546). ผลของการให้คำปรึกษาแบบกวนิยมเป็นรายบุคคลเพื่อลดความวิตกกังวลของมารดาที่มีทารกแรกเกิดอยู่ในหออภิบาลทารกแรกเกิดในสภาพวิกฤต โรงพยาบาลจุฬาลงกรณ์ สภากาชาดไทย. วิทยานิพนธ์การศึกษามหาบัณฑิต, สาขาวิชาจิตวิทยาการแนะแนว, บัณฑิตวิทยาลัย, มหาวิทยาลัยศรีนครินทรวิโรฒ.

โรงพยาบาล ชลบุรี. (2547). ข้อมูลพื้นฐาน โรงพยาบาลชลบุรี. วันที่ค้นข้อมูล 26 สิงหาคม 2550, เข้าถึงได้จาก <http://www.cbh.moph.go.th>

สุนทรี ภิญโณมิตร. (2539). ความสัมพันธ์ระหว่างปัจจัยที่ก่อให้เกิดความเครียด การสนับสนุนจากคู่สมรส กับการปรับตัวด้านจิตใจของมารดาหลังคลอดที่มีบุตรเจ็บป่วย. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลแม่และเด็ก, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

อุษา สุขาพันธ์. (2544). สัมพันธภาพระหว่างคู่สมรส พฤติกรรมทารก และความเครียดในบทบาทของมารดา ที่มีบุตรคนแรก. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลมารดาและเด็ก, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

Abma, T. A. (2005). Struggling with the fragility of life: A relational-narrative approach to ethics in palliative nursing. *Nurs Ethics*, 12(4), 37-348. Retrieved November 11, 2005, from <http://www.pubmed.gov>

Abma, T. A., & Widdershoven, G. A. (2005). Sharing stories: Narrative and dialogue in responsive nursing evaluation. *Eval Health Prof.*, 28(1), 90-109. Retrieved January 11, 2006, from <http://www.pubmed.gov>

Askin, D. F. (1993). Commentary on Stressors reported by mothers of hospitalized premature infants. *AWHONN's Women's Health Nursing Scan*, 7(2), 7-8. Retrieved January 15, 2006, from CINAHL database.

Benjamin, V. L. (1994). *Parenting stress and social support in low-income teen mothers*. Retrieved January 6, 2006, from Proquest database.

Combs-Orme, T., Cain, D. S., & Wilson, E. E. (2003). *Do maternal concerns at delivery predict parenting stress during infancy*. Retrieved January 20, 2006, from ScienceDirect database.

Crnic, K. A., Greenberg, M. T., Ragozin, A. S., Robinson, N. M., & Basham, R. B. (1983). Effects of stress and social support on mothers and premature and full-term infants. *Child Dev.*, 54(1), 209-217.

- Copeland, D., & Harbaugh, B. L. (2005). Differences in parenting stress between married and single first time mothers at six to eight week after birth. *Issues Compr Pediatr Nurs.*, 28(3), 139-152. Retrieved February 7, 2006, from <http://www.pubmed.gov>
- Colesante, R. J. (1997). *Narrative and propositional approaches to promoting moral and political tolerance*. Retrieved January 15, 2006, from Proquest database.
- Cruz, A. E. (1998). *Parental stress, personal authority, and family environment of puerto rican women*. Retrieved January 15, 2006, from Proquest database.
- Davis, L., Edwards, H., Mohay, H., & Wollin, J. (2003). The impact of very premature birth on the psychological health of mothers. *Early Human Development*, 73(1-2), 61-70. Retrieved November 11, 2005, from ScienceDirect database.
- DeSocio, J. E. (2005). Accessing self-development through narrative approaches in child and adolescent psychotherapy. *Journal of Child & Adolescent Psychiatric Nursing*, 18(2), 53-61. Retrieved January 13, 2006, from CINAHL database.
- Draucker, C. B. (1998). Narrative therapy for women who have lived with violence. *Archives of Psychiatric Nursing*, 12(3), 162-168. Retrieved January 6, 2006, from CINAHL database.
- Eichel, P. (2001). Kangaroo care: Expanding our practice to critically ill neonates. *Newborn and Infant Nursing Reviews*, 1(4), 224-228. Retrieved June 11, 2006, from CINAHL database.
- Field, T., Hernandez-Reif, M., Field, T., Diego, M., Feijó, L., Vera, Y., & Gil K. (2004). Massage therapy by parents improves early growth and development. *Infant Behavior & Development*, 27, 476-480. Retrieved June 17, 2006, from ScienceDirect database.
- Feijó, L., Hernandez-Reif, M., Field, T., Burns, W., Valley-Gray, S., & Simco E. (2006). Mothers' depressed mood and anxiety levels are reduced after massaging their preterm infants. *Infant Behavior & Development*, 29, 476-480. Retrieved June 17, 2006, from ScienceDirect database.
- Fortunato, J. V. (2005). *Reauthoring the story of sexual abuse and gender socialization: A narrative approach to treatment for adolescents boys*. Retrieved January 13, 2006, from Proquest database.

- Frank, A. (1997). *The wounded storyteller: Body, illness, and ethics*. Chicago: University of Chicago Press.
- Gennaro, S. (1988). Postpartal anxiety and depression in mothers of term and preterm infants. *Nursing Research*, 37(2), 82-85.
- Gaydos, H. L. (2005). Understanding personal narratives: An approach to practice. *Journal of Advanced Nursing*, 49(3), 254-259.
- Harrison, L. L. (2001). The use of comforting touch and massage to reduce stress for preterm infants in the neonatal intensive care unit. *Newborn and Infant Nursing Reviews*, 1(4), 235-241. Retrieved July 3, 2007, from Sciencedirect database.
- Herts, M. C. (2002). *Impact of return to world-wide mobilization status on air force active duty new mothers and their families*. Retrieved January 15, 2006, from Proquest database.
- Heliker, D. (1999). Transformation of story to practice: An innovative approach to long-term care. *Issues in Mental Health Nursing*, 20, 513-525. Retrieved January 4, 2006, from CINAHL database.
- Holdsworth, M. J. A. (1998). *The relationship between social support, living arrangements, ward status and parenting stress of African-American teenage mothers*. Retrieved January 16, 2006, from Proquest database.
- Holditch-Davis, D., & Miles, M. S. (2000). Mothers' stories about their experiences in the neonatal intensive care unit. *Neonatal Network*, 19(3), 13-21.
- Hummel, P. (2003). Parenting the high-risk infant. *Newborn and Infant nursing Reviews*, 3(3), 88-92. Retrieved June, 1, 2007, from HighPress Stanford university database.
- Hundersmarck, T. W. (1991). *The significance of parental expectations of infant temperament and parenting stress with infants hospitalized in a neonatal intensive care unit*. Retrieved January 15, 2006, from Proquest database.
- Hyden, M., & Overlien, C. (2005). Applying narrative analysis to the process of confirming or disregarding cases of suspected sexual abuse. *Child & Family Social Work*, 10(1), 57-65. Retrieved January 15, 2006, from CINAHL database.
- Heiney, S. P. (1995). The healing power of story. *Oncology Nursing Forum*, 22(6), 899-904.

- Kim, E. (2003). *Maternal employment and parenting stress among unmarried mothers with a welfare history*. Retrieved January 15, 2006, from Proquest database.
- Kleinman, A. (1988). *The illness narratives suffering, healing, and the human condition*. New York: Basic Books.
- Ko, Y. (1998). Parental stress in the neonatal intensive care unit. *Nursing Research (China)*, 6(5), 427-435. Retrieved June 3, 2006, from CINAHL database.
- Macnab, A. J., Beckett, L. Y., Park, C. C., & Sheckter, L. (1998). Journal writing as a social support strategy for parents of premature infants: a pilot study. *Patient Education and Counseling*, 33(2), 149-159. Retrieved March 15, 2006, from Science Direct database.
- Malusky, S. K. (2005). A concept analysis of family-centered care in the NICU. *Neonatal Network*, 24(6), 25-32. Retrieved June 3, 2006, from CINAHL database.
- May, J. C. (2005). Family attachment narrative therapy: Healing the experience of early childhood maltreatment. Retrieved January 15, 2006, from <http://www.pubmed.gov>.
- Maxsom, C. P. (2001). *Valuing family strength and resilience: A narrative approach to therapy with family*. Retrieved January 15, 2006, from Proquest database.
- Martin, H. E. (1990). *Premature and full-term two-year-olds: Developmental status, behavioral style, and parental stress*. Retrieved January 15, 2006, from Proquest database.
- Menezes, G. C. (2003). *Narrative therapy in individual counseling and group work with adult males who have experienced childhood sexual abuse*. Retrieved January 13, 2006, from Proquest database.
- McCarten, J. (2003). *Differences in depression, anxiety, self-esteem, and parenting stress between employed and stay-at-home mothers: A meta-analysis*. Retrieved January 15, 2006, from Proquest database.
- McDonald, C. E. (1993). *Parenting irrational beliefs and marital adjustment as correlates of parenting stress in young families*. Retrieved January 6, 2006, from Proquest database.
- McIntire, D. H. (1991). *Determinants of parenting stress: Child characteristics, parent characteristics, and contextual factors*. Retrieved January 6, 2006, from Proquest database.

- Miles, M. S., & Brunssen, S. H. (2003). Psychometric properties of the parental stressor scale: Infant hospitalization. *Advances in Neonatal Care*, 3(4), 189-196.
- Miles, M. S., Funk, S. G., & Carlson, J. (1993). Parental stressor scale: Neonatal intensive care unit. *Nursing Research*, 42(3), 148-152.
- Miles, M. S., & Funk, S. G. (1998). *Parental stressor scale: Neonatal intensive care unit*. Retrieved May 7, 2006, from <http://nursing.unc.edu/instruments/pssnicu/nicuman.htm>
- Miles, M. S., Carlson, J., Funk, S. G. (1996). Sources of support reported by mothers and fathers of infants hospitalized in a neonatal intensive care unit. *Neonatal Network*, 15(3), 45-52.
- Miles, M. S., & Holditch-Davis, D. (1997). Parenting the prematurely born child: Pathways of influence. *Seminar in Perinatology*, 21(3), 254-266.
- Miles, M. S., Funk, S. G., & Kasper, M. A. (1992). The stress response of mothers and fathers of preterm infants. *Research in Nursing & Health*, 15(4), 261-269. Retrieved January 6, 2006 from Sciencedirect database .
- Miles, M. S., Wilson, S. M., & Docherty, S. L. (1999). African American mothers, responses to hospitalization of an infant with serious health problems. *Neonatal Network*, 18(8), 17-25.
- Mott, S. R., James, S. R., & Sperhac, A. M. (1990). *Nursing care of children and families*. Redwood: Addison –Wesley Nursing.
- Muller-Nix, C., Forcada-Guex, M., Pierrehumbert, B., Jaunin, L., Borghini, A., & Ansermet, F. (2004). Prematurity, maternal stress and mother-child interactions. *Early Human Development*, 79, 145-158. Retrieved November 11, 2005, from Sciencedirect database.
- Mulsow, M., Caldera, Y. M., Pursley, M., & Reifman, A. (2002). Multilevel factors influencing maternal stress during the first three years. *Journal of Marriage and Family*, 64, 944-956.
- Murray, R. B., & Zentner, J. P. (1997). *Health assessment promotion strategies through the life span* (6th ed.). Stamford: Appleton & Lange.
- McGihon, N. N. (1996). Writing as a therapeutic modality. *Journal of Psychosocial Nursing*, 34(6), 31-35.

- Musil, C. M., Youngblut, J. M., Ahn, S., & Curry, V. L. (2002). Parenting stress: A comparison of grandmother caretakers and mothers. *Journal of Mental Health & Aging*, 8(3), 197-210. Retrieved December 15, 2005, from CINAHL database.
- Nilmanat, K. (2004). Narrative study. *Thai J Nurs Res.*, 8(3), 235-242.
- Noble, A., Jones, C. (2005). Benefits of narrative therapy: Holistic interventions at the end of life. *British Journal of Nursing*, 14(6), 330-333.
- Onozawa, K., Glover, V., Adams, D., Modi, N., & Kumar, R. C. (2000). Infant massage improve mother-infant interaction for mothers with postnatal depression. *Journal of Affective Disorders*, 63, 201-207. Retrieved July 1, 2007, from Sciencedirect database.
- Ostberg, M., & hagekull, B. (2000). A structural modeling approach to the understanding of parenting stress. *Journal of Clinical Child Psychology*, 29(4), 615-625. Retrieved February 7, 2006, from <http://www.pubmed.gov>
- Pesonen, A. K., Räikkönen, K., Strandberg, T. E., & Järvenpää, A. L. (2005). Continuity of maternal stress from the pre-to the postnatal period: Associations with infant's positive, negative and overall temperamental reactivity. *Infant Behavior and Development*, 28(1), 36-47. Retrieved November 5, 2005, from Sciencedirect database.
- Pinelli, J. (2000). Effects of family coping and resources on family adjustment and parental stress in the acute phase of the NICU experience. *Neonatal Network*, 19(6), 27-37.
- Petersen, S., Bull, C., Propst, O., Dettinger, S., & Detwiler, L. (2005). Narrative therapy to prevent illness-related stress disorder. *Journal of Counseling & Development*, 83(1), 41-47.
- Polit, D. F., & Hungler, B. P. (1987). *Nursing research: Principles and methods* (3rd ed.). Philadelphia: J. B. Lippincott.
- Polit, D. F., Beck, C. T., & Hungler, B. P. (2001). *Essential of nursing research: Methods, appraisal, and utilization*. Philadelphia: Lippincott.
- Pownall, E. (2004). Using a patient narrative to influence orthopaedic nursing care in fractured hips. *Journal of Orthopedic Nursing*, 8, 151-159. Retrieved February 4, 2006, from ScienceDirect database.

- Puntillo, K. A., & Waters, M. A. (1996). Commentary on parent-to-parent support initiated in the neonatal intensive care unit. *AACN Nursing Scan in Critical Care*, 6(3), 24-25.
Retrieved June 26, 2006, from CINAHL database.
- Ramsey, T. K. (2001). An infant's first massage in the neonatal intensive care unit: A case report. *Newborn and Infant Nursing Reviews*, 1(4), 229-234. Retrieved June 17, 2006, from ScienceDirect database.
- Riper, M. V. (2001, January-February). Family-provider relationships and well-being in families with preterm infants in the NICU. *Heart & Lung*, 74-83. Retrieved January 6, 2006, from CINAHL database.
- Rodgers, A. Y. (1998). Multiple sources of stress and parenting behavior. *Children and Youth Services Review*, 20(6), 525-546. Retrieved January 16, 2006, from ScienceDirect database.
- Ryan-Rose, M. M. (2000). *A postmodern, narrative approach to pediatric pain consultation*. Retrieved January 13, 2006, from Proquest database.
- Rybarczyk, B., & Bellg, A. (1997). *Listening to life stories: A new approach to stress intervention in health care*. New York: Springer Publishing.
- Skjorshammer, M. (2002). Understanding conflicts between health professionals: A narrative approach. *Qualitative Health Research*, 12(7), 915-931. Retrieved January 6, 2006, from CINAHL database.
- Strauch, G. (1994). *Lifting a veil of silence: Teachers and doctors talk about death: A narrative approach to death education*. Retrieved January 15, 2006, from Proquest database.
- Shields-Poë, D., & Pinelli, J. (1997). Variables associated with parental stress in neonatal intensive care units. *Neonatal Network*, 16(1), 29-37.
- Singer, L. T., Davillier, M., Bruening, P., Hawkins, S., & Yamashita, T. S. (1996). Social support, psychological distress, and parenting strains in mothers of very low birth-weight infants. *Family Relations*, 45, 343-350.
- Singer, L. T., Salvator, A., Guo, S., Collin, M., Lilien, L., & Baley, J. (1999). Maternal psychological distress and parenting stress after the birth of a very low-birth-weight infant. *JAMA*, 281(9), 799-805.

- Smith, S. M. (1986). *Maternal parenting stress and husband supportiveness following the birth of a couple's first child, and the prediction of marital quality and stability four years later*. Retrieved January 3, 2006, from Proquest database.
- Smith, E. D. (2001). Alleviating suffering in the face of death: Insights from constructivism and a transpersonal narrative approach. *Social Thought*, 20(1/2), 45-61. Retrieved January 15, 2006, from CINAHL database.
- Shank, T. P. (1992). *Maternal parenting stress and adjustment to premature birth at discharge from a neonatal intensive care nursery: A predictive study*. Retrieved January 6, 2006, from Proquest database.
- Sharman, J. M. (1997). *A brief narrative approach to the treatment of depression in the elderly*. Retrieved January 15, 2006, from Proquest database..
- Streisand, R., Kazak, A. E., & Tercyak, K. P. (2003). *Pediatric-specific parenting stress and family functioning in parents of children treated for cancer*. Retrieved January 6, 2006, from Proquest database.
- Streisand, R., & Tercyak, K. P. (2004). Parenting chronically ill children- the scope and impact of pediatric parenting stress. In M. Hoghughi & N. Long (Eds.), *Handbook of parenting: Theory and research for practice*. Oliver's Yard: SAGE.
- Turner, J. A. (2005). A narrative approach to pain. *Journal of Pain and Symptom Management*, 30(6), 582-583. Retrieved February 4, 2006, from <http://www.pubmed.gov>
- Thomas, K. A., Renaud, M. T., & Depaul, D. (2004). Use of the parenting stress index in mothers of preterm infants. *Adv Neonatal Care*, 4(1), 33-41. Retrieved January 5, 2006, from <http://www.pubmed.gov>
- Uzark, K., & Jones, K. (2003). Parenting stress and children with heart disease. *Journal of Pediatric Health Care*, 17, 163-168.
- Walker, L. O. (1992). *Parent-Infant nursing science: Paradigms, phenomena, methods*. Philadelphia: F. A. Davis.
- Ward, F. R. (2005). Parents and professionals in the NICU: Communication within the context of ethical decision making – an integrative review. *Neonatal Network*, 24(3), 25-33.
- Wereszczak, J., Miles, M. S., & Holditch-Davis, D. (1997). Maternal recall of the neonatal intensive care unit. *Neonatal Network*, 16(4), 33-40.

- Wright, L. M., & Leahey, M. (2000). *Nurses and families a guide to family assessment and intervention*. Philadelphia: F. A. Davis.
- Wright, L. M., Watson, W. L., & Bell, J. M. (1996). *Beliefs: The heart of healing in families and illness*. New York: Basic Books.
- Wright, L. M. (2006). Family nursing unit: Structure and process of the session. In *Family counseling: Clinical skills that make a difference* (pp. 23-34). Chon Buri: Faculty of Nursing Burapha University.
- Wessel, E. M., & Garon, M. (2005). Introducing reflective narratives into palliative care home care education. *Home Health Nurse*, 23(8), 516-522.
- Wessels, F. (2000). *Career resilience: A pastoral narrative approach*. Retrieved January 15, 2006, from Proquest database.
- Younger, J. B. (1991). A model of parenting stress. *Research in Nursing & Health*, 14(3), 197-204. Retrieved January 6, 2006, from CINAHL database.
- Younger, J. B., Kendell, M. J., & Pickler, R. H. (1997). *Mastery of stress in mothers of preterm infants*. Retrieved January 6, 2006, from <http://www.pubmed.gov>
- Yoshimura, M., & Naitoh, N. (2004). Study of changes of narratives by old patients under nursing wherein narrative approach is introduced. *Journal of Japan Academy of Nursing Science*, 24(4), 3-12. Retrieved January 6, 2006, from CINAHL database.
- Yusishen, M. J. (1998). *A feminist look at a solution-focused and narrative approach to treatment of child sexual assault victims and their families*. Retrieved January 15, 2006, from Proquest database.