

บรรณานุกรม

กรมเจรจาการค้าระหว่างประเทศและกรมศุลกากร. (2546). *อุตสาหกรรมเคมีภัณฑ์*. วันที่ค้นข้อมูล 20 กันยายน 2546, เข้าถึงได้จาก <http://www.oic.go.th>

นงนุช ตั้งเกริกโอฬาร. (2542). *คาร์ซิโนโลยี*. ชลบุรี: มหาวิทยาลัยบูรพา.

สุเมธ ตันติศกุล. (2527). *ชีววิทยาการประมงปูม้าในอ่าวไทย*. กรุงเทพฯ: กองประมงทะเล, กรมประมง.

Alvarez-Munoz, D., Saez, M., Lara-Martin, A. P., Parra, A. G., & Mazo, E. G. (2004). New extraction method for the analysis of linear alkylbenzene sulfonates in marine organisms pressurized liquid extraction versus soxhlet extraction. *Journal of Chromatography A*, 1052, 33-38.

Arun, A., & Subramanian, P. (1998). Antioxidant enzymes in freshwater prawn *Macrobrachium malcolmsonii* during embryonic and larval development. *Comparative Biochemistry and Physiology Part B*, 121, 273-277.

Astley, K. N., Meigh, C. H., Glegg, A. G., Braven, J., & Depledge, H. M. (1999). Multi-variate analysis of biomarker responses in *Mytilus edulis* and *Carcinus maenas* from the Tees Estuary (UK). *Marine Pollution Bulletin*, 39, 145-154.

Bainy, C. D. A., Saito, E., Carvalho, S. M. P., & Junqueira, B. C. V. (1996). Oxidative stress in gill, erythrocytes, liver and kidney of Nile tilapia (*Oreochromis niloticus*) from a polluted site. *Aquatic Toxicology*, 34, 151-162.

Bell, L. K., & Smith, J. V. (1994). Occurrence and distribution of antioxidant enzymes in the haemolymph of the shore crab *Carcinus maenas*. *Marine Biology*, 123, 829-836.

Borkovic, S. S., Saponjic, S. J., Pavlovic, Z. S., Blagojevic, P. D., Milosevic, M. S., Kovacevic, B. T., Radojicic, M. R., Spasic, B. M., Zikic, V. R., & Saicic, S. Z. (2005). The activity of antioxidant defence enzymes in the mussel *Mytilus galloprovincialis* from the Adriatic Sea. *Comparative Biochemistry and Physiology Part C*, 141, 366-374.

Brown, J. R., Galloway, S. T., Lowe, D., Browne, A. M., Dissanayake, A., Jones, B. M., & Depledge, H. M. (2004). Differential sensitivity of three marine invertebrates to copper assessed using multiple biomarkers. *Aquatic Toxicology*, 66, 267-278.

- Cairrao, E., Couderchet, M., Soares, V. M. A. M., & Guilhermino, L. (2004). Glutathione-S-transferase activity of *Fucus* spp., as a biomarker of environment contamination. *Aquatic Toxicology*, 70, 277-286.
- Carolina, R. M., Ansaldo, M., & Lovrich, A. G. (2006). Effect of aerial exposure on the antioxidant status in the subantarctic stone crab *Paralomis granulose* (Decapoda: Anomura). *Comparative Biochemistry and Physiology, Part C*, in press.
- Castro, M., Santos, M. M., Monteiro, M. N., & Vieira, N. (2004). Measuring lysosomal stability as an effective tool for marine coastal environmental monitoring. *Marine Environmental Research*, 58, 741-745.
- Chantal, C. (2004). *European chemical industry council*. Retrieved August 20, 2005, from <http://www.lasinfo.org>
- Charles, F. T., & Larry, B. B. (2003). *Linear alkylbenzene sulfonate in the Mississippi River*. Retrieved January 15, 2005, from <http://www.toxics.usgs.gov>
- Cheung, V. V., Wedderburn, J. R., & Depledge, H. M. (1998). Molluscan lysosomal responses as a diagnostic tool for the detection of a pollution gradient in Tolo harbour, Hong Kong. *Marine Environmental Research*, 46, 237-241.
- Cserhati, T., Forgaes, E., & Oros, G. (2002). Biological activity and environmental impact of anionic surfactants. *Environment International*, 28, 337-348.
- Da Ros, L., Menengetti, F., & Nasci, C. (2002). Field application of lysosomal destabilization indices in the mussel *Mytilus galloprovincialis*: Biomonitoring and transplantation in the Lagoon of Venice (north-east Italy). *Marine Environmental Research*, 54, 817-822.
- Da Ros, L., Nasci, C., Campesan, G., Sartorello, P., Stocco, G., & Mento, A. (1995). Effects of Linear alkylbenzene sulphonate (LAS) and cadmium in the digestive gland of mussel, *Mytilus* sp.. *Marine Environmental Research*, 39, 321-324.
- Ding, W. H., Tzing, H. S., & Lo, H. J. (1999). Occurrence and concentrations of aromatic surfactants and their degradation products in rivers waters of Taiwan. *Chemosphere*, 38, 2597-2606.
- Domouhtsidou, P. G., Dailianis, S., Kaloyianni, M., & Dimitriadis, K. V. (2004). Lysosomal membrane stability and metallothionein content in *Mytilus galloprovincialis* (L.), as biomarkers combination with trace metal concentration. *Marine Pollution Bulletin*, 48, 572-586.

- Engel, W. D., Brouwer, M., & Mc Kenna, S. (1993). Hemocyanin concentrations in marine crustaceans as a function of environmental conditions. *Marine Ecology Progress Series*, 93, 235-244.
- Engel, W. D., Brouwer, M., & Mercaldo-Allen, R. (2001). Effects of molting and environmental factors on trace metal body-burdens and hemocyanin concentrations in the American lobster, *Homarus americanus*. *Marine Environmental Research*, 52, 257-269.
- Eichhorn, P., Flavier, M. E., Paje, M. L., & Knepper, T. P. (2001). Occurrence and fate of linear and branched alkylbenzenesulfonates and their metabolites in surface waters in the Philippines. *The Science of the Total Environment*, 269, 75-85.
- Eichhorn, P., Knepper, T. P., Ventura, F., & Diaz, A. (2002). The behavior of polar aromatic sulfonates during drinking water production: A case study on sulfophenyl carboxylates in two European waterworks. *Water Research*, 36, 2179-2186.
- Eichhorn, P., Rodrigues, S. V., Baumann, W., & Knepper, T. P. (2002). Incomplete degradation of linear alkylbenzene sulfonate surfactants in Brazilian surface waters and pursuit of their polar metabolites in drinking waters. *The Science of the Total Environment*, 284, 123-134.
- Fernley, W. P., Moore, N. M., Lowe, M. D., Donkin, P., & Evans, S. (2000). Impact of the sea empress oil spill on lysosomal stability in mussel blood cells. *Marine Environmental Research*, 50, 451-455.
- Funes, V., Alhama, J., Navas, I., Lopez-Barea, J., & Peinado, J. (2006). Ecotoxicological effects of metal pollution in two mollusc species from the Spanish South Atlantic littoral. *Environmental Pollution*, 139, 214-223.
- Gonzalez-Mazo, E., & Gomez-Parra, A. (1996). Monitoring anionic surfactants (LAS) and their intermediate degradation products in the marine environment. *Trends in Analytical Chemistry*, 15, 375-380.
- Gonzalez-Mazo, E., Honing, M., Barcelo, D., & Gomez-Parra, A. (1997). Monitoring long-chain intermediate products from the degradation of linear alkylbenzene sulfonates in the marine environment by solid-phase extraction followed by liquid chromatography/ion spray mass spectrometry. *Environmental Science and Technology*, 31, 504-510.

- Gonzalez-Mazo, E., Quiroga, J. M., Sales, D., & Gomez-Parra, A. (1997). Levels of linear alkylbenzenesulphonate (LAS) in waters and sediments of the coastal ecosystems of the Gulf of Cadiz. *Toxicology Environmental Chemistry*, 59, 77-87.
- Gonzalez, S., Petrovie, M., & Barcelo, D. (2004). Simultaneous extraction and fate of linear alkylbenzene sulfonate, coconut diethanol amides, nonylphenol ethoxylates and their degradation products in wastewater treatment plants, receiving coastal waters and sediments in the Catalanian area (NE Spain). *Journal of Chromatography A*, 1052, 111-120.
- Guilhermino, L., Lacerda, N. M., Nogucira, J. A. A., & Soares, M. V. M. A. (2000). In vitro and in vivo inhibition of *Daphnia magna* acetylcholinesterase by surfactant agents possible implications for contamination biomonitoring. *The Science of the Total Environment*, 247, 137-141.
- Hagerman, L. (1983). Haemocyanin concentration of juvenile lobsters (*Homarus gammarus*) in relation to moulting cycle and feeding conditions. *Marine Biology*, 77, 11-17.
- Hagerman, L., & Baden, S. P. (1988). *Nephrops norvegicus*: Field study of effects of oxygen deficiency on haemocyanin concentration. *J. of Experimental Marine Biology and Ecology*, 116, 135.
- Hampel, M., Moreno-Garrido, I., Sobrino, C., Luban, M. L., & Blasco, J. (2001). Acute toxicity of LAS homologues in marine microalgae: Esterase activity and Inhibition growth as endpoints of toxicity. *Ecotoxicology and Environmental Safety*, 48, 287-292.
- Hansen, F. L., Fotel, F. L., Jensen, N. J., & Wittrup, L. (1997). Physiological effects of the detergent linear alkylbenzene sulphonate on blue mussel larvae (*Mytilus edulis*) in laboratory and mesocosm experiments. *Marine Biology*, 128, 627-637.
- Hauton, C., Hawkins, E. L., & Hutchinson, S. (1998). The use of the neutral red retention assay to examine the effects of temperature and salinity on haemocytes of the European flat oyster *Ostrea edulis* (L). *Comparative Biochemistry and Physiology*, 119, 619-623.
- Holman, F. W., & Macek, J. K. (1980). An aquatic safety assessment of linear alkylbenzene sulfonate (LAS): Chronic effects on fathead minnows. *Transactions of the American Fisheries Society*, 109, 122-131.

- Hong, H., Xu, L., Zhang, L., Chen, C. J., Wong, S. Y., & Wan, M. T. S. (1995). Environmental fate and chemistry of organic pollutants in the sediment of Xiamen and Victoria harbours. *Marine Pollution Bulletin*, 31, 229-236.
- Hwang, D. F., Chen, M. Y., Yoshida, T., & Jeng, S. S. (1993). Toxic effect of linear alkylbenzene sulfonate on the Tiger prawn, *Penaeus monodon* [Abstract]. *Ecotoxicology and Environmental Safety*, 26, 285.
- Inaba, K. (1992). Quantitative assessment of natural purification in wetland for linear alkylbenzenesulfonates. *Water Research*, 26, 893-898.
- Isobe, O. K., Zakaria, P. M., Chiem, H. N., Ming, Y. L., Prudente, M., Boonyatumanond, R., Saha, M., Sarkar, S., & Takada, H. (2004). Distribution of linear alkylbenzene (LABs) in riverine and coastal environments in South and Southeast Asia. *Water Research*, 38, 2449-2459.
- Jifa, W., Zhiming, Y., Xiuxian, S., & You, W. (2006). Response of integrated biomarkers of fish (*Lateolabrax japonicus*) exposed to benzo [a] pyrene and sodium dodecylbenzene sulfonate. *Ecotoxicology and Environmental Safety*, 65, 230-236.
- Jifa, W., Zhiming, Y., Xiuxian, S., You, W., & Xihua, C. (2005). Comparative researches on effects of sodium dodecylbenzene sulfonate and sodium dodecyl sulfate upon *Lateolabrax japonicus* biomarker system. *Environmental Toxicology and Pharmacology*, 20, 465-470.
- Khessiba, A., Romeo, M., & Aissa, P. (2005). Effect of some environmental parameters on catalase activity measured in the mussel (*Mytilus galloprovincialis*) exposed to lindane. *Environmental Pollution*, 133, 275-281.
- Kikuchi, M., Tokai, A., & Yoshida, T. (1986). Determination of trace levels of linear alkylbenzenesulfonates in the marine environment by high-performance liquid chromatography [Abstract]. *Water Research*, 20, 643.
- Knepper, T. P., Barcelo, D., & De Voogt, P. (2003). Analysis and fate of surfactants in the aquatic environment. In Wilson and Wilsons (Eds.), *Comprehensive analytical chemistry series* (Vol. XL). Amsterdam: Elsevier.
- Kruawal, K., Sacher, F., Werner, A., Muller, J., & Knepper, T. P. (2005). Chemical water quality in Thailand and its impacts on the drinking water production in Thailand. *Science of the Total Environment*, 340, 57-70.

- Larson, R. J., Rothgeb, M. T., Shimp, J. R., Ward, E. T., & Ventullo, M. R. (1993). Kinetics and practical significance of biodegradation of linear alkylbenzene sulphonate in the environment [Abstract]. *Journal American Oil Chemical Society*, 70, 645.
- Leon, V., Ponce, R., Gonzalez-Mazo, E., Forja, M. J., & Gomez-Parra, A. (1999). Factor analysis of linear alkylbenzene sulphonate (LAS) vertical distribution in coastal sediments of Cadiz Bay (southwest Spain). *Boletin del Instituto Espanol De Oceanografia*, 15, 509-516.
- Leon, V. M., Gonzalez-Mazo, E., & Gomez-Parra, A. (2000). Handling of marine and estuarine samples for the determination of linear alkylbenzene sulfonates and sulfophenyl carboxylic acids. *Journal of Chromatography A*, 889, 211-219.
- Leon, Saez, M., Gonzalez-Mazo, E., & Gomez-Parra, A. (2002). Occurrence and distribution of linear alkylbenzene sulfonates and sulfophenylcarboxylic acids in several Iberian littoral ecosystems. *The Science of the Total Environment*, 288, 215-226.
- Lionetto, G. M., Caricato, R., Giordano, E. M., Pascariello, F. M., Marinosci, L., & Schettino, T. (2003). Integrated use of biomarkers (acetylcholinesterase and antioxidant enzyme activities) in *Mytilus galloprovincialis* and *Mullus barbatus* in an Italian coastal marine area. *Marine Pollution Bulletin*, 46, 324-330.
- Livingstone, R. D. (2001). Contaminant-stimulated reactive oxygen species production and oxidative damage in aquatic organisms. *Marine Pollution Bulletin*, 42, 656-666.
- Lowe, M. D., Soverchia, C., & Moore, N. M. (1995). Lysosomal membrane responses in the blood and digestive cells of mussels experimentally exposed to fluoranthene. *Aquatic Toxicology*, 33, 105-112.
- Lue, S. P., Wong, L. H., & Garrigues, P. H. (2004). Seasonal variation in antioxidative responses and acetylcholinesterase activity in *Perna viridis* in eastern oceanic and western estuarine waters of Hong Kong. *Continental Shelf Research*, 24, 1969-1987.
- Manahan, E. S. (2003). *Toxicological chemistry and biochemistry* (3rd ed.). Boca Patoa Fla: Lewis.
- Martin, P. (2004). *Surfactants based on renewable raw materials*. Retrieved August 20, 2005, from <http://www.mitpressjournals.org>
- McAvoy, C. D., Eckhoff, S. W., & Rapaport, A. R. (1993). Fate of linear alkylbenzene sulfonate in the environment. *Environmental Toxicology and Chemistry*, 12, 977-987.

- Menezes, S., Soares, M. V. M. A., Guilhermino, L., & Peck, R. M. (2006). Biomarker responses of the estuarine brown shrimp *Crangon crangon* L. to non-toxic stressors: Temperature, salinity and handling stress effects. *Journal of Experimental Marine Biology and Ecology*, 335, 114-122.
- Modler, R., Blagoev, M., & Inoguchi, Y. (2004). *Linear and branched alkylbenzenes*. Retrieved January 15, 2005, from <http://www.sriconsulting.com>
- Molon, A., Di Muro, P., Bubacco, L., Vasilyev, V., Salvato, B., Beltramini, M., Conze, W., Hellmann, N., & Decker, H. (2000). Molecular heterogeneity of the hemocyanin isolated from the king crab *Paralithodes camtschaticae*. *European Journal of Biochemistry*, 267, 7046-7057.
- Monserat, M. J., Martinez, E. P., Geracitano, A. L., Amado, L. L., Gaspar Martins, M. C., Pinho, L. L. G., Chaves, S. I., Ferreira-Cravo, M., Ventura-Lima, J., & Bianchini, A. (2006). Pollution biomarkers in estuarine animals: Critical review and new perspectives. *Comparative Biochemistry and Physiology Part C*, in press.
- Moreno-Garrido, I., Hampel, M., Lubian, M. L., & Blasco. (2003). Marine benthic microalgae *Cylindrotheca closterium* (Ehremberg) Lewin and Reimann (Bacillariophyceae) as a tool for measuring toxicity of linear alkylbenzene sulfonate in sediments. *Bulletin of Environmental Contamination and Toxicology*, 72, 866-872.
- Murray, A. P., Gibbs, C. F., & Karanagh, P. E. (1987). Linear alkyl benzenes (LABs) in sediments of Port Phillip Bay (Australia) [Abstract]. *Marine Environmental Research*, 23, 65.
- Nicholson, S. (2001). Ecocytological and toxicological responses to copper in *Perna viridis* (L.) (Bivalvia: Mytilidae) haemocyte lysosomal membranes. *Chemosphere*, 45, 399-407.
- _____. (2003). Lysosomal membrane stability, phagocytosis and tolerance to emersion in the mussel *Perna viridis* (Bivalvia: Mytilidae) following exposure to acute, sublethal, copper. *Chemosphere*, 52, 1147-1151.
- Nicholson, S., & Lam, S. P. K. (2004). Pollution monitoring in Southeast Asia using biomarkers in the mytilid mussel *Perna viridis* (Mytilidae: Bivalvia). *Environment International*, 31, 121-132.

- Nunes, B., Carvalho, F., & Guilhermino, L. (2005). Effects of widely used pharmaceuticals and a detergent on oxidative stress biomarkers of the crustacean *Artemia parthenogenetica*. *Chemosphere*, 62, 581-594.
- Numura, Y., Ikebukuro, K., Yokoyama, K., Takeuchi, T., Arikawa, Y., Ohno, S., & Karube, I. (1998). Application of a linear alkylbenzene sulfonate biosensor to river water monitoring. *Biosensors & Bioelectronics*, 13, 1047-1053.
- Ole-Kusk, K., & Petersen, S. (1997). Acute and chronic toxicity of tributyltin and linear alkylbenzene sulfonate to the marine copepod *Acartia tonsa*. *Environmental Toxicology and Chemistry*, 16, 1629-1633.
- Pan, L., & Zhang, H. (2006). Metallothionein, antioxidant enzymes and DNA strand breaks as biomarkers of Cd exposure in a marine crab, *Charybdis japonica*. *Comparative Biochemistry and Physiology Part C*, 144, 67-75.
- Pampanin, M. D., Camus, L., Gomiero, A., Marangon, H., Volpato, E., & Nasci, (2005). Susceptibility to oxidative stress of mussels (*Mytilus galloprovincialis*) in the Venice Lagoon (Italy). *Marine Pollution Bulletin*, 50, 1548-1557.
- Pellerin-Massicotte, & Tremblay. (2001). *Use of biomarkers for environmental quality assessment*. Netherlands: A. A. Balkema.
- Pfeifer, S., Schiedek, D., & Dippner, W. J. (2005). Effect of temperature and salinity on acetylcholinesterase activity, a common pollution biomarker, in *Mytilus* sp. from the south-western Baltic Sea. *Journal of Experimental Marine Biology and Ecology*, 320, 93-103.
- Pinho, G. L. L., Moura Da Rosa, C., Yunes, J. S., Luquet, C. M., Bianchini, A., & Monserrat, M. J. (2003). Toxic effects of microcyanins in the hepatopancreas of the estuarine crab *Chasmagnathus granulatus* (Decapoda, Grapsidae). *Comparative Biochemistry and Physiology Part C*, 135, 459-468.
- Regoli, F., & Principato, G. (1995). Glutathione, glutathione-dependent and antioxidant enzymes in mussel, *Mytilus galloprovincialis*, exposed to metals under field and laboratory conditions: Implications for the use of biochemical biomarkers. *Aquatic Toxicology*, 31, 143-164.
- Regoli, F., Nigro, M., & Orlando, E. (1998). Lysosomal and antioxidant responses to metal in the Antarctic sculpin, *Adamussium colbecki*. *Aquatic Toxicology*, 40, 375-392.

- Ricciardi, F., Binelli, A., & Provini, A. (2006). Use of two biomarkers (CYP450 and acetylcholinesterase) in zebra mussel for the biomonitoring of Lake Maggiore (northern Italy). *Ecotoxicology and Environmental Safety*, 63, 406-412.
- Richard, A. P. (2006). *Phase two reactions*. Retrieved August 24, 2005, from <http://www.Humboldt.edu>
- Rickwood, J. C., & Galloway, S. T. (2004). Acetylcholinesterase inhibition as a biomarker of adverse effect a study of *Mytilus edulis* exposed to the priority pollutant chlorfenvinphos. *Aquatic Toxicology*, 67, 45-56.
- Rubio, J. A., Gonzalez-Mazo, E., & Gomez-Parra, A. (1996). Sorption of linear alkylbenzenesulfonates (LAS) on marine sediment. *Marine Chemistry*, 54, 171-177.
- Sandbacka, M., Christianson, I., & Isomaa, B. (2000). The acute toxicity of surfactants on fish cell, daphnia magna and fish-a comparative study. *Toxicology in Vitro*, 14, 61-68.
- Schleheck, D., Dong, W., Denger, K., Heinze, E., & Cook, M. A. (2000). An α -proteobacterium converts linear alkylbenzenesulfonate surfactants into sulfophenylcarboxylates and linear alkyldiphenyletherdisulfonate surfactants into sulfodiphenylethercarboxylates. *Applied and Environmental Microbiology*, 66, 1911-1916.
- Sigoillot, C. J., & Nguyen, H. M. (1992). Complete oxidation of linear alkylbenzene sulfonate by bacterial communities selected from coastal seawater. *Applied and Environmental Microbiology*, 58, 1308-1312.
- Sole, M., Porte, C., & Albaiges, J. (1995). The use of biomarkers for assessing the effects of organic pollution in mussels. *The Science of the Total Environment*, 195, 147-153.
- Soles, D., Perales, A., Manzano, M. A., & Quiroga, J. M. (1999). Anionic surfactant biodegradation in seawater. *Boletin Del Instituto Espanol De Oceanografia*, 15, 517-522.
- Stien, X., Percic, P., Gnassia-Barelli, M., Romeo, M., & Lafaurie, M. (1998). Evaluation of biomarkers in caged fishes and mussels to assess the quality of waters in a bay of the NW Mediterranean Sea. *Environmental Pollution*, 99, 339-345.
- Sun, Y., Yu, H., Zhang, J., Yin, Y., Shi, H., & Wang, X. (2006). Bioaccumulation, depuration and oxidative stress in fish *Carassius auratus* under phenanthrene exposure. *Chemosphere*, 63, 1319-1327.

- Swedmark, M., Braaten, B., Emanuelsson, E., & Granmo, A. (1971). Biological effects of surface active agents on marine animals [Abstract]. *Marine Biology*, 9, 1432.
- Takada, H., & Ogura, N. (1992). Removal of linear alkylbenzenesulphonates (LAS) in the Tamagawa Estuary [Abstract]. *Marine Chemistry*, 37, 257.
- Tamara, A., Carr, G., Webb, S., Versteeg, D., & Feijtel, T. (2001). Marine risk assessment: Linear alkylbenzenesulphonates (LAS) in the north sea. *Marine Pollution Bulletin*, 42, 635-642.
- Tolls, J., Haller, M., Seinen, W., & Sijm, T. H. M. (2000). LAS bioconcentration: Tissue distribution and effect of hardness-implications for processes. *Environmental Science Technology*, 34, 304-310.
- Van De Plassche, J. E., De Bruijn, D. H. M., Stephenson, R. R., Marshall, J. S., Feijtel, C. J. T., & Belanger, E. S. (1999). Predicted no-effect concentrations and risk characterization of four surfactants: Linear alkyl benzene sulonate, alcohol ethoxylates, alcohol ethoxylated sulfates and soap. *Environmental Toxicology and Chemistry*, 18, 2653-2669.
- Verge, C., Moreno, A., Bravo, J., & Berna, L. J. (2001). Influence of water hardness on the bioavailability and toxicity of linear alkylbenzene sulphonate (LAS). *Chemosphere*, 44, 1749-1757.
- Vijagavel, K., Gomathi, R. D., Durgabhavani, K., & Balasubramanian, M. P. (2004). Sublethal effect in the edible marine crab *Scylla serrata*. *Marine Pollution Bulletin*, 48, 429-433.
- Westall, C. J., Chen, H., Zhang, W., & Brownawell, J. B. (1999). Sorption of linear alkylbenzenesulfonates on sediment materials. *Environmental Science and Technology*, 33, 3110-3118.
- William, F. C. (2004). *Hemoglobin, myoglobin and other bionorganic systems*. Retrieved August 24, 2004, from <http://www.wellesley.edu>
- Winotaphan, P. (2004). *Production and characterize action of monoclonal antibodies specific to haemocytes of the black tiger prawn Penaeus monodon*. Doctoral dissertation, Marine Science, Chulalongkorn University.
- World Health Organization. (1996). *Linear alkylbenzene sulfonate and related compounds*. Retrieved June 16, 2004, from <http://www.inchem.org>

Ying, G. (2006). Fate, behavior and effects of surfactants and their degradation products in the environment. *Environment International*, 32, 417-341.

Zhang, Z., & Li, X. (2006). Evaluation of the effects of grading and starvation on the lysosomal membrane stability in pacific oysters, *Crassostrea gigas* (Thunberg) by using neutral red retention assay. *Aquaculture*, 256, 537-541.

Zuruck, W. (2004). *Die acetylcholine-esterase*. Retrieved August 20, 2005, from <http://www.Chemgapedia.de>