

บรรณานุกรม

- กัลยา วานิชย์บัญชา. (2546). การใช้ SPSS for Windows ในการวิเคราะห์ข้อมูล. กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.
- จุฬาลักษณ์ บาร์มี. (2551). สถิติเพื่อการวิจัยทางสุขภาพและการวิเคราะห์ข้อมูลด้วยโปรแกรม SPSS. ชลบุรี: คณะพยาบาลศาสตร์.
- ชัยรัตน์ นีรัตน์รัตน์. (2543). ตำราการนอนกรน และกลุ่มอาการหยุดหายใจขณะหลับจากการอุดกั้น. กรุงเทพฯ: พี บี ฟอเรน บুক เซ็นเตอร์.
- ชูศรี วงศ์รัตนะ. (2544). เทคนิคการใช้สถิติเพื่อการวิจัย (พิมพ์ครั้งที่ 8). กรุงเทพฯ: พี.บี.ฟอเรน บุกเซนเตอร์.
- จิตรัตน์ ทองขาว. (2551). ประสิทธิภาพของโปรแกรมการดูแลระยะเปลี่ยนผ่านต่อความสามารถในการทำหน้าที่ยของร่างกายและภาวะซึมเศร้าในผู้ป่วยกลืนเนื้อหัวใจตาย. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.
- ชนิด วัชรพุกก. (2550). Preoperative and postoperative care. ใน ทวีสิน ดันประยูร, สุทธิพร จิตต์มิตรภาพ และพัฒน์พงศ์ นาวิเจริญ (บรรณาธิการ), ตำราศัลยศาสตร์ (หน้า 7-21). กรุงเทพฯ: สำนักพิมพ์จุฬาลงกรณ์มหาวิทยาลัย.
- ตะวัน แสงสุวรรณ. (2551). ความสัมพันธ์ระหว่างกลุ่มอาการ ภาวะแทรกซ้อนหลังผ่าตัด และการฟื้นสภาพหลังผ่าตัดในผู้ป่วยที่ได้รับการผ่าตัดช่องท้อง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.
- ตุลาชนิ ธรรมสมบูรณ์, ร้อยเอกหญิง. (2549). ปัจจัยที่มีความสัมพันธ์กับพฤติกรรมการดูแลตนเองของผู้ป่วยหลังผ่าตัดมดลูกและรังไข่ 2 ข้าง ในโรงพยาบาลพระมงกุฎเกล้า. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต, สาขาสุขศึกษา, บัณฑิตวิทยาลัย, มหาวิทยาลัยเกษตรศาสตร์.
- ทิพวรรณ วัฒนเวช. (2545). อิทธิพลของปัจจัยคัดสรรและพฤติกรรมการดูแลตนเองต่ออาการท้องอืดของผู้ป่วยหลังผ่าตัดช่องท้อง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- นันทา เล็กสวัสดิ์. (2540). การพยาบาลผู้ป่วยก่อนและหลังผ่าตัด. เชียงใหม่: คณะพยาบาลศาสตร์.
- นันทา เล็กสวัสดิ์, นฤมล วงศ์มณีโรจน์, สุทธิดา พงษ์พันธ์งาม และพิชาณี แสนมโนวงศ์. (2542). ความทุกข์ทรมานของผู้ป่วยหลังการผ่าตัดใหญ่. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

นันทา เล็กสวัสดิ์, นฤมล วงศ์ฉัตรโรจน์ และนิตยา ว่องกลกิจศิลป์. (2543). ความพึงพอใจในการนอนหลับและปัจจัยที่รบกวนการนอนหลับของผู้ป่วยหลังทำผ่าตัดใหญ่. วารสารสำนักงานคณะกรรมการวิจัยแห่งชาติ, 32(2), 131-147.

นิโลบล กนกสุนทรรัตน์. (2535). การรับรู้ความเจ็บปวดและวิธีบรรเทาความเจ็บปวดในผู้ป่วยหลังผ่าตัดช่องท้อง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

บุญใจ ศรีสถิตย่นรากร. (2547). ระเบียบวิธีการวิจัยทางพยาบาลศาสตร์ (พิมพ์ครั้งที่ 3). กรุงเทพฯ: ยูเออนด์ไอ อินเตอร์มีเดีย.

ปริญญ์ อัครานุกฤษฎ์กุล. (2552). สภาวะแทรกซ้อนหลังผ่าตัด. ใน วุฒิชัย ธนาพงศธร และปริญญ์ อัครานุกฤษฎ์กุล (บรรณาธิการ), ตำราศัลยศาสตร์: พื้นฐานศัลยศาสตร์และการของโรคศัลยกรรมสำหรับแพทย์เวชปฏิบัติทั่วไป (หน้า 135-139). กรุงเทพฯ: ภาควิชาศัลยศาสตร์ คณะแพทยศาสตร์ มหาวิทยาลัยศรีนครินทรวิโรฒ.

ปัทมชนันท์ ลิขิตถาวร. (2546). ความสัมพันธ์ระหว่างการนอนหลับ ความปวด และผลลัพธ์ของผู้ป่วยหลังผ่าตัดช่องท้อง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยสงขลานครินทร์.

พงศ์ภารดี เจาตะเกษตริน. (2547). ความปวด Pain ชุดตำราพื้นฐานความปวด เล่มที่ 1. กรุงเทพฯ: ทิมส์.

พรณี ไพศาลทักษิณ. (2540). ความสุขสบายในผู้ป่วยหลังผ่าตัดช่องท้อง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

พรสวรรค์ เชื้อเจ็ดคน. (2544). ผลการส่งเสริมสมรรถนะแห่งคนต่อการปฏิบัติกิจวัตรประจำวันของผู้ป่วยที่ได้รับการผ่าตัดทำทางเบี่ยงหลอดเลือดหัวใจ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

พูนศรี พันธุ์ศรีมังกร, ยุพิน ดีสมศักดิ์ และทิพา ต่อสกุลแก้ว. (2533). สำรวจอาการผิดปกติและภาวะแทรกซ้อนหลังผ่าตัดในผู้ป่วยระบบทางเดินอาหาร. กรุงเทพฯ: คณะพยาบาลศาสตร์ มหาวิทยาลัยมหิดล.

เพ็ญจันทร์ สโมทัยพงศ์. (2545). คู่มือตรวจผู้ป่วยนอก (พิมพ์ครั้งที่ 3). กรุงเทพฯ: วี เจ พรินติ้ง.

มยุลี ตำราญญาดี และนันทา เล็กสวัสดิ์. (2541). ความพึงพอใจของผู้ป่วยต่อกิจกรรมการพยาบาลเพื่อบรรเทาความเจ็บปวดหลังผ่าตัด. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

มาลินี วงศ์สวัสดิวัฒน์. (2543). อาการคลื่นไส้อาเจียนหลังผ่าตัด. *ศรินครินทร์เวชสาร*, 15(4), 282-288.

ลักขมี ชาญเวช. (2546). Postoperative pain management. ใน นครชัย เฟื่อนปทุม (บรรณาธิการ), *Clinical Practice Guideline* (หน้า 97-121). กรุงเทพฯ: โอเอส พรินติ้งเฮาส์.

เวชระเบียนห้องผ่าตัดโรงพยาบาลโสธร. (2552). สถิติผู้ป่วยที่ได้รับการผ่าตัด พ.ศ. 2550-2552. ยโสธร: โรงพยาบาลโสธร.

สิวพร มิทธิสร. (2545). ผลของการให้ข้อมูลเตรียมความพร้อมต่อความวิตกกังวลและการปฏิบัติตัวหลังผ่าตัดในผู้ป่วยนิวโมไคและท่อไต. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยขอนแก่น.

ศิริรัตน์ วิชิตตระกูลถาวร. (2545). ความหวัง ภาวะซึมเศร้า และความสามารถในการปฏิบัติกิจกรรมในผู้สูงอายุหลังผ่าตัดหัวใจ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

สมหมาย วนะวานันต์. (2540). ผลของการส่งเสริมให้ผู้ป่วยมีส่วนร่วมในการดูแลตนเองต่อการฟื้นสภาพหลังผ่าตัดกระดูกสันหลังและความพึงพอใจในการพยาบาลที่ได้รับ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

สมเกียรติ วัฒนศิริชัยกุล, คุณเดือน สีละมอด และกานติชัย ประยงค์รัตน์. (2552). ตำราเวชศาสตร์ฉุกเฉิน. กรุงเทพฯ: โครงการตำรา คณะแพทยศาสตร์ มหาวิทยาลัยศรีนครินทรวิโรฒ.

สถิติโรค การแพทย์. (2550). จำนวนผู้ป่วยผ่าตัด. วันที่ค้นข้อมูล 24 มกราคม 2553, เข้าถึงได้จาก <http://www.dms.moph.go.th/statereport/index.html>

สุดประนอม สมันตเวทิน. (2543). บทบาทของพยาบาลเพื่อส่งเสริมการนอนในผู้ป่วยวิกฤติ. *วิทยาสารพยาบาล วิทยาลัยสภากาชาดไทย*, 28(1), 50-57.

สุรัช เกื้อศิริกุล. (2544). การรักษาอาการนอนไม่หลับหรือนอนหลับไม่เพียงพอ. *คลินิกเวชปฏิบัติปริทัศน์*, 17(1), 5-10.

หอผู้ป่วยศัลยกรรมชายและศัลยกรรมหญิง โรงพยาบาลโสธร. (2552). รายงานหอผู้ป่วยศัลยกรรมชายและศัลยกรรมหญิง. ยโสธร: โรงพยาบาลโสธร.

อัจฉรา สุจาจริง. (2551). กิจกรรมการพยาบาลก่อนและหลังผ่าตัดกับการฟื้นสภาพภายหลังผ่าตัดในผู้ป่วยที่ได้รับการผ่าตัดช่องท้อง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

อัญชนี ศิริ. (2549). ความต้องการการพยาบาลและการตอบสนองความต้องการการพยาบาลของ
ผู้ป่วยในระยะหลังผ่าตัดช่องท้องแบบฉุกเฉิน โรงพยาบาลแม่แตง จังหวัดเชียงใหม่.
วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย,
มหาวิทยาลัยเชียงใหม่.

Alkaissi, A. (2004). *Postoperative symptoms after gynaecological surgery how they are
influenced by prophylactic antiemetics and sensory stimulation (P6-acupressure).*
Master's thesis, Faculty of Health Sciences, Linköping University.

Allvin, R., Berg, K., Idvall, E., & Nilsson, U. (2007). Postoperative recovery: A concept analysis.
JAN Theoretical Paper, 552-557.

Allvin, R., Ehnfors, M., Rawal, N., & Idvall, E. (2008). Experiences of the postoperative recovery
process: an interview study. *The Open Nursing Journal*, 2, 1-7.

Allvin, R., Ehnfors, M., Rawal, N., Svensson, E., & Idvall, E. (2008). Development of a
questionnaire to measure patient-reported postoperative recovery: Content validity and
intra-patient reliability. *Journal of Evaluation in Clinical Practice*, 15, 411-419.

Anderson, K. A. (2008). Overnight social activities for residents of special care units for dementia
activities. *Adaptation & Aging*, 32(2), 120-133.

Antle, D. E., & Lewis, A. R. (2001). Surgical client. In P. A. Potter, & A. G. Perry (Eds.),
Fundamentals of Nursing (5th ed., pp. 1660-1715). St. Louis: Mosby.

Aoki, R., Ohno, Y., Tamakoshi, A., Kawakami, N., Nagai, M., & Hashimoto, S. (1996). Lifestyle
determinants for social activity levels among the Japanese elderly. *Archives of
Gerontology and Geriatrics*, 22, 271-286.

Arenal, J. J., & Bengoechea-Beeby, M. (2003). Mortality associated with emergency abdominal
surgery in the elderly. *Cancer Journal Surgery*, 46(2), 111-116.

Armstrong, T. S. (2003). Symptom experience: A concept analysis. *Oncology Nursing Forum*, 30,
601-606.

Babski-Reeves, K. L., & Tran, G. M. (2006). Efficacy of an assistive intervention for abdominal
surgery patients in postoperative care. *Disability and Rehabilitation: Assistive
Technology*, 1(3), 191-197.

Barth, M. M., & Jenson, C. E. (2006). Postoperative nursing care of gastric bypass patients.
American Journal of Critical Care, 5(14), 378-384.

- Barsevick, A. M., Whitmer, K. M., Nail, L. M., Beck, S. L., & Dudley, W. N. (2006). Symptom cluster research: Conceptual, design, measurement, and analysis issues. *Journal of Pain and Symptom Management*, 31(1), 85-95.
- Basse, L., Jakobsen, D. H., Bardram, L., Billesbolle, P., Lund, C., & Mogensen, T. (2005). Functional recovery after open versus laparoscopic colonic resection: A randomized, blinded study. *Annals of Surgery*, 241(3), 416-423.
- Basse, L., Jakobsen, D. H., Billesbolle, P., Werner, M., & Kehlet, H. (2000). A clinical pathway to accelerate recovery after colonic resection. *Annals of Surgery*, 232, 51-57.
- Bosch, F., Wehrman, U., Saeger, H-D., & Kirch, W. (2002). Laparoscopic or open conventional cholecystectomy: Clinical and economic considerations. *European Journal of Surgery*, 168, 270-277.
- Brooks-Brunn, J. A. (1997). Predictors of postoperative pulmonary complications following abdominal surgery. *Chest*, 111, 564-571.
- Bunnag, C. (2004). *A survey of fatigue in post abdominal surgery patients*. Master's thesis, Faculty of Graduate Studies, Mahidol University.
- Burger, J. W. A., Riet, M. V., & Jeckel, J. (2002). Abdominal incisions: Techniques and postoperative complications. *Scandinavian Journal of Surgery*, 91, 315-321.
- Burns, N., & Grove, S. K. (2005). *The Practice of Nursing Research: Conduct, Critique, and Utilization* (5th ed.). St. Louis: Elsevier Saunders.
- Burt, M. B., Tavakkolizadeh, A., & Ferzoco, J. S. (2007). Incision closures and management of the abdominal wound. In J. M. Zinner, & W. S. Ashley (Eds.), *Maingot's Abdominal Operations* (11th ed.; pp. 71-101). New York: McGraw-Hill.
- Cali, R. L., Meade, P. G., Swanson, M. S., & Freeman, C. (2000). Effect of morphine and incision length on bowel function after colectomy. *Diseases of the Colon & Rectum*, 163-168.
- California Pacific Medical Center. (2007). *Abdominal Surgery*. Retrieved January 24, 2010, from <http://www.cpmc.org/leaning/>
- Carr, E., Brockbank, K., Allen, S., & Strike, P. (2006). Patterns and frequency of anxiety in woman undergoing gynaecological surgery. *Journal of Clinical Nursing*, 15, 341-352.
- Carroll, N. V., Miederhoff, P., Cox, F. M., & Hirsch, J. D. (1995). Postoperative nausea and vomiting after discharge from outpatient surgery centers. *Anesth Analg*, 80, 903-909.

- Caumo, W., Schmidt, A. P., Schneider, C. N., Bergmann, J., Iwamoto, C., & Adamatti, L. C. (2001). Risk factor for postoperative anxiety in adult. *Anaesthesia*, 56, 720-728.
- Centers for Disease Control and Prevention. (2008). *Abdominal Surgery in Public Reports*. Retrieved January 24, 2010. from <http://www.cdc.gov/nchs/hdi.htm>
- Chang, J. K., Calligaro, K. D., Lombardi, J. P., & Dougherty, M. J. (2003). Factors that predict prolonged length of stay after aortic surgery. *Journal of Vascular Surgery*, 38(2), 335-340.
- Chang, V. T., Hwang, S. S., Feuerman, M., Kasimis, B. S., & Thaler, H. T. (2000). The memorial symptom assessment scale short form (MSAS-SF) validity and reliability. *Cancer*, 89(5), 1162-1171.
- Christensen, B. L. (2006). Pain management comfort rest and sleep. In B. L. Christensen, & E. O. Kockrow (Eds.), *Foundations of Nursing* (5th ed.: pp. 400-418). St. Louis: Mosby.
- Christensen, L., & Kehlet, H. (1993). Postoperative fatigue. *World Journal of Surgery*, 17(2), 220-223.
- Cleary, P. D., & Jette, A. M. (2000). Reliability and validity of the functional status questionnaire. *Quality of Life Research*, 9, 747-753.
- Closs, S. J. (1992). Post-operative patients' views of sleep pain and recovery. *Journal of Clinical Nursing*, 1, 83-88.
- (1999). Sleep. In M. F. Alexander, J. N. Fawett, & P. J. Runciman (Eds.), *Nursing Practice: Hospital and Home- the Adult* (pp. 743-756). Edinburgh: Churchill.
- Coda, B. A., & Bonica, J. J. (2001). General considerations of acute pain. In J. D. Loeser, S. H. Butler, C. R. Chapman, & D. C. Turk (Eds.), *Bonica's Management of Pain* (3rd ed.; pp. 765-779). Philadelphia: Lippincott Williams & Wilkins.
- Craven, R. F., & Hirnle, C. J. (2003). *Fundamentals of Nursing: Human Health and Function* (4th ed.). Philadelphia: Lippincott.
- Datta, I., O'Connor, B., Victor, C., Urbach, D. R., & McLeod, R. S. (2009). Abdominal surgery impact scale (ASIS) is responsive in assessing outcome following IPAA. *Journal Gastrointest Surgery*, 13, 687-694.

- DeCherney, A. H., Bachmann, G., Isaacs, K., & Gall, S. (2002). Postoperative fatigue negatively impacts the daily lives of patients recovering from hysterectomy. *Obstetricians and Gynecologists*, 99(1), 51-57.
- DeWit, C. S. (2009). *Fundamentals Concepts and Skills for Nursing*. Philadelphia: Elsevier Saunders.
- Dodd, M. J., Miaskowski, C., & Lee, K. A. (2004). Occurrence of symptom clusters. *Journal of the National Cancer Institute Monographs*, 32, 76-78.
- Dodd, M. J., Miaskowski, C., & Paul, S. (2001). Symptom cluster and their effect on the functional status of patients with cancer. *Oncology Nursing Forum*, 28(3), 465-470.
- Doughty, D. (2005). Prevention and management surgical wound dehiscence. *Advance in Skin and Wound Care*, 18(6), 319-322.
- Driscoll, P., Farmery, A. D., & Bulstrode, C. J. K. (2004). Postoperative care. In R. C. G. Russell, N. S. Williams, & C. J. K. Bulstrode (Eds.), *Bailey & Love's Short Practice of Surgery* (pp. 1438-1449). London: Arnold.
- Dronkers, J., Veldman, A., Hoberg, E., Waal, C. V. D., & Meeteren, N. V. (2008). Prevention of pulmonary complications after upper abdominal surgery by preoperative intensive inspiratory muscle training: A randomized controlled pilot study. *Clinical Rehabilitation*, 22, 134-142.
- Duda, D., Krummenauer, F., Ayl, G., & Celik, I. (2004). Incidence of postoperative nausea and vomiting (PONV) after general pre-anesthetic prophylaxis with antihistamines. *Inflammation Research*, 53(1), S91-S92.
- Edwaed, L., Lowry, S. F., & Calvano, S. E. (2005). *The Systemic Response to Injury: Principles of Surgery*. Boston: McGraw-Hill.
- Erci, B., Sezgin, S., & Kacmaz, Z. (2005). The impact of therapeutic relationship on preoperative and postoperative patient anxiety. *Research Paper*, 1-6.
- Eskicioglu, C., Forbes, S. S., Aarts, M-A., Okrainec, A., & McLeod, R. S. (2009). Enhanced recovery after surgery (ERAS) programs for patients having colorectal surgery: A meta-analysis of randomized trials. *Journal Gastrointest Surgery*, 13(12), 2321-2329.
- Fairchild, S. S. (1996). *Perioperative Nursing: Principles and Practice*. Boston: Little, Brown.

- Fearon, K. C., Ijungqvist, O., Meyenfeldt, M. V., Revhaug, A., Dejong, C. H., & Lassen, K. (2005). Enhanced recovery after surgery: A consensus review of clinical care for patients undergoing colonic resection. *Clinical Nutrition*, 24, 466-477.
- Gogenur, I., Rosenberg-Adamsen, S., Kiil, C., Kjærsgaard, M., Kehlet, H., & Rosenberg, J. (2001). Laparoscopic cholecystectomy causes less sleep disturbance than open abdominal surgery. *Surgical Endoscopy*, 15, 1452-1455.
- Goodwin, J. A., & Coleman, E. A. (2003). *Exploring Measures of Functional Dependence in the Older Adult with Cancer*. Retrieved January 10, 2010, from http://findarticles.com/p/articles/mi_m0lSS/is_6_12/ai_n18616789/pg_4/
- Grantcharov, T. P., & Rosenberg, J. (2001). Vertical compared with transverse incisions in abdominal surgery. *European Journal of Surgery*, [http://www.informaworld.com/smpp/title~db~all~content~t713798801~tab=issueslist~branches=167-v167167\(4\), 260-267](http://www.informaworld.com/smpp/title~db~all~content~t713798801~tab=issueslist~branches=167-v167167(4), 260-267).
- Hallett, A. (2000). Patients requiring gastrointestinal surgery. In P. Rosemary (Ed.), *Nursing the Surgical Patient* (pp. 289-327). London: Harcourt.
- Hallin, A., Bergqvist, D., & Holmberg, L. (2006). Literature review of surgical management of abdominal aortic aneurysm. *European Journal of Vascular and Endovascular Surgery*, 22, 197-204.
- Halm, J. A., Lip, H., Schmitz, P. I., & Jeekel, J. (2008). Incisional hernia after upper abdominal surgery: A randomized controlled trial of midline versus transverse incision. *Hernia*, 13, 275-280.
- Hobson, J. A., Slade, P., Wrench, I. J., & Power, L. (2006). Preoperative anxiety and postoperative satisfaction in women undergoing elective caesarean section. *International Journal of Obstetric Anesthesia*, 15, 18-23.
- Horvath, K. J. (2003). Postoperative recovery at home after ambulatory gynecologic laparoscopic surgery. *Journal of PeriAnesthesia Nursing*, 18(5), 324-334.
- Huang, N., Cunningham, F., Laurito, C. E., & Chen, C. (2001). Can we do better with preoperative pain management? *The American Journal of Surgery*, 182, 440-448.
- Isbister, W. H. (2000). Study populations and casemix: Influence on analysis of postoperative outcomes. *ANZ Journal of Surgery*, 70, 279-284.

- Jansson-Frojmark, M., & Linton, S. J. (2008). The role of psychological mechanisms to insomnia in its early phase: A focus on arousal, distress, and sleep-related beliefs. *Psychology and Health, 23*(6), 691-705.
- Jiricka, M. K. (2009). Activity tolerance and fatigue. In C. M. Porth, & G. Matfin (Eds.), *Pathophysiology Concepts of Altered Health States* (8th ed.; pp. 231-251). Philadelphia: Lippincott Williams & Wilkins.
- Kain, Z. N., Sevarino, F. B., Rinder, C., Pineus, S., Alexander, G. M., & Ivy, M. (2000). Preoperative anxiolysis and postoperative recovery in women undergoing abdominal hysterectomy. *Anesthesiology, 94*(3), 415-422.
- Karanci, A. N., & Dirik, G. (2003). Predictors of pre- and postoperative anxiety in emergency surgery patients. *Journal of Psychosomatic Research, 55*, 363-369.
- Kehlet, H. (1997). Multimodal approach to control pathophysiology and rehabilitation. *British Journal of Anaesthesia, 78*, 606-617.
- Kehlet, H., & Dahl, J. B. (2003). Anaesthesia, surgery and challenges in postoperative recovery. *The Lancet, 362*, 1921-1928.
- Kim, K. H., & Lee, K. A. (2001). Symptom experience in woman after hysterectomy. *Journal of Obstetric, Gynecologic & Neonatal Nursing, 30*, 472.
- Kim, H-J., McGuire, D. B., Tulman, L., & Barsevick, A. M. (2005). Symptom clusters: Concept analysis and clinical implications for cancer nursing. *Cancer Nursing, 28*(4), 270-282.
- Kitcatt, S. E. (2000). Concepts of pain and the surgical patient. In P. Rosemary (Ed.), *Nursing the Surgical Patient* (pp. 80-95). London: Harcourt.
- Kozier, B., Erb, G., Berman, A. J., & Burke, K. (2000). *Fundamentals of Nursing: Concepts, Process, and Practice* (6th ed., pp.). New Jersey: Prentice-Hall.
- Kraft, M., Erstad, B. L., & Matuszewski, K. (2005). *Improving Postoperative Ileus Outcomes*. Retrieved September 8, 2009, from <http://www.uspharmacist.com.default.htm>
- Kopp, M., Bonatti, H., Haller, C., Rumpold, G., Sollner, W., & Holzner, B. (2003). Life satisfaction and active coping style are important predictors of recovery from surgery. *Journal of Psychosomatic Research, 55*, 371-377.

- Ku, C. M., & Ong, B. C. (2003). Postoperative nausea and vomiting: A review of current literature. *Singapore Medical Journal*, 44(7), 366-374.
- Lawrence, K., Doll, H., & McWhinnie, D. (1996). Relationship between health status and postoperative return to work. *Journal of Public Health Medicine*, 18(1), 49-53.
- Lawrence, V. A., Hilsenbeck, S. G., Mulrow, C. D., Dhanda, R., Sapp, J., & Page, C. P. (1995). Incidence and hospital stay for cardiac and pulmonary complications after abdominal surgery. *Journal of General Internal Medicine*, 10, 671-678.
- Lee, C. (2008). *Abdominal Exploration*. Retrieved January 24, 2010, from <http://www.nlm.nih.gov/medlineplus/ency/article/002928.htm>
- Leidy, B. (1994). Functional status and the forward progress of merry-go-rounds: Toward a coherent analytical framework. *Nursing Research*, 43(4), 196-202.
- Lenz, E. R., Pugh, L. C., Milligan, R. A., Gift, A., & Suppe, F. (1997). The middle-range theory of unpleasant symptoms: An update. *Advance in Nursing Science*, 19(3), 14-27.
- Lettersta, A., Sandstrom, V., Olofsson, P., & Forsberg, C. (2004). Postoperative mobilization of patients with abdominal aortic aneurysm. *Journal of Advanced Nursing*, 48(6), 560-568.
- Lewis, S. J., Egger, M., Sylvester, P. A., & Tople, S. T. (2001). Early enteral feeding versus "nil by mouth" after gastrointestinal surgery: Systematic review and meta-analysis of controlled trials. *British Medical Journal*, 323, 1-5.
- Mahoney, F., & Barthel, D. (1965). Functional evaluation: The barthel index. *Maryland State Medical Journal*, 2, 61-65.
- Mangione, C. M., Goldman, L., Orav, J., Marcantonio, E. R., Pedan, A., & Ludwig, L. E. (1997). Health-Related quality of life after elective surgery measurement of longitudinal changes. *Journal Gen Intern Med*, 12, 686-697.
- McClean, G. J., & Watters, C. H. (1990). Peri-operative anxiety and serum potassium. *Anaesthesia*, 45(7), 583-585.
- McConnell, E. A., & DuFour, J. L. (2002). Surgical patient care. In B. Mayer, & J. P. Kowalak (Eds.), *Illustrated Manual of Nursing Practice* (pp. 137-159). Philadelphia: Lippincott Williams & Wilkins.

- McCrone, S., Lenz, E., Tarzian, A., & Perkins, S. (2001). Anxiety and depression: Incidence and patterns in patients after coronary artery bypass graft surgery. *Applied Nursing Research, 14*, 155-164.
- McGuire, L. (2006). Pain: The fifth vital sign. In D. D. Ignatavicius, & M. L. Workman (Eds.), *Medical-surgical Nursing* (5th ed.; pp. 63-90). Philadelphia: W. B. Saunders.
- Muller, S., Zalunardo, M. P., Hubner, M., Clavien, P. A., & Demartines, N. (2009). A fast-track program reduces complications and length of hospital stay after open colonic surgery. *Gastroenterology, 136*, 842-847.
- Neil, J. A. (2007). Nursing management preoperative care. In M. S. Lewis, M. M. Heitkemper, & R. S. Dirksen (Eds.), *Medical-surgical Nursing: Assessment and Management of Clinical Problems* (6th ed.; pp. 343-357). St. Louis: Mosby.
- Nielsen, P. R., Rudin, A., & Werner, M. U. (2007). Prediction of postoperative pain. *Current Anaesthesia & Critical Care, 18*, 157-165.
- Nilsson, U., Rawal, N., Unestahl, L. E., Zetterberg, C., & Unosson, M. (2001). Improved recovery after music and therapeutic suggestions during general anaesthesia: A double-blind randomized controlled trial. *Acta Anaesthesiol Scand, 45*, 812-817.
- Niven, C. A. (2003). Recognising pain as a component of symptom clusters: A means of informing the nursing management of symptoms and side-effects. *Journal of Research in Nursing, 8*, 354.
- Oberle, K., Wry, J., Paul, P., & Grace, M. (1990). Environment, anxiety, and postoperative pain. *Western Journal of Nursing Research, 12*, 745-757.
- Opanuraks, S. (2002). *Predictors influencing quality of sleep in postoperative abdominal surgery*. Master's thesis, Faculty of Graduate Studies, Mahidol University.
- Patton, R. M. (2006 a). Interventions of preoperative clients. In D. D. Ignatavicius, & M. L. Workman (Eds.), *Medical-surgical Nursing* (5th ed.; pp. 294-316). Philadelphia: W. B. Saunders.
- _____. (2006 b). Interventions of postoperative clients. In D. D. Ignatavicius, & M. L. Workman (Eds.), *Medical-surgical Nursing* (5th ed.; pp. 340-357). Philadelphia: W. B. Saunders.

- Person, P., & Kjolhede, P. (2008). Factors associated with postoperative recovery after laparoscopic and abdominal hysterectomy. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 140, 108-113.
- Pessaux, P., Msika, S., & Atalla, D. (2003). Risk factors for postoperative infections complications in noncolorectal abdominal surgery: A multivariate analysis based on a prospective multicenter study of 4718 patients. *Archives of Surgery*, 138(3), 314-324.
- Portenoy, R. K., Thaler, H. T., Kornblith, A. B., Lepore, J. M., Friedlander-Klar, H., & Kiyasu, E. (1994). The memorial symptom assessment scale: An instrument for the evaluation of symptom prevalence, characteristics and distress. *European Journal Cancer*, 30A(9), 1326-1336.
- Porth, C. M. (2009). Sleep and sleep disorders. In C. M. Porth, & G. Matfin (Eds.), *Pathophysiology Concepts of Altered Health States* (8th ed.; pp. 1338-1356). Philadelphia: Lippincott Williams & Wilkins.
- Potter, P. A., & Perry, G. A. (2001). *Fundamentals of Nursing* (5th ed.). St. Louis: Mosby.
- _____. (2007). *Basic Nursing: Essential for Practice* (7th ed.). St. Louis: Mosby.
- Quraishi, S. A., Orkin, F. K., & Roizen, M. F. (2006). The anesthesia preoperative assessment: An opportunity for smoking cessation intervention. *Journal of Clinical Anesthesia*, 18, 635-640.
- Radeliffe, J., & Smith, R. (2007). Acute in-patient psychiatry: how patients spend their time on acute psychiatric wards. *Psychiatric Bulletin*, 31, 167-170.
- Rahman, M. H., & Beattie, J. (2004). Post-operative nausea and vomiting. *The Pharmaceutical Journal*, 273, 786-788.
- Rawal, N. (2006). Postoperative rehabilitation after ambulatory surgery. *European Society of Anaesthesiology*, 163-166.
- Rosenberg, J. (2001). Sleep disturbances after non-cardiac surgery. *Sleep Medicine Reviews*, 5(2), 129-137.
- Rosenberg-Adamsen, S., Kehlet, H., Dodds, C., & Rosenberg, J. (1996). Postoperative sleep disturbances: Mechanisms and clinical implications. *British Journal of Anaesthesia*, 76, 552-559.

- Rosenberg-Adamsen, S., Skarbye, M., Wildschiodtz, G., Kehlet, H., & Rosenberg, J. (1996). Sleep after laparoscopic cholecystectomy. *British Journal of Anaesthesia*, 77, 572-575.
- Rosen, H., Clabo, L. M. L., & Mårtensson, L. (2009). Symptoms following day surgery: A review of the literature. *Journal of Advanced Perioperative Care*, 4(1), 7-18.
- Rubin, G. J., Cleare, A., & Hotopf, M. (2004). Psychological factors in postoperative fatigue. *Psychosomatic Medicine*, 66, 959-964.
- Rubin, G. J., Hardy, R., & Hotopf, M. (2004). A systematic review and meta-analysis of the incidence and severity of postoperative fatigue. *Journal of Psychosomatic Research*, 57, 317-326.
- Serejo, L. G., da Silva-Júnior, F. P., Bastos, J. P., de Bruin, G. S., Mota, R. M., & de Bruin, P. F. (2003). Risk factors for pulmonary complications after emergency abdominal surgery. *Respiratory Medicine*, 101(4), 808-813.
- Smeltzer, S. C., & Bare, B. G. (2004). *Brunner and Suddarth's Textbook of Medical-surgical Nursing*. (9th ed.). Philadelphia: Lippincott.
- Smeltzer, S. C., & Bare, B. G., Hinkle, J. L., & Cheever, K. H. (2008). *Brunner and Suddarth's Textbook of Medical-surgical Nursing* (11th ed.). Philadelphia: Lippincott.
- Smith, J. D. (2007). Nursing management postoperative care. In M. S. Lewis, M. M. Heitkemper, & R. S. Dirksen (Eds.), *Medical-surgical Nursing: Assessment and Management of Clinical Problems* (6th ed.; pp. 376-396). St. Louis: Mosby.
- Smith, S. F., Duell, D. J., & Martin, B. C. (2004). *Clinical Nursing Skills Basic to Advanced Skills*. (6th ed.). New Jersey: Prentice Hall Health.
- Swan, B. A., Maislin, G., & Traber, K. B. (1998). Symptom distress and functional status changes during the first seven days after ambulatory surgery. *Anesth Analg*, 86, 739-745.
- Tranmer, J. E., & Parry, M. (2004). Enhancing the postoperative recovery of cardiac surgery patients: A randomized clinical trial of an advanced practice nursing intervention. *Western Journal of Nursing Research*, 26(5), 515-532.
- Urbach, D. R., Harnish, J. L., & Long, G. (2005). Short-term health-related quality of life after abdominal surgery: A conceptual framework. *Surgical Innovation*, 12, 243-251.
- Urbach, D. R., Harnish, J. L., McIlroy, J. H., & Streiner, D. L. (2006). A measure of quality of life after abdominal surgery. *Quality of life Research*, 15, 1053-1061.

- Vaughn, F., Wichowski, H., & Bosworth, G. (2007). Does preoperative anxiety level predict postoperative pain? *AORN Journal*, 85(3), 589-604.
- Wagner, L., Carlslund, A. M., Sorensen, M., & Ottesen, B. (2005). Woman's experience with short admission in abdominal hysterectomy and their patterns of behavior. *Scandinavian Journal of Caring Sciences*, 19, 330-336.
- Wallace, M., & Shelkey, M. (2008). Monitoring functional status in hospitalized older adults: Katz index of independence in activities of daily living (ADL). *American Journal of Nursing*, 108(4), 64-71.
- Wang, T-J. (2004). Concept analysis of functional status. *International Journal of Nursing Studies*, 41, 457-462.
- Watcha, M. F., & White, P. F. (1992). Postoperative nausea and vomiting: Its etiology, treatment and prevention. *Anesthesiology*, 77, 162-184.
- Wilmore, D. W., & Kehlet, H. (2001). Clinical review Recent advances: Management of patients in fast track surgery. *British Medical Journal*, 322, 473-476.
- World Health Organization. (2001). *International Classification of Functioning, Disability and Health*. London: WHO.
- Zalon, L. M. (2004). Correlates of recovery among older adults after major abdominal surgery. *Nursing Research*, 53(2), 95-106.
- Zargar-Shoshtari, K., & Hill, A. G. (2009). Postoperative fatigue: A review. *World Journal of Surgery*, 33, 738-745.
- Zcitz, K., McCutcheon, H., & Albrecht, A. (2002). Postoperative complication in the first 24 hour: A general surgery audit. *Journal of Advanced Nursing*, 46(6), 633-640.