

บรรณานุกรม

- ณัฐารัตน์ ปภาวสิทธิ์, อาณาภพ พานิชผล, สมภพ รุ่งสุภา, ชลธยา ทรงรูป, มาละดี ทัยคุปต์, สุรพล ชูณหพันธ์, คัมภีร์ ผาติเสนะ, สมบัติ อินทร์คง, ศักดิ์อนันต์ ปลาทอง, เพลิมศักดิ์ จารยะพันธุ์, นนทิวิชัย ตันทวนิช, กรอร วรย์กำแหง, ปราณี วัฒนาวรสกุล, นิพัทธ์ สัมกลีบ, อเนก โสภณ และจีระพงษ์ วรกุล. (2545). *การเปลี่ยนแปลงระบบนิเวศแนวปะการัง เกาะสีชัง จังหวัดชลบุรี*. กรุงเทพฯ: สำนักงานคณะกรรมการวิจัยแห่งชาติ.
- มนูดี หังสพฤกษ์, กัลยา วัฒนากร, วิไลวรรณ อุทุมพฤษพร และพิชาญ สว่างวงศ์. (2546). เหมี่ในทะเล. *สาระวิทยาศาสตร์ทางทะเล Eye on the Ocean: Bringing the Sea to the Classroom*. วันที่ค้นข้อมูล 1 ธันวาคม 2550, เข้าถึงได้จาก <http://www.janburi.buu.ac.th/~tachanat/course/802201/unit2.pdf>.
- มันสิน ตันจุลเวศม์. (2543). *คู่มือวิเคราะห์คุณภาพน้ำ* (พิมพ์ครั้งที่4). กรุงเทพฯ: สำนักพิมพ์จุฬาลงกรณ์มหาวิทยาลัย.
- Ahmad, S.M., Padmakumari, V.M., Raza, W., Venkatesham, K., Suseela, G., Sagar, N., Chamoli, A., & Rajan, R. S. (2010). High-resolution carbon and oxygen isotope records from a scleractinian (Porites) coral of Lakshadweep Archipelago. *Quaternary International*, Article in press, 1-8.
- Alamaru, A., Loya, Y., Brokovich, E., Yam, R., & Shemesh, A. (2009). Carbon and nitrogen utilization in two species of Red Sea corals along a depth gradient: Insights from stable isotope analysis of total organic material and lipids. *Geochimica et Cosmochimica Acta*, 73, 5333-5342.
- Aller, R. C. (1998). Mobile deltaic and continental shelf muds as suboxic, fluidized bed reactors. *Marine Chemistry*, 61, 143-155.
- Anthony, K.R., & Fabricius, K.E. (2000). Shifting roles of heterotrophy and autotrophy in coral energetics under varying turbidity. *Journal of Experimental Marine Biology and Ecology*, 252, 221-253.
- Artemyev, V.E. (1996). *Geochemistry of Organic Matter in River-Sea Systems*. Dordrecht: Kluwer Academic.

- Benner, R. (2002). Chemical composition and reactivity. In Hansell, D. A., & Carlson, C. A. (Eds.), *Biogeochemistry of marine dissolved organic matter* (pp. 59-90). San Diego, California: Academic Press.
- Benner, R. (2004). What happens to terrestrial organic matter in the ocean?. *Marine Chemistry*, 92, 307-310.
- Bergschneider, H., & Muller-parker, G. (2008). Nutritional role of two algal symbionts in the temperate sea anemone *Anthopleura elegantissima* Brandt. *The Biological Bulletin*, 215, 73-88.
- Boonphakdee, T., Kasai, A., Fujiwara, T., Sawangwong, P., & Cheevaporn, V. (2008). Combined stable carbon isotope and C/N ratios as indicators of source and fate of organic matter in the Bangpakong River Estuary, Thailand. *EnvironmentAsia*, 1, 28-36.
- Borneman, E. (2007). The food of reefs, part 6: particulate organic matter. *Coralmania*. Retrieved November 1, 2010, from <http://reefkeeping.com/issues/2003-03/cb/index.php>.
- Boutton, T.W. (1991). Stable carbon isotope ratios of natural materials: II. atmospheric, terrestrial, marine, and freshwater environments. In Coleman, D. C., & Fry, B. (Eds.), *Carbon Isotopes Techniques* (pp. 173-185). New York: Academic Press.
- Burdige, D. J. (2006). *Geochemistry of Marine Sediments*. New Jersey: Princeton University Press.
- Chakraborty, S. (1993). *Environmental Significance of Isotopic and Trace Elemental Variations in Banded Corals*. Doctoral dissertation, Physical Research Laboratory.
- Dolenec, T., Vokal, B., & Dolenec, M. (2005). Nitrogen-15 signals of anthropogenic nutrient loading in *Anemonia sulcata* as a possible indicator of human sewage impact on marine coastal ecosystems: a case study of Pirovac Bay and the Murter Sea (Central Adriatic). *Croatica Chemica Acta*, 78, 593-600.
- Dubinsky, Z., & Jokiel, P.L. (1994). Ratio of energy and nutrient fluxes regulates symbiosis between zooxanthellae and corals. *Pacific Science*, 48, 313-324.
- Ducklow, H.W., Steinberg, D.K., & Buesseler, K.O. (2001). Upper ocean carbon export and the biological pump. *Oceanography*, 14, 50-58.

- Environmental Physiology, University of Washington. (2010). *Climate Change and the Corallinaceae*. Retrieved July 1, 2010, from <http://genefish.wikispaces.com/Climate+Change+and+the+Corallinaceae>.
- Fabricius, K.E. (2005). Effects of terrestrial runoff on the ecology of corals and coral reefs: review and synthesis. *Marine Pollution Bulletin*, 50, 125-146.
- Falkowski, P.G., & Oliver, M.J. (2007). Mix and match: how climate selects phytoplankton. *Nature Reviews Microbiology*, 5, 813-819.
- Felis, T., Patzold, J., Loya, Y., & Wefer, G. (1998). Vertical water mass mixing and plankton blooms recorded in skeleton stable isotopes of Red Sea coral. *Journal of Geophysical Research*, 103, 30731-30739.
- Furla, P., Galgani, I., Durand, I., & Allemand, D. (2000). Sources and mechanisms of inorganic carbon transport for coral calcification and photosynthesis. *Journal of Experimental Marine Biology and Ecology*, 203, 3445-3457.
- Furnas, M.J. (2003). *Catchments and Corals: Terrestrial Runoff to the Great Barrier Reef*. Townsville, Australia: Australian Institute of Marine Science and CRC Reef.
- Gagan, M.K., Chivas, A.R., & Isdale, P.J. (1996). Timing coral-based climatic histories using ^{13}C enrichments driven by synchronized spawning. *Geology*, 24, 1009-1012.
- Ghosh, P., & Brand, W.A. (2003). Stable isotope ratio mass spectrometry in global climate change research. *International Journal of Mass Spectrometry*, 288, 1-33.
- Giordano, M., Beardall, J., & Raven, J.A. (2005). CO_2 concentrating mechanisms in algae: mechanisms, environmental modulation and evolution. *Annual Review of Plant Biology*, 56, 99-131.
- Goericke, R., & Fry, B. (1994). Variations of marine plankton $\delta^{13}\text{C}$ with latitude, temperature and dissolved CO_2 in the world ocean. *Global Biogeochemical Cycles*, 8, 85-90.
- Grottoli, A.G., & Wellington, G.M. (1999). Effect of light and zooplankton on skeletal $\delta^{13}\text{C}$ values in the eastern Pacific corals *Pavona clavus* and *Pavona gigantea*. *Coral Reefs*, 18, 29-41.
- Grottoli, A.G., Rodrigues, L.J., & Palardy, J.E. (2006). Heterotrophic plasticity and resilience in bleached corals. *Nature*, 440, 1186-1189.

- Heikoop, J.M., Dunn, J.J., Risk, M.J., Sandeman, I.M., Schwarcz, H.P., & Waltho, N. (1998). Relationship between light and the $\delta^{15}\text{N}$ of coral tissue: examples from Jamaica and Zanzibar. *Limnology and Oceanography*, 43, 909-920.
- Hernes, P.J., & Benner, R. (2006). Sources and fluxes of terrigenous organic matter in the North Atlantic Ocean and North Atlantic Deep Water. *Marine Chemistry*, 100, 66-79.
- Ho, C-T., Fu, Y-C., Sun, C-L., Kao, S-J., & Jan, R-Q. (2009). Plasticity of feeding habits of two *Plectroglyphidodon* damselfishes on coral reefs in Southern Taiwan: evidence from stomach content and stable isotope analyses. *Zoological Studies*, 48, 649-656.
- Hoefs, J. (2004). *Stable Isotope Geochemistry*. New York: Springer-Verlag Berlin Heidelberg.
- Hoegh-Guldberg, O., & Jones, R.J. (1999). Photoinhibition and photoprotection in symbiotic dinoflagellates from reef-building corals. *Marine Ecology Progress Series*, 183, 73-86.
- Kasai, A., & Nakata, A. (2005). Utilization of terrestrial organic matter by the bivalve *Corbicula japonica* estimated from stable isotope analysis. *Fisheries Science*, 71, 151-158.
- Kuramoto, T., & Minagawa, M. (2001). Stable carbon and nitrogen isotopic characterization of organic matter in a mangrove ecosystem on the southwestern coast of Thailand. *Journal of Oceanography*, 57, 421-431.
- Lajtha, K., & Michener, R.H. (1994). *Stable Isotopes in Ecology and Environmental Science*. Oxford: Blackwell Scientific Publications.
- Lamb, K., & Swart, P.K. (2008). The carbon and nitrogen isotopic values of particulate organic material from the Florida Keys: a temporal and spatial study. *Coral Reefs*, 27, 351-362.
- Leichter, J.J., Paytan, A., Wankel, S., Hanson, K., Miller, S., & Altabet, M. (2007). Nitrogen and oxygen isotopic signatures of subsurface nitrate seaward of the Florida Keys reef tract. *Limnology and Oceanography*, 52, 1258-1267.
- Levy, O., Dubinsky, Z., Achituv, Y., & Erez, J. (2006). Diurnal polyp expansion behavior in stony corals may enhance carbon availability for symbionts photosynthesis. *Journal of Experimental Marine Biology and Ecology*, 333, 1-11.

- Lin, H-J., Wu, C-Y., Kao, S-J., Kao, W-Y., & Meng, P-J. (2007). Mapping anthropogenic nitrogen through point sources in coral reefs using $\delta^{15}\text{N}$ in macroalgae. *Marine Ecology Progress Series*, 335, 95-109.
- Maksymowska, D., Richard, P., Pickarek-Jankowska, H., & Riera, P. (2000). Chemical and isotopic composition of the organic matter sources in the Gulf of Gdansk (Southern Baltic Sea). *Estuarine, Coastal and Shelf Science*, 51, 585-598.
- Mass, T., Einbinder, S., Brokovich, E., Shashar, N., Vago, R., Erez, J., & Dubinsky, Z. (2007). Photoacclimation of *Stylophora pistillata* to light extremes: metabolism and calcification. *Marine Ecology Progress Series*, 334, 93-102.
- McConnaughey, T.A., Burdett, J., Whelan, J.F., & Paull, C.K. (1997). Carbon isotopes in biological carbonates: respiration and photosynthesis. *Geochimica et Cosmochimica Acta*, 61, 611-622.
- Meksumpun, S., & Meksumpun, C. (2002). Stable carbon and nitrogen isotope ratios of sediment in Ban Don Bay: evidence for understanding sources of organic matters in the coastal environment. *Kasetsart Journal (Natural Science)*, 36, 75-82.
- Meksumpun, S., Meksumpun, C., Hoshikac, A., Mishimac, Y., & Tanimotoc, T. (2005). Stable carbon and nitrogen isotope ratios of sediment in the Gulf of Thailand: Evidence for understanding of marine environment. *Continental Shelf Research*, 25, 1905-1915.
- Morelock, J., Ramirez, W., Hallock, P., & Hubbard, D., (2005). *Coral biology*. Retrieved July 1, 2010, from <http://geology.uprm.edu/MorelockSite/morelockonline/6-biolog.htm>.
- Muscantine, L., Porter, J.W., & Kaplan, I.R. (1989). Resource partitioning by reef corals as determined from stable isotope composition. I. $\delta^{13}\text{C}$ of zooxanthellae and animal tissue versus depth. *Marine Biology*, 100, 185-193.
- Muscantine, L., & Kaplan, I.R. (1994). Resource partitioning by reef corals as determined from stable isotope composition II. $\delta^{15}\text{N}$ of zooxanthellae and animal tissue versus depth. *Pacific Science*, 48, 304-312.
- Nakano, Y., Tsuchiya, M., Rungsupa, S., & Yamazato, K. (1994). Influences of severe freshwater flooding during the rainy season on the coral community around Khang Khao Island in

- the inner Gulf of Thailand. In *Proceeding of International Symposium on Ecology of Coral Reef Communities in The Gulf of Thailand* (1996, October 24–26). Chonburi, Thailand: Sichang Palace Hotel, Sichang Island.
- Naumann, M.S., Mayr, C., Struck, U., & Wild, C. (2010). Coral mucus stable isotope composition and labeling: experimental evidence for mucus uptake by epizoic acoelomorph worms. *Marine Biology*, 157, 2521–2531.
- Palmer, J.D. (1996). Rubisco Surprises in Dinoflagellates. *The Plant Cell*, 8, 343–345.
- Perdue, E.M., & Benner, R. (2009). Marine organic matter. In Senesi, N., Xing, B., & Huang, P.M. (Eds.), *Biophysico-Chemical Processes of Anthropogenic Organic Compounds in Environmental Systems* (pp. 407–449). New Jersey: John Wiley & Sons.
- Reich, C., Shinn, E., Hickey, T., & Tihansky, A. (2002). Tidal and meteorological influences on shallow marine groundwater flow. In Porter, J., & Porter, K. (Eds.), *The Everglades, Florida Bay and the Coral Reefs of the Florida Keys* (pp. 659–676). Washington: CRC Press.
- Ritchie, K.B. (2006). Regulation of microbial populations by coral surface mucus and mucus-associated bacteria. *Marine Ecology Progress Series*, 322, 1–14.
- Rodrigues, A.U., & Grottoli, A.G. (2006). Calcification rate and the stable carbon, oxygen, and nitrogen isotopes in the skeleton, host tissue, and zooxanthellae bleached and recovering Hawaiian corals. *Geochimica et Cosmochimica Acta*, 70, 2781–2789.
- Rosenfeld, M. (2004). *The Isotopic Composition of Stony Corals as Environmental Recorders*. Doctoral dissertation, Tel-Aviv University.
- Rullkotter, J. (2006). Organic matter: The driving force for early diagenesis. In Schulz, H. D., & Zabel, M. (Eds.), *Marine Geochemistry* (2nd ed.) (pp. 125–168). Springer-Verlag Berlin-Heidelberg.
- Sulzman, E.W. (2007). Stable isotope chemistry and measurement: a primer. In Michener, R., & Lajtha, K. (Eds.), *Stable Isotopes in Ecology and Environmental Science* (2nd ed.) (pp. 1–21).

- Sun, D., Su, R., McConnaughey, T.A., & Bloemendal, J. (2008). Variability of skeletal growth and $\delta^{13}\text{C}$ in massive corals from the South China Sea: effects of photosynthesis, respiration and human activities. *Chemical Geology*, 255, 414-425.
- Swart, P.K., Leder, J.J., Szmant, A.M., & Dodge, R.E. (1996). The origins of variations in the isotopic record of scleractinian corals: II. Carbon. *Geochimica et Cosmochimica Acta*, 60, 2871-2885.
- Swart, P. K., Saied, A., & Lamb, K. (2005). Temporal and spatial variation in the $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ of coral tissue and zooxanthellae in *Montastraea faveolata* collected from the Florida reef tract. *Limnology Oceanography*, 50, 1049-1058.
- Tanaka, Y., Miyajima, T., Koike, I., Hayashibara, T., & Ogawa, H. (2006). Translocation and conservation of organic nitrogen within the coral-zooxanthella symbiotic system of *Acropora pulchra*, as demonstrated by dual isotope-labeling techniques. *Journal of Experimental Marine Biology and Ecology*, 336, 110-119.
- Titlyanov, E.A., Kiyashko, S.I., Titlyanova, T.V., Kalita, T.L., & Raven, J.A. (2008). $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ values in reef corals *Porites lutea* and *P. cylindrica* and in their epilithic and endolithic algae. *Marine Biology*, 155, 353-361.
- Titlyanov, E.A., Kiyashko, S.I., Titlyanova, T.V., & Raven, J.A. (2010). $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ in tissue of coral polyps and epilithic algae inhabiting damaged coral colonies under the influence of different light intensities. *Aquatic Ecology*, 44, 13-21.
- Vanloon, G.W., & Duffy, S.J. (2005). Organic matter in water. *Environmental Chemistry*, 2, 254-272.
- Veron, J.E.N. (1986). *Corals of Australia and the Indo-Pacific*. Australia: The Australian Institute of Marine Science.
- _____. (2000). *Corals of the World* (3rd ed.). Australia: The Australian Institute of Marine Sciences and CRR Qld Pty Ltd.
- Wada, E., & Hattori, A. (1991). *Nitrogen in the Sea: Forms, Abundances, and Rate Processes*. Boca Raton: CRC Press.

- Wellington, G.M., Dunbar, R.B., & Merlin, G. (1996). Calibration of stable isotope signatures in Galapagos corals. *Paleoceanography*, 11, 467–480.
- Wild, C., Rasheed, M., Werner, U., Franke, U., Johnstone, R., & Huettel, M. (2004). Degradation and mineralization of coral mucus in reef environments. *Marine Ecology Progress Series*, 267, 159–171.
- Yamada, Y., & Ikeda, T. (2003). Metabolism and chemical composition of four pelagic amphipods in the Oyashio region, western subarctic Pacific Ocean. *Marine Ecology Progress Series*, 253, 233–241.
- Yamamuro, M., Kyanne, H., & Minagawa, M. (1995). Carbon and nitrogen stable isotopes of primary producers in coral reef ecosystems. *Limnology and Oceanography*, 40, 617–621.
- Yamamuro, M., Minagawa, M., & Kayanne, H. (1992). Preliminary observation on food webs in Shiraho coral reef as determined from carbon and nitrogen stable isotopes. In *proceedings International Coral Reef Symposium 1* (7th ed.)(pp. 352–355).
- Zuschin, M., & Piller, W.E. (1997). Bivalve distribution on coral carpets in the northern bay of Safaga (Red Sea, Egypt) and its relation to environmental parameters. *Facies*, 37, 183–194.