

บรรณานุกรม

- กฎกระทรวง. (2537). พระราชบัญญัติการฟื้นฟูสมรรถภาพคนพิการ พ.ศ. 2534. วันที่ค้นข้อมูล 2 เมษายน 2554, เข้าถึงข้อมูลได้จาก <http://www.kodmhai.com/Kkat/NKkat/Nkkat-1/Newkkat-11/N1789.html>
- กรมการปกครอง. (2551). จังหวัดกาญจนบุรี. วันที่ค้นข้อมูล 16 เมษายน 2554, เข้าถึงข้อมูลได้จาก <http://www.dopa.go.th/padmico/jungwad76/kanchanaburi.htm>
- กรมการแพทย์. (2549). โครงการวิจัยเรื่องการสำรวจและศึกษาภาวะสุขภาพของผู้สูงอายุ 4 ภาค ของไทย. กรุงเทพฯ: สถาบันเวชศาสตร์ผู้สูงอายุ.
- กลุ่มฟื้นฟูสมรรถภาพสมอง. (2537). แบบวัดความเครียดในผู้สูงอายุของไทย. สารศิริราช, 46(1), 1-9.
- กันยรัตน์ อุบลวรรณ และรุจิระชัย เมืองแก้ว. (2549). ความสัมพันธ์ระหว่างปัจจัยส่วนบุคคลและพฤติกรรมส่งเสริมสุขภาพกับการรู้คิดของผู้สูงอายุในจังหวัดพื้นที่บริการสาธารณสุข เขต 2. วารสารพัฒนาวิทยาและเวชศาสตร์ผู้สูงอายุ, 7(2), 2-11.
- กัลยา วานิชย์บัญชา. (2540). การวิเคราะห์ข้อมูลด้วย SPSS for Windows (พิมพ์ครั้งที่ 2). กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- กัลยา วานิชย์บัญชา. (2549). หลักสถิติ (พิมพ์ครั้งที่ 8). กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- เกษม ดันติผลาชีวะ. (2545). อาการและการบำบัดโรคจิตโรคประสาท (พิมพ์ครั้งที่ 2). นนทบุรี: สนุกอ่าน.
- กาญจนา ไทยเจริญ. (2543). ปัจจัยที่เป็นตัวทำนายสุขภาพจิตของผู้สูงอายุในจังหวัดชลบุรี. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.
- เจิมจิต สแนชเชล. (2551). ปัจจัยทำนายภาวะซึมเศร้าของผู้สูงอายุที่สูญเสียคู่สมรส. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.
- ชมนาด สุ่มเงิน และนารีรัตน์ สว่างวงษ์พนา. (2549). การพยาบาลเพื่อการฟื้นฟูสภาพ. ชลบุรี: คณะพยาบาลศาสตร์ มหาวิทยาลัยบูรพา. เอกสารประกอบการสอน.
- ชูศักดิ์ เวชแพศย์. (2538). สรีระวิทยาผู้สูงอายุ. กรุงเทพฯ: สุภาวิชการพิมพ์.

แดนเนาวรัตน์ จามรจันทร์, จิตอนงค์ ก้าวถวิลกรรม และสุจิตรา บุญหยง. (2548). รายงานวิจัยฉบับ
สมบูรณ์โครงการการศึกษาเรื่องการทรงตัวและหกล้มในผู้สูงอายุไทย. วันที่ค้นข้อมูล
17 พฤษภาคม 2554, เข้าถึงได้จาก http://elibrary.trf.or.th/project_content.asp?PJID=RDG4730020

ธวัชชัย วรพงษ์สร. (2543). หลักการวิจัยทางสาธารณสุขศาสตร์ (พิมพ์ครั้งที่ 4). กรุงเทพฯ: โรงพิมพ์
แห่งจุฬาลงกรณ์มหาวิทยาลัย.

บรรลุ ศิริพานิช. (2543). ปัญหาสุขภาพของผู้สูงอายุไทย (พิมพ์ครั้งที่ 3). กรุงเทพฯ: กบไฟ.

บุญใจ ศรีสถิตนรากร. (2547). ระเบียบวิธีการวิจัยทางพยาบาลศาสตร์ (พิมพ์ครั้งที่ 4). กรุงเทพฯ:
ยูแออนด์ไออินเตอร์มีเดีย.

ประเสริฐ อัสสันตชัย. (2552). ปัญหาสุขภาพที่พบบ่อยในผู้สูงอายุและการป้องกัน. กรุงเทพฯ:
ยูเนี่ยนครีเอชั่น.

เปรมกมล ขวนขวย. (2550). ปัจจัยที่เกี่ยวข้องกับการหกล้มของผู้สูงอายุที่อาศัยอยู่ในชุมชน.
วิทยานิพนธ์สาธารณสุขศาสตรมหาบัณฑิต, สาขาชีวสถิติ, บัณฑิตวิทยาลัย,
มหาวิทยาลัยขอนแก่น.

นงนุช วรโธสง. (2551). ปัจจัยที่เกี่ยวข้องกับการหกล้มในผู้สูงอายุกลุ่มเสี่ยงที่อาศัยอยู่ในชุมชน.
วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย,
มหาวิทยาลัยขอนแก่น.

ผ่องพรรณ ตริยมงคลกุล และสุภาพ นัตถารณ. (2549). การออกแบบการวิจัย (พิมพ์ครั้งที่ 5).
กรุงเทพฯ: โรงพิมพ์แห่งมหาวิทยาลัยเกษตรศาสตร์.

ผ่องพรรณ อรุณแสง. (2550). การประเมินภาวะสุขภาพผู้ใหญ่และผู้สูงอายุสำหรับพยาบาล
(พิมพ์ครั้งที่ 2). [ม.ป.ท.]: คลังนานาวิทยา.

พจนานุกรมไทย ฉบับราชบัณฑิตยสถาน. (2542). ความหมายของคำว่ากลัว. วันที่ค้นข้อมูล
20 เมษายน 2554, เข้าถึงข้อมูลได้จาก <http://rirs3.royin.go.th/new-search/word-search-all-x.asp>

พระราชบัญญัติเทศบาล. (2543). กฎหมายว่าด้วยเทศบาล. วันที่ค้นข้อมูล 2 มีนาคม 2554,
เข้าถึงข้อมูลได้จาก <http://www.kodmhai.com/m4/m4-5/Nthailaw-4-5/N1615.html#3>

พระราชบัญญัติเทศบาล. (2496). รวม พ.ร.บ.เทศบาล 7-13. วันที่ค้นข้อมูล 2 มีนาคม 2554, เข้าถึง
ข้อมูลได้จาก <http://www.kodmhai.com/m4/m4-6/H10/m7-13.html>

พิมวรินทร์ ลิ้มสุขสันต์. (2551). ปัจจัยทำนายการเกิดการปลัดตกหกล้มของผู้สูงอายุ. วิทยานิพนธ์
พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลเวชปฏิบัติครอบครัว, บัณฑิตวิทยาลัย,
มหาวิทยาลัยธรรมศาสตร์.

มานิต ศรีสุรภานนท์ และสุธีร์ อินตะประเสริฐ. (2542). จิตเวชศาสตร์ในผู้สูงอายุ. ใน
มานิต ศรีสุรภานนท์ และจำลอง ดิษขณิช (บรรณาธิการ), ตำราจิตเวชศาสตร์
(หน้า 407). เชียงใหม่: เชียงใหม่โรงพิมพ์แสงศิลป์.

มานิช หล่อตระกูล. (2546). โรควิตกกังวล. กรุงเทพฯ: อูษาการพิมพ์.

มานิช หล่อตระกูล และปราโมทย์ สุกนิษฐ์. (2542). จิตเวชศาสตร์รวมฉบับที่ 4. (พิมพ์ครั้งที่ 4).
กรุงเทพฯ: สวีชาญการพิมพ์.

มูลนิธิสถาบันวิจัยและพัฒนาผู้สูงอายุไทย. (2552). รายงานสถานการณ์ผู้สูงอายุไทย พ.ศ. 2551.
กรุงเทพฯ: ที่คิวพี.

ยุพดี รัตตะรังสี. (2545). การพยาบาลผู้ป่วยสูงอายุทางจักษุวิทยา (พิมพ์ครั้งที่ 2). กรุงเทพฯ:
คอมฟอร์ม.

รัตนา สายพานิชย์ และสุวรรณ พิสุทธิศรี. (2548). โรควิตกกังวล. ใน มานิช หล่อตระกูล และ
ปราโมทย์ สุกนิษฐ์ (บรรณาธิการ), จิตเวชศาสตร์รวมฉบับที่ 4 (หน้า 161). กรุงเทพฯ:
ปิยอนด์เอ็นเทอร์ไพรซ์.

ลัดดา เกียมวงศ์. (2554). การทดสอบคุณสมบัติของเครื่องมือประเมินอาการกล้วหกล้มใน
ผู้สูงอายุไทย. สงขลานครินทร์เวชสาร, 29(6), 277-287.

ลัดดา เกียมวงศ์, สุทธิชัย จิตะพันธ์กุล และลักขณา ปัญญาชีวิน. (2547). การทดสอบประสิทธิภาพ
ของเครื่องมือประเมินความเสี่ยงของการเกิดหกล้ม (Thai FRAT) ของผู้สูงอายุที่อาศัยอยู่
ในชุมชน. วารสารพัฒนาวิทยา, 5(2), 14-24.

ลิวรรณ อุนนาภิรักษ์. (2552). การพยาบาลผู้สูงอายุ: ปัญหาาระบบประสาทและอื่น ๆ. กรุงเทพฯ:
บุญศิริการพิมพ์.

วลัยพร นันท์ศุภวัฒน์. (2552). การพยาบาลผู้สูงอายุ: ความท้าทายกับภาวะประชากรผู้สูงอายุ
(พิมพ์ครั้งที่ 2). ขอนแก่น: ขอนแก่นการพิมพ์.

วันดี เข้มจันทร์ฉาย. (2538). ความสัมพันธ์ระหว่างการรับรู้สมรรถนะของตนเอง การรับรู้ภาวะ
สุขภาพกับพฤติกรรมส่งเสริมสุขภาพของผู้สูงอายุ. วิทยานิพนธ์พยาบาลศาสตร
มหาบัณฑิต, สาขาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

วุฒิชัย บุญฤทธิ และมานิต ศรีสุรภานนท์ประเสริฐ. (2542). โรคจิตกึ่งวล. ใน มานิต ศรีสุรภานนท์ และจำลอง ดิษยวณิช (บรรณาธิการ), *ตำราจิตเวชศาสตร์* (หน้า 189). เชียงใหม่: เชียงใหม่โรงพิมพ์แสงศิลป์.

ศิริชัย พงษ์วิชัย. (2539). *การวิเคราะห์ข้อมูลทางสถิติด้วยคอมพิวเตอร์* (พิมพ์ครั้งที่ 6). กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.

ศิริพันธุ์ สาสัตย์. (2549). *การพยาบาลผู้สูงอายุ ปัญหาที่พบบ่อยและแนวทางในการดูแล*. กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.

ศุภกิจ เจริญสุข. (2551). *การพัฒนาแบบวัดความคิดทางลบของแครนเดลล์ (Crandell Cognition Inventory)* ฉบับภาษาไทย. ชลบุรี: งานวิจัย, วิทยาลัยพยาบาลบรมราชชนนี ชลบุรี.

สถาบันเวชศาสตร์ผู้สูงอายุ. (2542). *คู่มือการคัดกรองสุขภาพผู้สูงอายุสำหรับ อสม. นนทบุรี: สถาบันเวชศาสตร์ผู้สูงอายุ.*

สมนึก กุลสถิตพร. (2549). *กายภาพบำบัดในผู้สูงอายุ* (พิมพ์ครั้งที่ 2). กรุงเทพฯ: ออฟเซตเพลส.

สมภพ เรืองตระกูล. (2547). *ตำราจิตเวชผู้สูงอายุ*. กรุงเทพฯ: เรือนแก้วการพิมพ์.

_____. (2549). *จิตเวชศาสตร์พื้นฐานและโรคทางจิตเวช*. กรุงเทพฯ: เรือนแก้วการพิมพ์.

สายฝน เอกวางกูร. (2553). *รู้จัก เข้าใจ ดูแล ภาวะซึมเศร้า*. กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.

สารทิ กาญจนาโรจน์พันธ์. (2548). *ปัจจัยที่มีความสัมพันธ์กับความกลัวของเด็กวัยเรียนที่เข้ารับการรักษารักษาในโรงพยาบาล. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยจุฬาลงกรณ์.*

สำนักงานสถิติแห่งชาติ. (2554). *สรุปผลที่สำคัญการทำงานของผู้สูงอายุในประเทศไทย พ.ศ. 2553*. กรุงเทพฯ: สำนักสถิติพยากรณ์.

สำนักงานสถิติแห่งชาติ. (2550). *จำนวนผู้สูงอายุที่เคยหกล้มในรอบ 6 เดือนที่ผ่านมา จำแนกตามสาเหตุที่ทำให้หกล้มครั้งสุดท้าย การรักษาล้างการหกล้ม กลุ่มอายุ เพศ และเขตการปกครอง พ.ศ. 2550*. วันที่ค้นข้อมูล 2 เมษายน 2554, เข้าถึงข้อมูลได้จาก

http://www.service.nso.go.th/nso/nso.../00_S-elderly_2550_000_000000_02600.xls

สำนักงานสถิติแห่งชาติ. (2550). *จำนวนผู้สูงอายุจำแนกตามจังหวัด เพศ เขตการปกครอง และภาค พ.ศ.2550*. วันที่ค้นข้อมูล 2 เมษายน 2554, เข้าถึงข้อมูลได้จาก

www.service.nso.go.th/.../2550/.../00_S-elderly_2550_000_000000_00300.xls

- สำนักงานสาธารณสุขจังหวัดกาญจนบุรี. (2554). รายงานจำนวนประชากรผู้สูงอายุจังหวัดกาญจนบุรี. กาญจนบุรี: สำนักงานสาธารณสุขจังหวัดกาญจนบุรี.
- สำนักงานสำรวจสุขภาพประชาชนไทย. (2552). รายงานการสำรวจสุขภาพประชาชนไทยโดยการตรวจร่างกาย ครั้งที่ 4 พ.ศ. 2551-2. นนทบุรี: เดอะกราฟิโกซิสเต็มส์.
- สุทธิชัย จิตะพันธุ์กุล. (2544). *หลักสำคัญของเวชศาสตร์ผู้สูงอายุ* (พิมพ์ครั้งที่ 3). กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- สุนันทา สิริประภาพล. (2545). *ปัจจัยที่มีความสัมพันธ์กับการคงอยู่หรือยุติความสัมพันธ์กับสามีของภรรยาที่ถูกสามีทำร้ายร่างกาย*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาการพยาบาลครอบครัว, บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.
- สุรางค์ ไคว์ตระกูล. (2553). *จิตวิทยาการศึกษา*. กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- อรรพรรณ แผนคง. (2552). *การพยาบาลผู้สูงอายุ*. นนทบุรี: ยูทธรินทร์การพิมพ์.
- Bandura, A. (1997). *Self Efficacy The Exercise of Control* (4th ed.). United States of America: W. H. Freeman.
- Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive Therapy of Depression*. United States of America: Gullford.
- Bhala, R. P., O'Donnell, J., & Thoppil, E. (1982). Phobic fear of falling and its clinical management. *Physical Therapy*, 62(2), 187-190.
- Boyd, R., & Stevens, J. A. (2009). Fall and fear of falling: Burden, beliefs and behaviors. *Age and Ageing*, 38, 423-428.
- Chamberlin, M. E., Fulwider, B. D., Sanders, S. L., & Medeiros, J. M. (2005). Dose fear of falling influence spatial and temporal gait parameter in elderly persons beyond changes associated with normal ageing?. *Journal of Gerontology*, 60A(9), 1163-1167.
- Cotter, V. T., & Strumpf, N. E. (2002). *Advanced Practice Nursing with Older Adults*. United States of America: McGraw Hill.
- Cumming, R. G., Salkeld, G., Thomas, M., & Szonyi, G. (2000). Prospective study of the impact of falling on activities of daily living, SF-36 score, and nursing home admission. *Journal of Gerontology*, 55A(5), M299-M305.

- Curcio, C. L., Gomez, F., & Reyes-Ortiz, C. A. (2009). Activity restriction relate to fear of falling among older people in the columbian andes mountains: Are functional or psychosocial risk factor more important?. *Ageing and Health*, 21(3), 460-479.
- Delbaere, K., Close, J. C. T., Mikolaizak, A. S., Sachdev, P. S., Brodaty, H., & Lord, S. R. (2010). The falls efficacy scale international (FES-I). A comprehensive longitudinal validation study. *Age and Ageing*, 39, 210-216.
- Deshpande, N., Metter, E. J., Bandinelli, S., Lauretani, F., Windham, B. G., & Ferrucci, L. (2008). Psychological, physical and sensory correlates of fear of falling and consequent activity restriction in the elderly : The InCHIANTI study. *American Journal of Physical Medicine and Rehabilitation*, 87(5), 354-362.
- Filiatrault, J., Desrosiers, J., & Trottier, L. (2009). An exploratory study of individual and environmental correlates of fear of falling among community-dwelling seniors. *Ageing and Health*, 21(6), 881-894.
- Fletcher, P. C., & Hirdes, J. P. (2004). Restriction in activity associated with fear of falling among community-based seniors using home care services. *Age and Ageing*, 10, 1-7.
- Folstein, M. F., Folstein, S. E., & McHugh, P. R. (1975). Mini-mental state: A practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12(3), 189-198.
- Friedman, S. M., Munoz, B., West, S. K., Rubin, G., & Fried, L. P. (2002). Fall and fear of falling: Which come first? A longitudinal prediction model suggests for primary and secondary prevention. *American Geriatrics Society*, 50, 1329-1335.
- Gillespie, S. M., & Friedman, S. M. (2007). Fear of falling in new long-term care enrollees. *Journal of the American Medical Directors Association*, 8(5), 307-313.
- Hadjistavropoulos, T., Delbaere, K., & Fitzgerald, T. D. (2010). Reconceptualizing the role of fear of falling and balance confidence in fall risk. *Ageing and Health*, 23(1), 3-23.
- Hellstrom, K., Vahlberg, B., Urell, C., & Emtner, M. (2009). Fear of falling, fall-related self-efficacy, anxiety and depression in individuals with chronic obstructive pulmonary disease. *Clinical Rehabilitation*, 23, 1136-1144.

- Hill, K. D., Schwarz, J. A., Kalogeropoulos, A. J., & Gibson, S. J. (1996). Fear of falling revisited. *Archives of Physical Medicine and Rehabilitation*, 77, 1025-1029.
- Howland, J., Lachman, M. E., Peterson, E. W., Cote, J., Kasten, L., & Jette, A. (1998). Covariates of fear of falling and associated activity curtailment. *The Gerontologist*, 38(5), 549-555.
- Huang, T. T., & Wang, W. S. (2009). Comparison of three established measures of fear of falling in community-dwelling older adult: Psychometric testing. *International Journal of Nursing Studies*, 46, 1313-1319.
- Jitapunkul, S., Kamolratanakul, S., Chandraprasert, S., & Bunnag, S. (1994). Disability among Thai elderly living in Klong Toey slum. *Journal of The Medical Association of Thailand*, 77(5), 231-238.
- Jung, D. (2008). Fear of falling in older adult: Comprehensive review. *Asian Nursing Research*, 2(4), 214-222.
- Jorstad, E. C., Hauer, K., Becker, C., & Lamb, S. E. (2005). Measuring the psychological outcomes of falling: A systematic review. *Journal of American Geriatrics Society*, 53, 501-510.
- Kempen, G. J. I. M., Todd, C. J., Haastregt, J. C. M. V., Zijlstra, G. A. R., Beyer, N., Freiburger, E., Hauer, K. A., Piot-Ziegler, C., & Yardley, L. (2007). Cross-cultural validation of the falls efficacy scale international (FES-I) in older people: Results from Germany, the Netherlands and the UK were satisfactory. *Disability and Rehabilitation*, 29(2), 155-162.
- Kempen, G. I., Haastregt, J. C. M. V., Mckee, K. J., Delbaere, K., & Zijlstra, G. A. R. (2009). Socio-demographic, health-related and psychosocial correlates of fear of falling and avoidance of activity in community-living older persons who avoid activity due to fear of falling. *BMC Public Health*, 9, 170.
- Kressig, R. W., Wolf, S. L., Sattin, R. W., O'Grady, M., Greenspan, A., Curns, A., & Kutner, M. (2001). Associations of demographic, functional, and behavioral characteristics with activity-related fear of falling among older adults transitioning to frailty. *Journal of the American Geriatrics Society*, 49(11), 1456-1462.

- Lach, H. W. (2002). Fear of falling: An emerging public health problem. *Generations: Journal of The American Society on Aging*, 26, 33-37.
- _____. (2005). Incidence and risk factors for developing fear of falling in older adults. *Public Health Nursing*, 22(1), 45-52.
- _____. (2006). Self-efficacy and fear of falling: In search of a complete theory. *Journal of The American Geriatrics Society*, 54, 381-382.
- Lawrence, R. H., Tennstedt, S. L., Kasten, L. E., Shin, J., Howland, J., & Jette, A. M. (1998). Intensity and correlates of fear of falling and hurting oneself in the next year: Baseline findings from a royal center fear of falling intervention. *Ageing and Health*, 10(3), 267-286.
- Leung, A., Chi, I., Lou, V. W. Q., & Chan, K. S. (2010). Psychosocial risk factors associated with falls among Chinese community dwelling older adults in Hong Kong. *Health and Social Care in the Community*, 18(3), 272-281.
- Liu, H., Grando, V., Zabel, R., & Nolen, J. (2009). Pilot study evaluating fear of falling and falls among older rolling walker users. *International Journal of Therapy and Rehabilitation*, 16(12), 670-677.
- Mann, R., Birks, Y., Hall, J., Torgerson, D., & Watt, I. (2006). Exploring the relationship between fear of falling and neuroticism : A cross-sectional study in community-dwelling woman over 70. *Age and Ageing*, 35, 143-147.
- Martin, F. C., Hart, D., Spector, T., Doyle, D. V., & Harari, D. (2005). Fear of falling limiting activity in young-old woman is associated with reduced functional mobility rather than psychological factors. *Age and Ageing*, 34, 281-287.
- Menz, H. B., Lord, S. R., & Fitzpatrick, R. C. (2007). A structural equation model relating impaired sensorimotor function, fear of falling and gait patterns in older people. *Gait and Posture*, 25, 243-249.
- Miller, C. A. (2009). *Nursing for Wellness in Older Adults* (5th Ed.). n.p.: Spearhead.
- Miller, W. C. (2003). Standing strong. *The Interdisciplinary Journal of Rehabilitation*, No. Retrieved March 10, 2011, from the <http://www.rehabpub.com/features/892003/5.asp>

- Moore, D. S., & Ellis, R. (2008). Measurement of fall-related psychological constructs among independent-living older adults: A review of the research literature. *Aging & Mental Health, 12*(6), 684-699.
- Mossey, J. M., & Shapiro, E. (1982). Self-rated health: A predictor of mortality among the elderly. *The American Journal of Public Health, 72*(8), 800-808.
- Murphy, S. L., Williams, C. S., & Gill, T. M., (2002). Characteristics associate with fear of falling and activity restriction in community-living older persons. *Journal of American Geriatric Society, 50*, 516-520.
- Murphy, S. L., Dubin, J. D., & Gill, T. M. (2003). The development of falling among community-living older women: Predisposing factors and subsequent fall events. *Journal of Gerontology, 58A*(10), 943-947.
- Nordell, E. N., Andreasson, M., Gall, K., & Thorngren, K. G. (2009). Evaluation the Swedish version of the fall efficacy scale-international (FES-I). *Advances in Physiotherapy, 11*, 81-87.
- Pang, M. Y. C., & Eng, J. J. (2007). Fall related self-efficacy, not balance and mobility performance, is related to accidental falls in chronic stroke survivors with low mineral density. *Osteoporosis International, 19*, 919-927.
- Peterson, E. W., Cho, C. C., & Finlayson, M. L. (2007). Fear of falling and activity curtailment among middle aged and older adults with multiple sclerosis. *Multiple Sclerosis, 13*, 1168-1175.
- Piphatvanitcha, N. (2006). *The Effect of a Fall Prevention Program on Gait and Balance of Community-Dwelling Elders*. Doctoral dissertation, Philosophy Program in Nursing Science, Faculty of Nursing, Chulalongkorn University.
- Piphatvanitcha, N., Kespichayawattana, J., Aungsuroch, Y., & Magilvy, J. K. (2007). State of science: Falls prevention program in community-dwelling elders. *Thai Journal of Surgery, 28*, 90-97.
- Podsiadlo, D., & Richardson, S. (1991). The timed up and go: a test of basic functional mobility for frail elderly persons [Abstract]. *Journal of the American Geriatrics Society Abstract, 39*(2), 142-148.

Prevention of Falls Network Europe. (2006). *Falls Efficacy Scale International (FES-I)*.

Retrieved June 11, 2011, from <http://www.propane.eu.org/fesi.html>

Reelick, M. F., Iersel, M. B. V., Kessels, R. P. C., & Rikkert, M. G. M. O. (2009). The influence of fear of falling on gait and balance in older people. *Age and Ageing*, 38, 435-440.

Rochat, S., Bula, C. J., Martin, E., Bagnoud, L. S., Karmaniola, A., Aminian, K., Ziegler, C. P., & Eggimann, B. S. (2010). What is the relationship between fear of falling and gait in well-functioning older person aged 65 to 70 year ?. *Archive of Physical Medicine and Rehabilitation*, 91, 879-884.

Rubenstein, L. Z., Robbins, A. S., Josephson, K. R., Schulman, B. L., & Osterweil, D. (1990). The value of assessing falls in an elderly population. A randomized clinical trial. *Annals of Internal Medicine*, 113(4), 308-316.

Rucker, D., Rowe, B. H., Johnson, J. A., Steiner, I. P., Russell, A. S., Hanley, D. A., Maksymowych, R. (2006). Education to reduce falls and fear of falling in patients after fragility fracture: Results of a controlled pilot study. *Preventive Medicine*, 42, 316-319.

Scheffer, A. C., Schuurmans, M. J., Dijk, N. V., Hooft, T. V. D., & Rooij, S. E. D. (2008). Systematic review fear of falling: Measurement strategy, prevalence, risk factors and consequences among older persons. *Age and Ageing*, 37, 19-24.

Suzuki, M., Ohyama, N., Yamada, K., & Kanamori, M. (2002). The relationship between fear of falling, activities of daily living and quality of life among elderly individuals. *Nursing and Health Sciences*, 4, 155-161.

Tinetti, M. E., Richman, D., & Powell, L. (1990). Falls efficacy as a measure of fear of falling. *Journal of Gerontology: Psychological Sciences*, 45(6), 239-243.

The National Ageing Research Institute. (2005). *The Modified Falls Efficacy Scale (MFES) Guidelines*. Retrieved June 14, 2011, from <http://www.docstoc.com/docs/34679811/The-Modified-Falls-Efficacy-Scale-%28MFES%29-guidelines>

Thompson, M., & Medley, A. (1995). Performance of community dwelling elderly on the timed up and go test. *Physical and Occupational Therapy in Geriatrics*, 13(3), 17-30.

- Wolinsky, F. D., Fitzgerald, J. F., & Stump L. E. (1997). The effect of hip fracture on mortality, hospitalization, and functional status: A prospective study. *American Journal Public Health, 87*(3), 398-403.
- Yardley, L., Beyer, N., Hauer, K., Kempen, G., Ziegler, C. P., & Todd, C. (2005). Development and initial validation of the falls efficacy scale-international (FES-I). *Ageing and Ageing, 34*, 614-619.
- Yardley, L., & Smith, H. (2002). A prospective study of the relationship between feared consequences of falling and avoidance of activity in community-living older people. *The Gerontologist, 42*, 17-23.
- Yesavage, J. A., Brink, T. L., Rose, T. L., Lum, O., Huang, V., Adey, M., & Leirer, V. O. (1983). Development and validation of a geriatric depression screening scale: A preliminary report. *Journal of Psychiatric Research, 17*(1), 37-49.
- Zijlstra, G. A. R., Haastregt, J. C. M. V., Eijk, J. Th. M. V., Rossum, E. V., Stalenhoef, P.A., & Kempen, G. I. J. M. (2007). Prevalence and correlates of fear of falling, and associated avoidance of activity in the general population of community-living older people. *Age and Ageing, 36*, 304-309.