

บรรณานุกรม

- จอม สุวรรณโน, เรวดี เพชรศิริพันธ์, จุก สุวรรณโน, วรรัตน์ ไสสุข และอรุณศรี จันทระประดิษฐ์. (2552). ศึกษาอายุการดูแลตนเองในผู้ป่วยภาวะหัวใจล้มเหลวเรื้อรัง: เปรียบเทียบสมรรถนะการดูแลตนเองเพื่อคงภาวะสุขภาพของผู้สูงอายุและผู้ใหญ่. *สงขลานครินทร์เวชสาร*, 27(4), 335-346.
- จูริกรณ์ เจริญพงศ์. (2550). ประสิทธิภาพของโปรแกรมส่งเสริมพฤติกรรมสุขภาพต่อการรับรู้ประโยชน์ของการกระทำการรับรู้สมรรถนะแห่งตนและพฤติกรรมส่งเสริมสุขภาพในผู้สูงอายุที่มีภาวะหัวใจวาย. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.
- ชาย โพธิ์ธิดา. (2552). ศาสตร์และศิลป์แห่งการวิจัยเชิงคุณภาพ (พิมพ์ครั้งที่ 4). กรุงเทพฯ: อมรินทร์พริ้นติ้ง.
- ชุดินทร เรือนแพง. (2548). การจัดการตนเองและความผาสุกในผู้ป่วยภาวะหัวใจล้มเหลว. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- ทรงขวัญ ศิลารักษ์. (2542). อาการวิทยาทางอายุรศาสตร์. ขอนแก่น: คลังนานา.
- นิตา ชูโต. (2540). การวิจัยเชิงคุณภาพ. กรุงเทพฯ: พี. เอ็น. การพิมพ์.
- นุชรรัตน์ ฉัตรวิชัย. (2546). ผลของการใช้โปรแกรมการบรรเทาอาการหายใจลำบากต่อระดับความรุนแรงของอาการหายใจลำบากและความรู้เพื่อควบคุมอาการหายใจลำบากในผู้ป่วยภาวะหัวใจล้มเหลว. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- ผ่องพรรณ อรุณแสง. (2551). การพยาบาลผู้ป่วยโรคหัวใจและหลอดเลือด (พิมพ์ครั้งที่ 5). ขอนแก่น: คลังนานาวิทยา.
- พิกุล บุญช่วง. (2541). การพยาบาลผู้ป่วยหัวใจล้มเหลว (พิมพ์ครั้งที่ 2). เชียงใหม่: โครงการตำราคณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- เขวภา บุญเที่ยง. (2545). การสนับสนุนทางสังคม พฤติกรรมสุขภาพ และการกลับเข้าพักรักษาในโรงพยาบาลของผู้สูงอายุหัวใจวายเลือดคั่ง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- โรงพยาบาลตากลี. (2552). ข้อมูลสถิติผู้ป่วยโรงพยาบาลตากลี. นครสวรรค์: แผนกเวชระเบียนสถิติโรงพยาบาลตากลี.

ลินจง โปธบาล และวรุณี ฟองแก้ว. (2539). การพยาบาลผู้ป่วยระบบหายใจ. เชียงใหม่:

คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

ลิวรรณ อุณนาภิรักษ์, จันทนา รัตนฤทธิชัย, วิไลวรรณ ทองเจริญ, วินัส ลิฬหกุล และพัฒน์

คุ้มทวีพร. (2550). พยาธิสรีรวิทยาทางการพยาบาล (พิมพ์ครั้งที่ 7). กรุงเทพฯ:

บุญศิริการพิมพ์

วรินทร์ เวียงโสด. (2547). ประสิทธิภาพของการดูแลผู้ป่วยภาวะหัวใจล้มเหลวแบบ

ครอบครัว กลุ่ม โรงพยาบาลมหาราชนครเชียงใหม่. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาวิชา

การพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

วันทนา มณีศิลป์. (2543). ประสิทธิภาพการเหนื่อยหอบ ผลของการเหนื่อยหอบ และวิธีการจัดการ

เหนื่อยหอบของผู้ป่วยโรคหัวใจล้มเหลว. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต,

สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

ศิริพร จิรวัดนกุล. (2552). การวิจัยเชิงคุณภาพ. กรุงเทพฯ: วิทยาพัฒน์.

สมจิต หนูเจริญกุล. (2541). การพยาบาลอายุรศาสตร์ เล่ม 2 (พิมพ์ครั้งที่ 13). กรุงเทพฯ: วี.เจ.

พรินต์.

สมาคมแพทย์โรคหัวใจแห่งประเทศไทยในพระบรมราชูปถัมภ์ และชมรมหัวใจล้มเหลวแห่ง

ประเทศไทย. (ม.ป.ท.). แนวทางการปฏิบัติมาตรฐานเพื่อการวินิจฉัยและการดูแลรักษา

ผู้ป่วยภาวะหัวใจล้มเหลว. วันที่ค้นข้อมูล 24 มีนาคม 2553, เข้าถึงได้จาก

<http://www.thaiheart.org>.

สำนักนโยบายและยุทธศาสตร์ สำนักปลัดกระทรวงสาธารณสุข. (2551). สถิติสาธารณสุข 2551.

วันที่ค้นข้อมูล 25 มีนาคม 2553, เข้าถึงได้จาก <http://epid.moph.go.th>.

สุภางค์ จันทวานิช. (2551). การวิเคราะห์ข้อมูลในการวิจัยเชิงคุณภาพ (พิมพ์ครั้งที่ 8). กรุงเทพฯ:

จุฬาลงกรณ์มหาวิทยาลัย.

_____. (2552). วิธีวิจัยเชิงคุณภาพ (พิมพ์ครั้งที่ 11). กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย

สุมาลี พรหมฉาย. (2549). ผลของการจัดทำแผนร่วมกับการบริหารการหายใจแบบเป่าปากต่อ

อาการหายใจลำบากในผู้ป่วยหัวใจวายเลือดคั่ง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต,

สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย, วิทยาลัยคริสเตียน.

Albert, B. N., Trochelman, K., Li, J., & Lin, S. (2010). Signs and symptoms of heart failure: Are

you asking the right questions. *American Journal of Critical Care*, 19(5), 443-452.

American Thoracic Society. (1999). Dyspnea: Mechanismse, assessment, and management: A

consensus statement. *American Journal of Respiratory and Critical Care Medicine*,

159, 321-340.

- Aranda, J. M., Johnson, J. W., & Conti, J. B. (2009). Current trends in heart failure readmission rates: Analysis of medicare data. *Clinical Cardiology*, 32(1), 47-52.
- Barnett, M. (2005). Chronic obstructive pulmonary disease: A phenomenological study of patients' experiences. *Journal of Clinical Nursing*, 14, 805-812.
- Bennett, S. J., Cordes, D. K., Westmoreland, G., Castro, R., & Donnelly, E. (2000). Self-care strategies for symptom management in patients with chronic heart failure. *Nursing Research*, 49(3), 139-145.
- Birk, C., (1997). Pathophysiology and management of dyspnea in palliative care and evolving role of the nurse. *International Journal of Palliative Nursing*, 3(5), 264-274.
- Caroci, A. D. S., Lareau, S. C., & Linda, L. (2004). Descriptors of dyspnea by patients with chronic obstructive pulmonary disease versus congestive heart failure. *The Journal of Acute and Critical Care*, 33(2), 102-110.
- Carelock, J., & Clark, P. A. (2001). Heart failure: Pathophysiologic mechanisms. *American Journal of Nursing*, 101(12), 26-33.
- Copstead, L. C., & Banasik, J. L. (2010). *Pathophysiology*. Toronto: Elsevier.
- Davie, A. P., Francis, C. M., Caruana, L., Sutherland, G. R., & McMurray, J. J. V. (1997). Assessing diagnosis in heart failure which are any use. *Oxford Journal Medicine*, 90, 335-339.
- Edmonds, P. M., Rogers, A., Addington-Hall, J. M., McCoy, A., Coats, A. J. S., & Gibbs, J. S. R. (2005). Patient descriptions of breathlessness in heart failure. *International Journal of Cardiology*, 98, 61-66.
- Ekman, I., Cleland, J. G. F., Andersson, B., & Swedberg, K. (2005). Exploring symptoms in chronic heart failure. *European Journal of Heart Failure*, 7(5), 699-703.
- Ekman, I., Cleland, J. G. F., Swedberg, K., Charlesworth, A., Metra, M., & Poole-Wilson, P. A. (2005). Symptoms in patients with heart failure are prognostic predictors: Insights from COMET. *Journal of Cardiac Failure*, 11(4), 288-292.
- Figueroa, M. S., Peter, I. P. (2006). Congestive heart failure: diagnosis, pathophysiology, therapy, and implications for respiratory care. *Respiratory Care*, 51(4), 403-412.
- Fishman, P. A. (1994). *Pulmonary Disease and Disorder: Companion Handbook*. New York: McGraw-Hill.

- Grady, K. L., Dracup, K., Kennedy, G., Moser, D. K., Piano, M., Stevenson, L. W., & Young, J. B. (2000). Team management of patients with heart failure a statement for healthcare professionals from the cardiovascular nursing council of the American heart association. *Circulation*, 102, 2443-2456.
- Gopal, M., & Karnath, B. (2009). *Clinical Diagnosis of Heart Failure*. Retrieved July 31, 2010, from <http://www.turner-white.com>.
- He, J., Ogden, L. G., Bazzano, L. A., Vippituri, S., Loria, C., & Whelton, P. K. (2001). Risk factors for Congestive heart failure in US men and women. *American Medical Association*, 161, 996-1002
- Hobbs, F. D., Kenkre, J. E., Roalfe, A. K., Davis, R. C., Hare, R., & Davies, M. K. (2002). Impact of heart failure and left ventricular systolic dysfunction on quality of life: A cross-sectional study comparing common chronic cardiac and medical disorders and a representative adult population. *European Heart Journal*, 23(23), 1867-1876.
- Hunt, S. A., Abraham, W. T., Chin, M. H., Feldman, A. M., & Francis, G. S. (2009). 2009 Focused update incorporated into the ACC/AHA 2005 guidelines for the diagnosis and management of heart failure in adults, *Journal of the American College of Cardiology*, 53, 1-90.
- Janssen, D. J., Wouters, E. F., Jos, M. G. A., Schols, J. M., & Spruit, M. A. (2008). Self-perceived symptoms and care needs of patients with severe to very severe chronic obstructive pulmonary disease, congestive heart failure or chronic renal failure and its consequences for their closest relatives: The research protocol. *BioMed Central Palliative Care*, 7(5), 1-8.
- Jeon, Y., Kraus, S. G., Jowsey, T., & Glasgow, J. N. (2010). The experience of living with chronic heart failure: narrative review of qualitative studies. *BioMed Central Health Services Research*, 77(10), 1-9.
- Jurgens, C. Y. (2006). Somatic awareness, uncertainty, and delay in care-seeking in acute heart failure. *Research in Nursing & Health*, 29, 74-86.
- Jurgens, C. Y., Debra, K., Moser, D. K., Armola, R., Carlson, B., Sethares, K., & Riegel, B. (2009). Symptom clusters of heart failure. *Nursing & Health*, 32(5), 551-560.
- Kaplow, R., & Hardin, S. R. (2007). *Critical Care Nursing: Synergy for Optimal Outcomes*. New York: Jones and Bartlett.

Karapolat, H., Eyigor, S., Atasever, A., Zoghi, M., Nalbantgil, S., & Durmaz, B. (2008).

Effect of dyspnea and clinical variables on the quality of life and functional capacity in patients with chronic obstructive pulmonary disease and congestive heart failure. *Chinese Medical Journal*, 121(7), 592-596.

Landrum, L. (2009). Description of symptom severity in heart failure: Review of the literature. *Home Health Care Management and Practice*, 21(3), 158-170.

Lincoln, Y. S., & Guba, E. G. (1985). *Naturalistic Inquiry*. Philadelphia: Sage.

Listerman, J., Hunag, R. L., Geisberg, C., & Butler, J. (2007). Risk factor for development of heart failure. *Current Cardiology Reviews*, 3, 1-9.

Lloyd-Jones, D., Adams, R., Carnethon, M., Simone, G. D., Ferguson, T. B., Flegal, K., & Ford, E. (2009). Heart disease and stroke statistics-2009 update: A report from the American heart association statistics committee and stroke statistics subcommittee. *Circulation*, 119, 21-181.

Lloyd-Jones, D., Adams, R. J., Brown, T. M., Carnethon, M., Dai, S., & De Simone, G. (2010). Heart disease and stroke statistics-2010 update: A report from the American heart association. *Circulation*, 121, e46-e215.

Medicare Payment Advisory Commission. (2007). *Promoting Greater Efficiency in Medicare*. Retrieved April 11, 2010, from <http://www.medpac.gov>

Munhall, P. L. (2001). *Nursing Research: A Qualitative Perspective*. Norwalk: Jones and Bartlett. Actice

Ni, H., Nauman, D., Burgess, D., Wise, K., Crispell, K., & Hershberger, E. R. (1999). Factors influencing knowledge of and adherence to self-care among patients with heart failure. *Archives of Internal Medicine*, 159(14), 1613-1619.

Ozalevli, S., & Ucan, E. S. (2005). The comparison of different dyspnea scales in patients with COPD. *Journal of Evaluation in Clinical Practice*, 12, 532-538.

Parker, R. B., Patterson, J. H., & Johnson, J. A. (n.d.). *Heart Failure*. Retrieved April 12, 2010, from <http://www.pharmacotherapyonline.com>.

Parshall, M. B., Welsh, D., Brockopp, D. Y., Heiser, R. M., Schooler, M. P., & Cassidy, K. B. (2001). Dyspnea duration, distress, and intensity in emergency department visit for heart failure. *Heart & Lung*, 30(1), 47-56.

Powell, F. L. (1998). *Essential Medical Physiology* (2nd ed.). New York: Lippincott-Raven.

- Porter, R. S. (2008). *The Merck Manual of Patient Symptoms*. New York: Merck & Co.
- Ramasamy, R., Hildebrandt, T., O'Hea, E., Patel, M., Clemow, L., Freudenberger, R., & Skotzko, C. (2006). Psychological and social factors that correlate with dyspnea in heart failure. *Psychosomatics*, 47(5), 430-434.
- Rector, T. S. (2004). Relationships between clinical assessments and patients' perceptions of the effects of heart failure on their quality of life. *Journal Cardiac Failure*, 12(2), 87-92.
- Rice, P. L., & Ezzy, D. (1999). *Qualitative Research Methods: A Health Focus*. Singapore: Kin Keong
- Rosamond, W., Flegal, K., Furie, K., Go, A., & Greenlund, K. (2008). Heart disease and stroke statistics 2008 update: A report from the American heart association statistics committee. *Circulation*, 11(5), e69-e171
- Ozalevli, S., & Ucan, E. S. (2005). The comparison of different dyspnea scales in patients with COPD. *Journal of Evaluation in Clinical Practice*, 12, 532-538.
- Riegel, B., Carlson, B., & Glaser, D. (2000). Development and testing of a clinical tool self-management of heart failure. *Heart & Lung: Journal of Critical Care*, 29(1), 4-15.
- Ross, J. S., Chen, J., Lin, Z., Bueno, H., & Curyis, J. P. (2009). Recent national trends in readmission rates after heart failure hospitalization. *Circulation Heart Failure*, 3, 97-103.
- Scottish Intercollegiate Guidelines Network. (2007). *Management of chronic heart failure. A national clinical guideline*. Retrieved April 8, 2010, from <http://www.sign.ac.uk>
- Sarna, L., Evangelista, L., Tashkin, D., Padilla, G., Holmes, M., & Grannis, F. (2004). Respiratory symptoms and quality of life of lung cancer survivors. *Chest*, 125, 439-445.
- Schiff, G. D., Fung, S., Speroff, T., & McNutt, R. A. (2003). Decompensated heart failure: Symptoms, patterns of onset, and contributing factors. *American Journal of Medicine*, 114, 625-630.
- Silva, L. B. D., Mielniczuk, L., Laberge, M., Anselm, A., Fraser, M., Williams, K., & Haddad, H. (2004). *Persistent Orthopnea and the Prognosis of Patients in the Heart Failure Clinic*. Retrieved April 10, 2010, from <http://www.medscape.com>.
- Streubert, H. J., & Carpenter, D. R. (1999). *Qualitative Research in Nursing*. Philadelphia: J.B. Lippincott.

Suwanno, J., Petpichetchian, W., Riegel, B., & Issaramalai, S. (2008). A model predicting the health status of patient with heart failure. *Songkla Med Journal*, 26(3), 239-251.

Talbot, L. A. (1995). *Principle and Practice of Nursing Research*. New York: Mosby-Year Book.

มหาวิทยาลัยบูรพา
Burapha University