

บรรณานุกรม

- Abd-Alla, M. A., El-Mohamedy, R. S. R., & Badeaa, R. J. (2006). Effect of some volatile compounds on black mold disease on onion bulbs during storage. *Agriculture and Biological Sciences*, 2, 384-390.
- Abdel-Wahab, A. M. (2005). Diversity of marine fungi from Egyptian Red Sea mangrove. *Botanica Marina*, 48, 348-355.
- Abdel-Wahab, A. M., Asolkar, R. N., Inderbizin, P., & Fenical, W. (2007). Secondary metabolite chemistry of the marine-derived fungus *Massarina* sp. strain CNT-016. *Phytochemistry*, 68, 1212-1218.
- Abu-Elteen, K. H., & Hamad, M. (2011). Antifungal agents for use in human therapy. In K. Kavanagh (Ed.), *Fungi Biology and Applications* (pp. 279-311). New Delhi: John Wiley & Sons.
- Adebola, M. O., & Amadi, J. E. (2010). Screening three *Aspergillus* species for antagonistic activities against the cocoa black pod organism (*Phytophthora palmivora*). *Agriculture and Biology Journal of North America*, 1, 362-365.
- Adrio, J. L., & Dcmain, A. L. (2003). Fungal biotechnology. *International Microbiology*, 6, 191-199.
- Ambang, Z., Ndong, B., Essono, G., Ngoh, J. P., Kosma, P., Chewachong, G. M., & Asanga, A. (2011). Control of leaf spot disease caused by *Cercospora* sp. on groundnut (*Arachis hypogaea*) using methanolic extracts of yellow oleander (*Thevetia peruviana*) seeds. *Australian Journal of Crop Science*, 5, 227-232.
- Ananda, K., & Sridhar, K. R. (2002). Diversity of endophytic fungi in the roots of mangrove species on the west coast of India. *Canadian Journal of Microbiology*, 48, 871-878.
- Alias, S. A., Zainuddin, N., & Jones, E. B. G. (2010). Biodiversity of marine fungi in Malaysian mangroves. *Botanica Marina*, 53, 545-554.
- Arivudainambi, U. S., Anand, T. D., Shanmugaiah, V., Karunakaran, C., & Rajendran, A. (2011). Novel bioactive metabolites producing endophytic fungus *Colletotrichum gloeosporioides* against multidrug-resistant *Staphylococcus aureus*. *FEMS Immunology and Medical Microbiology*, 61, 340-345.

- Arora, D. S., & Chandra, P. (2010). Assay of antioxidant potential of two *Aspergillus* isolates by different methods under various physio-chemical conditions. *Brazilian Journal of Microbiology*, 41, 765-777.
- Bahraminejad, S., Abbasi, S., & Fazlali, M. (2011). In vitro antifungal activity of 63 Iranian plant species against three different plant pathogenic fungi. *African Journal of Biotechnology*, 10, 16193-16201.
- Banerjee, D. (2011). Endophytic fungal diversity in tropical and subtropical plants. *Microbiology*, 6, 54-62.
- Banos, B. S., Lopez, M. H., Monola, E. B., & Wilson, C. L. (2003). Effect of chitosan and plant extracts on growth of *Colletotrichum gloeosporioides*, anthracnose level and quality of papaya fruit. *Crop Protection*, 22, 1087-1092.
- Barata, M. (2006). Marine fungi from Mira River salt marsh in Portugal. *Revista Iberoamericana de Micologia*, 23, 179-184.
- Barik, B. P., Tayung, K., Jagadev, P. N., & Dutta, S. K. (2010). Phylogenetic placement of an endophytic fungus *Fusarium oxysporum* isolated from *Acorus calamus* rhizomes with antimicrobial activity. *European Journal of Biological Sciences*, 2, 8-16.
- Bhakuni, D. S., & Rawat, D. S. (2005). *Bioactive marine natural products*. New Delhi: Anamaya.
- Bhimba, B. V., Franco, A. D., Jose, G. M., Mathew, J. M., & Joel, E. Y. (2011). Characterization of cytotoxic compound from mangrove derived fungi *Irpex hydroides* VB4. *Tropical Biomedicine*, 1, 223-226.
- Bhimba, B. V., Pushpam, A. C., Arumugam, P., & Prakash, S. (2012). Phthalate derivatives from the marine fungi *Phoma herbarum* VB 7. *International Journal of Biological and Pharmaceutical Research*, 3, 507-512.
- Blakeman, J. P. (1978). Microbial competition for nutrients and germination of fungal spores. *Annals of Applied Biology*, 89, 151-155.
- Blunt, J. W., Copp, B. R., Hu, W. P., Munro, M. H., Northcote, P. T., & Prinsep, M. R. (2008). Marine natural products. *Natural Products Report*, 25, 35-94.
- Both, M., Csukai, M., Stumpf, M. P., & Spanu, P. D. (2005). Gene expression profiles of *Blumeria graminis* indicate dynamic changes to primary metabolism during development of an obligate biotrophic pathogen. *Plant Cell*, 17, 2107-2122.

- Bost, S. C. (2001). First report of *Fusarium oxysporum* f. sp. *lycopersici* race 3 on tomato in Tennessee. *Plant Disease*, 85, 802.
- Brent, K. J., & Hollomon, D. W. (2007). *Fungicide resistance in crop pathogen: How can it be managed* (2nd ed.). Brussels: FRAC Monograph.
- Buatong, J., Phongpaichit, S., Rukachaisirikul, V., & Sakayaroj, J. (2011). Antimicrobial activity of crude extracts from mangrove fungal endophytes. *Microbiology Biotechnology*, 27, 3005-3008.
- Bugni, T. S., & Ireland, C. M. (2004). Marine-derived fungi: a chemically and biologically diverse group of microorganisms. *Natural Product Reports*, 21, 143-163.
- Burns, J. L., Saiman, L., Whittier, S., Larone, D., Krzewinski, J., Liu, Z., Marshall, S. A., & Jones, R. N. (2000). Comparison of agar diffusion methodologies for antimicrobial susceptibility testing of *Pseudomonas aeruginosa* isolates from cystic fibrosis patients. *Clinical Microbiology*, 38, 1818-1822.
- Cabrera, G. M., Roberti, M. J., Wright, J. E., & Seldes, A. M. (2002). Cryptoporic and isocryptoporic acids from the fungal cultures of *Polyporus arcularius* and *Polyporus ciliatus*. *Phytochemistry*, 61, 89-93.
- Carlile, M. J., Watkinson, S. C., & Gooday, G. W. (2001). *The Fungi*. London: Academic Press.
- Carrillo-Muñoz, A. J., Giusiano, G., Ezkurra, P. A., & Quindós, G. (2006). Antifungal agents mode of action in yeast cells. *Revista Espanola de Quimioterapia*, 19, 130-139.
- Carroll, G. (1988). Fungal endophytes in stem and leaves from latent pathogen to mutualistic symbiont. *Ecology*, 69, 2-9.
- Casas López, J. L., Sánchez Pérez, J. A., Fernández Sevilla, J. M., Acien Fernández, F. G., Molina Grima, E., & Chisti, Y. (2003). Production of lovastatin by *Aspergillus terreus*: effects of the C: N ratio and the principal nutrients on growth and metabolite production. *Enzyme and Microbial Technology*, 33, 270-277.
- Cathrine, S. J., & Raghukumar, C. (2009). Anaerobic denitrification in fungi from the coastal marine sediments off Goa, India. *Mycological Research*, 113, 100-109.
- Celar, F. (2003). Competition for ammonium and nitrate forms of nitrogen between some phytopathogenic and antagonistic soil fungi. *Biological Control*, 28, 19-24.

- Chantal, O., Claude, H., Jarmila, N., Jamshid, F., Floriane, L. H., & Claude, A. (2006). Colonization of tomato root by pathogenic and nonpathogenic *Fusarium oxysporum* strains inoculated together and separately into the soil. *Applied and Environment Microbiology*, 72, 1523–1531.
- Charudattan, R., Chandramohan, S., & Wyss, G. S. (2002). Biological Control. In W. B. Wheeler (Ed.), *Pesticides in Agriculture and the Environment* (pp. 25-58). New York: Marcel Dekker.
- Chen, G., Lin, Y., Wen, L., Vrijmoed, L. L. P., & Jones, E. B. G. (2003a). Two new metabolites of a marine endophytic fungus (No. 1893) from an estuarine mangrove on the south China sea coast. *Tetrahedron*, 59, 4907-4909.
- Chen, L. Y., Price, T. V., & Park-Ng, Z. (2003b). Conidial dispersal by *Alternaria brassicae* on Chinese cabbage (*Brassica pekinensis*) in the field and under simulated conditions. *Plant Pathology*, 52, 536-545.
- Chen, W., Zhao, Z., Chen, S. F., & Li, Y. Q. (2008). Optimization for the production of exopolysaccharide from *Fomes fomentarius* in submerged culture and its antitumor effect in vitro. *Bioresource Technology*, 99, 3187-3197.
- Chen, Z. S., Pan, J. H., Tang, W. C., Chen, Q. J., & Lin, Y. C. (2009). Biodiversity and biotechnological potential of mangrove-associated fungi. *Forestry Research*, 20, 63-72.
- Chinworrungsee, M., Kittakoo, P., Isaka, M., Rungrod, A., Tanticharoen, M., & Thebtaranonth, Y. (2001). Antimalarial Halorosellinic acid from the marine fungus *Halorosellinia oceanica*. *Bioorganic and Medicinal Chemistry Letters*, 11, 1965–1969.
- Choma, I. M., & Grzelak, E. M. (2011). Bioautography detection in thin-layer chromatography. *Chromatography A*, 1218, 2684-2691.
- Cribb, A. B., & Cribb, J. W. (1995). Marine fungi from Queensland-II. *Botanica Marina*, 3, 97-107.
- Daferner, M., Anke, T., & Sterner, O. (2002). Zopfiellamides A and B, antimicrobial pyrrolidinone derivatives from the marine fungus *Zopfiella latipes*. *Tetrahedron*, 58, 7781 – 7784.

- D'Almeida, R. E., Alberto, M. R., Quisped, C., Schmeda-Hirschmann, G., & Isla, M. I. (2012). Antimicrobial phenylpropanoids from the Argentinean highland plant *Parastrephia lucida* (Meyen) Cabrera. *Ethnopharmacology*, 142, 407-414.
- Ding, G., Jiang, L. H., Guo, L. D., Chen, X. L., Zhang, H., & Che, Y. S. (2008). Pestalazines and pestalamides, bioactive metabolites from the plant pathogenic fungus *Pestalotiopsis theae*. *Natural Products*, 71, 1861-1865.
- Davidson, B. S. (1995). New dimensions in natural products research: cultured marine microorganism. *Current Opinion in Biotechnology*, 6, 284-291.
- Davies, T. A., Kelly, L. M., Jacobs, M. R., & Appelbaum, P. C. (2000). Antipneumococcal activity of telithromycin by agar dilution, microdilution, E-test and disk diffusion. *Clinical Microbiology*, 38, 1444-1448.
- Dickinson, M. (2003). *Molecular plant pathology*. New York: BIOS Scientific.
- Dita, M. A., Walwijk, C., Buddenhagen, I. W., Souza Jr, M. T., & Kema, G. H. J. (2010). A molecular diagnostic for tropical race 4 of the banana fusarium wilt pathogen. *Plant Pathology*, 59, 348-357.
- Dobrestov, S., Dahm, H. U., & Qiu, P. Y. (2006). A review: inhibition of biofouling by marine microorganisms and their metabolites. *Biofouling*, 22, 43-54.
- Donato, D. C., Kauffman, J. B., Murdiyarso, D., Kurnianto, S., Stidham, M., & Kanninen, M. (2011). Mangrove among the most carbon rich forest in the tropics. *Nature Geoscience*, 4, 293-297.
- Duarte, K., Rocha-Santos, T. A. P., Freitas, A. C., & Duarte, A. C. (2012). Analytical techniques for discovery of bioactive compounds from marine fungi. *Trends in Analytical Chemistry*, 34, 97-110.
- Elavarasi, A., Rathna. G. S., & Kalaiselvam, M. (2012). Taxol producing mangrove endophytic fungi *Fusarium oxysporum* from *Rhizophora annamalayana*. *Asian Pacific Journal of Tropical Biomedicine*, 2, 1081-1085.
- Elinberg, J., Enkegaard, A., Vestergaard, S., & Jensen, B. (2000). Biocontrol of pests on plant crops in Denmark: Present status and future potential. *Biocontrol Science and Technology*, 10, 703-716.

- Engelmeier, D., & Hadacek, F. (2006). Antifungal natural products: assays and applications. In M. Rai, & M. C. Carpinella (Eds.), *Naturally Occurring Bioactive Compounds* (pp. 423-467). Netherlands: Elsevier Science.
- Espinoza, J. G., Briceño, E. X., Keith, L. M., & Latorre, B. A. (2008). Canker and twig dieback of blueberry cause by *Pestalotiopsis* spp. And a *Truncatella* sp. in Chile. *Plant Disease*, 92, 1407-1414.
- Faulkner, D. J. (1994). Marine natural products. *Natural Product Reports*, 11, 355-394.
- Faulkner, D. J. (2001). Marine natural products. *Natural Product Reports*, 18, 1-49.
- Fenical, W., & Jensen, P. R. (1993). Marine microorganisms: a new biomedical resource. In D. H. Attaway, & O. R. Zaborsky (Eds.), *Marine Biotechnology* (pp. 419-457). New York: Plenum Press.
- Freeman, S., Horowitz, S., & Sharon, A. (2001). Pathogenic and nonpathogenic lifestyles in *Colletotrichum acutatum* from strawberry and other plants. *Phytopathology*, 91, 986-992.
- Freeman, S., Shalev, Z., & Katan, J. (2002). Survival in soil of *Colletotrichum acutatum* and *C. gloeosporioides* pathogenic on strawberry. *Plant Disease*, 86, 965-970.
- Frisvad, J. C., Andersen, B., & Thrane, U. (2008). The use of secondary metabolite profiling in chemotaxonomy of filamentous fungi. *Mycological research*, 112, 231-240.
- Fu, J., Zhou, Y., Li, H. F., Ye, Y. H., & Guo, J. H. (2011). Antifungal metabolites from *Phomopsis* sp. By254, an endophytic fungus in *Gossypium hirsutum*. *African Journal of Microbiology Research*, 5, 1231-1236.
- Gallo, M. L., Seldes, A. M., & Cabrera, G. M. (2004). Antibiotic long-chain and α, β -unsaturated aldehydes from the culture of the marine fungus *Cladosporium* sp. *Biochemical Systematics and Ecology*, 32, 545-551.
- Gallardo, G. L., Butler, M., Gallo, M. L., Rodríguez, M. A., Eberlin, M. N., & Cabrera, G. M. (2006). Antimicrobial metabolites produced by an intertidal *Acremonium furcatum*. *Phytochemistry*, 67, 2403-2410.
- Gao, P., Liu, Y. P., & Liu, S. G. (2004). Effects of dp-B on ATPase activity of insect plasma membrane. *Pesticide Biochemistry and Physiology*, 80, 157-162.

- Gao, S. S., Li, X. M., Li, C. S., Proksch, P., & Wang, B. G. (2011). Penicisteroids A and B, antifungal and cytotoxic polyoxygenated steroids from the marine alga-derived endophytic fungus *Penicillium chrysogenum* QEN-24S. *Bioorganic and Medicinal Chemistry Letters*, 21, 2894-2897.
- Garcia-Ochoa, F., & Gomez, E. (2009). Bioreactor scale-up and oxygen transfer rate in microbial processes: An overview. *Biotechnology Advances*, 27, 153–176.
- Georgiou, D. C., Patsoukis, N., Papapostolou, I., & Zervoudakis, G. (2006). Sclerotial metamorphosis in filamentous fungi is induced by oxidative stress. *Integrative and Comparative Biology*, 46, 691-712.
- Ghannoum, M. A., & Rice, L. B. (1999). Antifungal agent: mode of action mechanism of resistance, and correlation of these mechanisms with bacterial resistance. *Clinical Microbiology Reviews*, 12, 501-517.
- Giri, C., Ochieng, E., Tieszen, L. I., Zhu, Z., Singh, A., Loveland, T., Masek, J., & Duke, N. (2011). Status and distribution of mangrove forests of the world using earth observation satellite data. *Global Ecology and Biogeography*, 20, 154-159.
- Gogoi, D. K., Boruah, H. P. D., Saikia, R., & Bora, I. C. (2008). Optimization of process parameters for improved production of bioactive metabolite by a novel endophytic fungus *Fusarium* sp. DF2 isolated from *Taxus wallichiana* of north east India. *Microbiology Biotechnology*, 24, 79-87.
- Gopinath, K., Radhakrishnan, N. V., & Jayaraj, J. (2006). Effect of propiconazole and difenoconazole on the control of anthracnose of chili fruit caused by *Colletotrichum capsici*. *Crop Protection*, 25, 1024-1031.
- Grattidge, R. (1982). Occurrence of a third race of *Fusarium* wilt of tomatoes in Queensland. *Plant Disease*, 66, 165-166.
- Greve, H., Schupp, P. J., Eguereva, E., Kehraus, S., Kelter, G., Maier, A., Fiebig, H. H., & König, G. M. (2008). Apralactone A and a new stereochemical class of curvularins from the marine fungus *Curvularia* sp. *European Journal of Organic Chemistry*, 2008, 5085-5092.
- Gu, W. (2009). Bioactive metabolites from *Alternaria brassicicola* ML-P08, an endophytic fungus residing in *Malus halliana*. *Microbiology and Biotechnology*, 25, 1677-1683.

- Gupta, V. K., Pandey, A., Kumar, P., Pandey, B. K., Gaur, R. K., Bajpai, V., Sharma, N., & Sharma, S. (2010). Genetic characterization of mango anthracnose pathogen *Colletotrichum gloeosporioides* Penz. by random amplified polymorphic DNA analysis. *African Journal of Biotechnology*, 9, 4009-4013.
- Haject, A. E. (2004). *Natural enemies: An introduction to biological control*. Cambridge: Cambridge University Press.
- Hawksworth, D. L. (2000). Fresh water and marine lichen-forming fungi. In K. D. Hyde, W. H. Ho, & S. B. Pointing (Eds.), *Aquatic mycology across the millennium Fungal Diversity*, 5, 1-7.
- He, P., Chintamanani, S., Chen, Z., Zhu, L., Kunkel, B. N., Alfano, J. R., Tang, X., & Zhou, J. M. (2004). Activation of a COI1-dependent pathway in *Arabidopsis* by *Pseudomonas syringae* type III effectors and coronatine. *The Plant Journal*, 37, 589-602.
- Huang, C. H., Pan, J. H., Chen, B., Yu, M., Haung, H. B., Zhu, X., Lu, Y. J., She, Z. G., & Lin, Y. C. (2011a). Three bianthraquinone derivatives from the mangrove endophytic fungus *Alternaria* sp. ZJ9-6B from the south China sea. *Marine Drugs*, 9, 832-843.
- Huang, H., She, Z., Lin, Y., Vrijmoed, L. L. P., & Lin, W. (2007a). Cyclic peptides from an endophytic fungus obtained from a mangrove leaf (*Kandelia candel*). *Natural Products*, 70, 1696-1699.
- Huang, J., Lu, C., Qian, X., Huang, Y., Zheng, Z., & Shen, Y. (2011b). Effect of salinity on the growth, biological activity and secondary metabolites of some marine fungi. *Acta Oceanologica Sinica*, 30, 118-123.
- Huang, W. Y., Cai, Y. Z., Hyde, K. D., Corke, H., & Sun, M. (2007b) Endophytic fungi from *Nerium oleander* L. (Apocynaceae): main constituents and antioxidant activity. *Microbiology and Biotechnology*, 23, 1253-1263.
- Huang, Z., Cai, X., Sho, C., She, Z., Xia, X., Chen, Y., Yang, J., Zhou, S., & Lin, Y. (2008). Chemistry and weak antimicrobial activities of phomopsins produced by mangrove endophytic fungus *Phomopsis* sp. ZSU-H76. *Phytochemistry*, 69, 1604-1608.
- Hussaina, A., Shrivastava, A., Jainb, S. K., Baghelc, R. K., Ranid, S. & Agrawalc, M. K. (2012). Cellulolytic enzymatic activity of soft rot filamentous fungi *Paecilomyces variotii*. *Advances in Bioresearch*, 3, 10 – 17.

- Hyde, K. D., & Alias, S. A. (2000). Biodiversity and distribution of fungi associated with decomposing *Nypa fruticans*. *Biodiversity and Conservation*, 9, 393-402.
- Imhoff, J. F., Labes, A., & Wiese, J. (2011). Bio-mining the microbial treasures of the ocean: new natural products. *Biotechnology Advances*, 29, 468-482.
- Isaka, M., Yangchum, A., Intamas, S., Kocharin, K., & Jones, E. B. G. (2009). Aigialomycins and related polyketide metabolites from the mangrove fungus *Aigialus parvus* BCC 5311. *Tetrahedron*, 65, 4396-4403.
- Jabeen, N., Ahmed, N., Ghani, M. Y., & Sofi, P. A. (2009). Role of phenolic compound in instance to chili wilt. *Biometry and Crop Science*, 4, 52-61.
- Jacobs, K., Holtzman, K., & Seifert, K. A. (2005). Morphology phylogeny and biology of *Gliocephalis hyaline*, a biotrophic contact mycoparasite of *Fusarium* species. *Mycologia*, 97, 111-120.
- Jenkins, K. M., Toske, S. G., Jensen, P. R., & Fenical, W. (1998). Solanapyrones E-G, antifungal metabolites produced by marine fungus. *Phytochemistry*, 49, 2299-2304.
- Jeffries, P. (1995). Biology and ecology of mycoparasitism. *Canadian Journal of Botany*, 73, 1284-1290.
- Jeon, J., Julianti, E., Oha, H., Park, W., Oh, D. C., Oh, K. B., & Shin, J. (2013). Stereochemistry of hydroxy-bearing benzolactones: Isolation and structural determination of chrysoarticulins A-C from a marine-derived fungus *Chrysosporium articulatum*. *Tetrahedron Letters*, 54, 3111-3115.
- Jin, H., Geng, Y. C., Yu, Z. Y., Tao, K., & Hou, T. P. (2009). Lead optimization and anti-plant pathogenic fungi activity of daphneolone analogues from *Stellera chamaejasme* L. *Pesticide Biochemistry and Physiology*, 93, 133-137.
- Jingjing, H., Chunhua, L., Xiaoming, Q., Yaojian, H., Zhonghui, Z., & Yuemao, S. (2011). Effect of salinity on the growth, biological activity and secondary metabolites of some marine fungi. *Acta Oceanologica Sinica*, 30, 118-123.
- Johnson, G., Cooke, T., & Mead, A. (1993). Infection and quiescence of mango stem-end rot pathogens. *Acta Horticulture*, 341, 329-336.
- Jones, E. B. G., Pilantanapak, A., Chatnala, I., Sakayaroj, J., Phongpaichit, S., & Choeyklin, R. (2006). Thai marine fungal diversity. *Science and Technology*, 28, 687-708.

- Jones, E. B. G., & Pang, K. L. (2012). Introduction marine fungi. In E. B. G. Jones, & K. L. (Eds.), *Marine fungi: And fungal-like organisms* (pp. 1-16). Berlin: Walter de Gruyter GmbH.
- Jones, E. B. G., Sakayaroj, J., Suetrong, S., Somrithipol, S., & Pang, K. L. (2009). Classification of marine Ascomycota, anamorphic taxa and Basidiomycota. *Fungal Diversity*, 35, 1-203.
- Jung, D. S., Na, Y. J., & Ryu, K. H. (2002). Phylogenic analysis of *Alternaria brassicicola* producing bioactive metabolites. *Microbiology*, 40, 289-294.
- Junji, N. (2006). Black spot on flowering cabbage caused by *Alternaria brassicicola* (Schwein.) Wiltshire in Japan. *Phytopathology*, 72, 200-201.
- Kader, A. A. (2002). Postharvest technology of horticultural crops. *Agriculture and natural resources communications Services*. University of California, USA.
- Kang, L., Cai, M., Yu, C., Zhang, Y., & Zhou, X. (2011). Improved production of the anticancer compound 1403C by glucose pulse feeding of marine *Halorosellinia* sp. (No. 1403) in submerged culture. *Bioresource Technology*, 102, 10750-10753.
- Kansoh, A. L., Khattab, O. H., Abd-Elrazek, Z. M., & Motawea, H. M. (2010). Broad spectrum antimicrobial agent from a local isolate of marine fungus strain. *Applied Sciences Research*, 6, 580-588.
- Kathiresan, K., & Bingham, B. L. (2001). Biology of mangrove and mangrove ecosystem. *Advances in Marine Biology*, 40, 81-251.
- Kaufman, P. B., Cseke, L. J., Warber, S., Duke J. A., & Brielmann, H. L. (1999). *Natural Products from Plants*. USA: CRC Press.
- Keith, L. M., Velásquez, M. E., & Zee, F. T. (2006). Identification and characterization of *Pestalotiopsis* spp. causing scab disease of guava (*Psidium guajava*) in Hawaii. *Plant Disease*, 90, 16-23.
- Kemen, E., Kemen, A. C., Rafiqi, M., Hempel, U., Mendgen, K., Hahn, M., & Voegelé, R. T. (2005). Identification of a protein from rust fungi transferred from haustoria into infected plant cells. *Molecular Plant-Microbe Interactions*, 18, 1130-1139.

- Kerzaon, I., Grovel, O., Pont, T. R. D., Pape, P. L., & Pouchus, Y. F. (2007). Effects of seawater on growth and gliotoxin excretion of marine strains of *Aspergillus fumigates* Fres. *Toxicon*, 51, 398-405.
- Khewkhom, N., Shangchote, S., & Sangsiri, T. (2010). Infection of mangosteen (*Garcinia mangostana*) by fruit diseases in the east of Thailand. *Agricultural Science*, 41, 275-278.
- Khudyakova, Y. U., Pivkin, M. V., Kuznetsova, T. A., & Svetashev, V. L. (2000). Fungi in sediment of the Sea of Japan and their biologically active metabolites. *Microbiology*, 69, 608-611.
- Klepzig, K. D., Moser, J. C., Lombardero, F. J., Hofstetter, R. W., & Ayres, M. P. (2001). Symbiosis and competition: complex interactions among beetles, fungi and mites. *Symbiosis*, 30, 83-96.
- Kiran, G. S., Hema, T. A., Gandhimathi, R., Selvin, J., Thomas, T. A., Ravji, T. R., & Natarajaseenivasan, K. (2009). Optimization and production of a biosurfactant from the sponge-associated marine fungus *Aspergillus ustus* MSF3. *Biointerfaces*, 73, 250-256.
- Köhl, J., & Wolf, J. V. D. (2005). *Alternaria brassicicola* and *Xanthomonas campestris* pv. *campestris* in organic seed production of Brassicae: epidemiology and seed infection. *Wageningen: Plant Research International*, 363, 1-27.
- Kohlmeyer, J., Hawksworth, D. L., & Volkmann- Kohlmeyer, B. (2004). Observation on to marine and maritime "borderline" lichens: *Mastodia tessellate* and *Collempsodium pelvetiae*. *Mycological Progress*, 3, 51-56.
- Kohlmeyer, J., & Kohlmeyer, E. (1979). *Marine mycology-the higher fungi*. New York: Academic Press.
- Kosta, S., Jain, R., & Tiwari, A. (2008). Marine fungi: potential source of pharmacological compounds. *Pharmacologyonline*, 1, 1-3.
- Kumar, M. S., Jana, S. K., Senthil, V., Shashanka, V., Kumar, S. V., & Sadhukhan, A. K. (2000). Repeated fed-batch process for improving lovastatin production. *Process Biochemistry*, 36, 363-368.

- Kumaresan, V., & Suryanarayanan, T. S. (2001). Occurrence and distribution of endophytic fungi in a mangrove community. *Mycological Research*, 105, 1388–1391.
- Kumaresan, V., & Suryanarayanan, T. S. (2002). Endophyte assemblages in young, mature and senescent leaves of *Rhizophora apiculata*: evidence for the role of endophytes in mangrove litter degradation. *Fungal Diversity*, 9, 81-91.
- Kupka, J., Anke, T., Steglich, W., & Zechlin, L. (1981). The biological activity of siccayne, isolated from the marine fungus *Halocyphina villosa*. *Antibiotics*, 34, 298-304.
- Lawrence, C. B., Mitchel, T. K., Craven, K. D., Cho, Y., Cramer-Jr, R. A., & Kim, K. H. (2008). *Alternaria* pathogenicity mechanism. *Plant Pathology*, 24, 101-111.
- Li, H. J., Lan, W. J., Lam, C. K., Yang, F., & Zhu, X. F. (2011). Hirsutane sesquiterpenoids from the marine-derived fungus *Chondrostereum* sp. *Chemistry and Biodiversity*, 8, 317-324.
- Li, W. C., Zhou, J., Guo, S. Y., & Guo, L. D. (2007). Endophytic fungi associated with lichens in Baihua mountain of Beijing, China. *Fungal Diversity*, 25, 69-80.
- Li, Y., Tortora, G., Ryan, M. R., Lee, H. M., & Goulb, L. M. (2002). Potato dextrose agar antifungal susceptibility testing for yeast and mold: evaluation of phosphate effect on antifungal activity of CMT-3. *Antimicrobial Agent and Chemotherapy*, 46, 1455-1461.
- Lin, X., Haung, Y., Fang, M., Wang, J., Zheng, Z., & Su, W. (2005). Cytotoxic and antimicrobial metabolites from marine Lignicolous fungi, *Diaporthe* sp. *FEMS Microbiology letters*, 251, 53-58.
- Lin, Y., Wu, X., Deng, Z., Wang, J., Zhou, S., Vrijmoed, L. L. P., & Jones, E. B. G. (2002). The metabolites of the fungus *Verruculina enalia* No. 2606 from a salt lake in the Bahamas. *Phytochemistry*, 59, 469-471.
- Lin, Y., Wu, X., Feng, S., Jiang, G., Luo, J., Zhou, S., Vrijmoed, L. L. P., Jones, E. B. G., Krohn, K., Steingrover, K., & Zsila, F. (2001). Five unique compounds: Xyloketal from mangrove fungus *Xylaria* sp. from the South China Sea coast. *Organic Chemistry*, 66, 6252-6256.
- Lin, Z., Zhu, T., Fang, Y., & Gu, Q. (2008a). ¹H ¹³C NMR assignments of two new indolic enamide diastereomers from a mangrove endophytic fungus *Aspergillus* sp. *Magnetic Resonance in Chemistry*, 46, 1212-1216.

- Lin, Z., Zhu, T., Fang, Y., Gu, Q., & Zhu, W. (2008b). Polyketides from *Penicillium* sp. JP-1 an endophytic fungus associated with the mangrove plant *Aegiceras corniculatum*. *Phytochemistry*, 69, 1273-1278.
- Liu, J. Y., Huang, L. L., Ye, Y. H., Zou, W. X., Guo, Z. J., & Tan, R. X. (2006). Antifungal and new metabolites of *Myrothecium* sp. Z16, a fungus associated with white croaker *Argyrosomus argentatus*. *Applied Microbiology*, 100, 195-202.
- Liu, D., Li, X. M., Meng, L., Li, C. S., Gao, S. S., Shang, Z., Proksch, P., Huang, C. G., & Wang, B. G. (2011). Nigerapyrones A-H, α -pyrone derivatives from the marine mangrove-derived endophytic fungus *Aspergillus niger* MA-132. *Natural Products*, 74, 1787-1791.
- Liu, H., Lei, X. L., & Li, N. (2013). Highly regioselective synthesis of betulone from betulin by growing cultures of marine fungus *Dothideomycete* sp. HQ 316564. *Molecular Catalysis B: Enzymatic*, 88, 32-35.
- Mabrouk, A. M., Kheiralla, Z. H., Hamed, E. R., Youssry, A. A., & Aty, A. E. (2008). Production of some biologically active secondary metabolites from marine-derived fungus *Varicosporina ramulosa*. *Malaysian Journal of Microbiology*, 4, 14-24.
- Macintosh, D. J., & Ashton, E. C. (2002). A review of mangrove biodiversity conservation and management. *Center of tropical ecosystem research*, University of Aarhus, Denmark.
- MacKinnon, S. L., Keifer, P., & William, A. A. (1999). Components from the phytotoxic extracts of *Alternaria brassicicola*, a black spot pathogen of canola. *Phytochemistry*, 51, 215-221.
- Malpure, P. P., Shah, A. S., & Juvekar, A. R. (2006). Antioxidant and anti-inflammatory activity of extract obtained from *Aspergillus candidus* MTCC 2202 broth filtrate. *Indian Journal of Experimental Biology*, 44, 468-473.
- Maria, G. L., Sridhar, K. R., & Raviraja, N. S. (2005). Antimicrobial and enzyme activity of mangrove endophytic fungi of southwest coast of India. *Agricultural Technology*, 1, 67-80.
- Marton, A. (2011). Thin-layer chromatography with biological detection in phytochemistry. *Chromatography A*, 1218, 2676-2683.

- Masuma, R., Yamaguchi, Y., Noumi, M., Omura, S., & Michio, N. (2001). Effect of seawater concentration on hyphal growth and antimicrobial metabolite production in marine fungi. *Mycoscience*, 42, 455-459.
- McNair, H. M., & Miller, J. M. (1998). *Basic Gas Chromatography: Techniques in Analytical Chemistry*. New York: A Wiley-Interscience.
- Meyer, V. R. (2004). *Practical High-Performance Liquid Chromatography* (4th ed.). Chichester: John Wiley & Sons.
- Miao, L., Kwong, T. F. N., & Qian, P. Y. (2006). Effect of culture conditions on mycelial growth, antibacterial activity, and metabolite profiles of the marine-derived fungus. *Applied Microbiology and Biotechnology*, 72, 1063-1073.
- Mishra, B. K., Mishra, R. K., Mishra, R. C., Tiwari, A. K., Yadav, R. S., & Dikshit, A. (2011). Biocontrol efficacy of *Trichoderma viride* isolates against fungal plant pathogen causing disease in *Vigna radiata* L. *Applied Science Research*, 3, 361-369.
- Molinski, T. F., Dalisay, D. S., Lievens, S. L., & Saludes, J. P. (2009). Drug development from marine natural products. *Nature Reviews Drug Discovery*, 8, 69-85.
- Mondali, N. K., Mojumdar, A., Chatterje, S. K., Banerjee, A., Datta, J. K., & Gupta, S. (2009). Antifungal activities and chemical characterization of Neem leaf extracts on the growth of some selected fungal species in vitro culture medium. *Applied Sciences and Environmental Management*, 13, 49-53.
- Motti, C. A., Bourne, D. G., Burnell, J. N., Doyle, J. R., Haines, D. S., Liptrot, C. H., Llewellyn, L. E., Ludke, S., Muirhead, A., & Tapiolas, D. M. (2007). Screening marine fungi for inhibitors of the C₃ plant enzyme pyruvate phosphate dikinase: unguinol as a potential novel herbicide candidate. *Applied and Environmental Microbiology*, 73, 1921-1927.
- Muto, M., Takahashi, H., Ishihara, K., Yuasa, H., & Haung, J. W. (2005). Control of black leaf spot (*Alternaria brassicicola*) of crucifers by extracts of black nightshade (*Solanum nigrum*). *Plant Pathology Bulletin*, 14, 25-34.
- Nithya, K., & Muthumary, J. (2011). Bioactive metabolite produced by *Phomopsis* sp., an endophytic fungus in *Alamanda cathartical* Linn. *Recent Research in Science and Technology*, 3, 44-48.

- Odds, F. C., Brown, A. J. P., & Gow, N. A. R. (2003). Antifungal agents: mechanisms of action. *Trends in Microbiology*, 11, 272-279.
- Olivian, C., Humbert, C., Nahalkova, J., Fatchi, J., Haridon, F. L., & Alabouvette, C. (2006). Colonization of tomato root by pathogenic and nonpathogenic *Fusarium oxysporum* strain inoculated together and separately into the soil. *Applied and Environmental Microbiology*, 72, 1523-1531.
- Omokolo, N. D., Nankeu, D. J., Niemenak, N., & Boudjeko, T. (2003). Variation of β -1, 3-glucanase, chitinase and polyphenoloxidase activities on cacao pods upon *Phytophthora megakarya* inoculation. *African Crop Science*, 11, 97-106.
- Otvos, L., & Cudic, M. (2007). Broth Microdilution antibacterial assays of peptides. In G. Fields (Ed.), *Peptide Characterisation and Application Protocols, Methods in Molecular Biology* (pp. 309-346). New Jersey: Human Press.
- Pal, K. K., & Gardener, B. M. (2006). Biological control of plant pathogens. *The Plant Health Instructor*, 1-25.
- Papagianni, M. (2004). Fungal morphology and metabolite production in submerged mycelial processes. *Biotechnology Advances*, 22, 189-259.
- Park, C., Paulitz, T. C., & Baker, R. (1987). Biocontrol of *Fusarium* wilt of cucumber resulting from interactions between *Pseudomonas putida* and nonpathogenic isolates of *Fusarium oxysporum*. *Phytopathology*, 78, 190-194.
- Park, J. H., Park, J. H., Choi, G. J., Lee, S. W., Jang, K. S., Choi, Y. H., Cho, K. Y., & Kim, J. C. (2003). Screening for antifungal endophytic fungi against six plant pathogenic fungi. *Mycobiology*, 31, 179-182.
- Pattanamahakul, P., & Strange, R. N. (1999). Identification and toxicity of *Alternaria brassicicola*, the causal agent of dark leaf spot disease of *Brassica* species grown in Thailand. *Plant Pathology*, 48, 749-755.
- Phattanawasin, P., Pojchanakom, K., Sotanaphun, U., Piyapolrungraj, N., & Zungsontiporn, S. (2007). Weed growth inhibitors from *Aspergillus fischeri* TISTR 3272. *Natural Products Research*, 21, 1286-1291.
- Photital, W., Lumyong, S., Lumyong, P., McKenzie, E. H. C., & Hyde, K. D. (2004). Are some endophytes of *Musa acuminata* latent pathogens? *Fungal Diversity*, 16, 131-140.

- Pilantanapak, A., Jones, E. B. G., & Eaton, E. A. (2005). Marine fungi on *Nypa fruticans* in Thailand. *Botanica Marina*, 48, 1-9.
- Pillay, V., Polya, G. M., & Spangenberg, G. C. (2011). Optimisation of an in vitro antifungal protein assay for the screening of potential antifungal proteins against *Leptosphaeria maculans*. *Microbiological Methods*, 84, 121-127.
- Prapagdee, B., Kuekulvong, C., & Mongkolsuk, S. (2008). Antifungal potential of extracellular metabolites produced by *Streptomyces hygroscopicus* against phytopathogenic fungi. *Biological Sciences*, 4, 330-337.
- Qi, S. H., Xu, Y., Xiong, H. R., Qian, P. Y., & Zhang, S. (2009). Antifouling and antibacterial compounds from a marine fungus *Cladosporium* sp. F14. *Microbiology and Biotechnology*, 25, 399-406.
- Rasooli, I., & Abyaneh, M. R. (2004). Inhibition effects of Thyme oils on growth and aflatoxin production by *Aspergillus parasiticus*. *Food Control*, 15, 479-483.
- Renner, M. K., Jensen, P. R., & Fenical, W. (1998). Neomangicols: structures and absolute stereochemistries of unprecedented halogenated sesterterpenes from a marine fungus of the genus *Fusarium*. *Organic Chemistry*, 63, 8346-8354.
- Rocha, L. C., Luiz, R. F., Rosset, I. G., Raminelli, C., Selegim, M. H. R., Sette, L. D., & Porto, A. L. M. (2012). Bioconversion of iodoacetophenons by marine fungi. *Marine Biotechnology*, 14, 396-401.
- Rodrigues, A. P., Carvalho, A. S., Santos, Alves, C. N., do Nascimento, J. L., & Silva, E. O. (2011). Kojic acid, a secondary metabolite from *Aspergillus* sp., acts as an inducer of macrophage activation. *Cell Biology International*, 35, 335-343.
- Rohlfs, M., & Churchill, A. C. (2011). Fungal secondary metabolites as modulators of interactions with insects and other arthropods. *Fungal Genetics and Biology*, 48, 23-34.
- Rossmann, A. Y., & Palm, M. E. (2008). Systematics of plant pathogenic fungi: why it matters. *Plant Disease*, 92, 1376-1386.
- Rowe, R. C. (1980). Comparative pathogenicity and host ranges of *Fusarium oxysporum* isolates causing crown and root rot of greenhouse and field-grown tomatoes in North America and Japan. *Phytopathology*, 70, 1143-1148.

- Rubini, M. R., Rute, T. S. R., Pomella, A. W., Cristina, S. M., Arajo, L. W., Santos, D. R. D., & Azevedo, J. L. (2005). Diversity of endophytic fungal community of cacao (*Thebroma cacao* L.) and biological control of *Crinipellis pernicios*a causal agent of Witches' Broom disease. *Biological Sciences*, 1, 24-33.
- Rukachaisirikul, V., Rodglin, A., Phongpaichit, S., Buatong, J., & Sakayaroj, J. (2011). α - Pyrone and seiricuprolide derivatives from the mangrove -derived fungi *Pestalotiopsis* spp. PSU-MA92 and PSU-MA119. *Phytochemistry Letters*, 5, 13-17.
- Rungjindamai, N., Pinruan, U., Choeyklin, R., Hattori, T., & Jones, E. B. G. (2008). Molecular characterization of basidiomycetous endophytes isolated from leaves, rachis and petioles of the oil palm, *Elaeis guineensis*, in Thailand. *Fungal Diversity*, 33, 139-161.
- Russell, P. E. (2005). A century of fungicide evolution. *Agricultural Science*, 143, 11-25.
- Sakayaroj, J., Jones, E. B. G., Chatmala, I., & Phongpaichit, S. (2004). Marine fungi. In E. B. G. Jones, M. Tanticharoen, & K. D. Hyde (Eds.), *Thai Fungal Diversity* (pp. 107-117). Thailand: BIOTEC.
- Sakayaroj, J., Supaphon, O., Jones, E. B. G., & Phongpaichit, S. (2011). Diversity of higher marine fungi at Hat Khanom-Ko Thale Tai Nation Park, Southern Thailand. *Songklanakarin Journals Scien Technology*, 33, 15-22.
- Sangeetha, C. G., & Rawai, R. D. (2008). Nutrition studies of *Collectotrichum gloeosporioides* (Penz.) Penz. and Sacc. The incitant of mango anthracnose. *Agricultural Sciences*, 4, 717-720.
- Schillingham, G., Milne, L., Williams, D. R., & Carter, G. T. (1998). Cell wall active antifungal compounds produced by the marine fungus *Hypoxylon oceanicum* LL-15G256. II. Isolation and structure determination. *Antibiotics*, 51, 303-316.
- Schmit, J. P., & Shearer, C. A. (2003). A checklist of mangrove-associated fungi, their geography and know host plants. *Mycotoxin*, 80, 423-477.
- Seo, C., Sohn, J. H., Oh, H., Kim, B. Y., & Ahn, J. S. (2009). Isolation of the protein tyrosine phosphatase 1B inhibitory metabolite from the marine-derived fungus *Cosmospora* sp. SF-5060. *Bioorganic and Medicinal Chemistry Letters*, 19, 6095-6097.

- Shahverdi, A. R., Abdolpour, F., Monsef-Esfahani, H. R., & Farsam, H. (2006). A TLC bioautographic assay for the detection of nitrofurantoin resistance reversal compound. *Chromatography B, Analytical technologies in the biomedical and life sciences*, 1, 528-530.
- Sharma, R. R., Singh, D., & Singh, R. (2009). Biological control of postharvest diseases of fruits and vegetables by microbial antagonists: A review. *Biological Control*, 50, 205-221.
- Shearer, C. A., Descals, E., Kohlmeyer, B., Kohlmeyer, J., Marvanova, L., Padgett, D., Porter, D., Raja, H. A., Schmit, J. P., Thorton, H. A., & Voglymayr, H. (2007). Fungal diversity in aquatic habitats. *Biodiversity and Conservation*, 16, 149-167.
- Shrestha, S. K., Mathur, S. B., & Munk, L. (2000). *Alternaria brassicae* in seeds of rapeseed and mustard, its location, transmission from seed to seedlings and control. *Science and Technology*, 28, 75-84.
- Shushni, M. A. M., Singh, R., Mentel, R., & Lindequist, U. (2011). Balticolid: a new 12-membered macrolide with antiviral activity from an *Ascomycetous* fungus of marine origin. *Marine Drugs*, 9, 844-851.
- Silva, M. R. O., Almeida, A. C., Arruda, F. V. F., & Gusmão, N. (2011). Endophytic fungi from brazilian mangrove plant *Laguncularia racemosa* (L.) Gaertn. (Combretaceae): their antimicrobial potential. *Science against microbial pathogens: communicating current research and technological advances*, 2, 1260-1266.
- Singh, C. J. (2003). Optimization of an extracellular protease of *Chrysosporium keratinophilum* and its potential in bioremediation of keratinic wastes. *Mycopathologia*, 156, 151-156.
- Sridhar, K. R. (2004). Mangrove fungi in India. *Current Science*, 86, 1586-1587.
- Srinon, W., Chuncheen, K., Jirattiwatukul, K., Soyong, K., & Kanokmedhakul, S. (2006). Efficacies of antagonistic fungi against Fusarium wilt disease of cucumber and tomato and the assay of its enzyme activity. *Agricultural Technology*, 2, 191-201.
- Stanbury, P. F., Whitaker, A., & Hall, S. J. (1995). *Principles of fermentation technology* (2nd ed.). Oxford: Elsevier Science.
- Steinkellner, S., Mammerler, R., & Vierheilig, H. (2005). Microconidia germination of the tomato pathogen *Fusarium oxysporum* in the presence of root exudates. *Plant Interactions*, 1, 23-30.

- Stone, J. K., Bacon, C. W., & White, J. F. (2000). An overview of endophytic microbes endophytism defined. In C. W. Bacon, & J. F. White (Eds.), *Microbial endophytes* (pp. 3-29). New York: Marcel Dekker.
- Strange, R. N. (2003). *Introduction to Plant Pathology*. New York: John Wiley & Sons.
- Strobel, G. A., & Long, D. M. (1998). Endophytic microbes embody pharmaceutical potential. *ASM News*, 64, 263-268.
- Subramani, R., Kumar, R., Prasad, P., William, A., & Retheesh, S. T. (2013). Cytotoxic and antibacterial substances against multi-drug resistant pathogens from marine sponge symbiont: Citrinin, a secondary metabolite of *Penicillium* sp. *Asian Pacific journal of tropical biomedicine*, 3, 291-296.
- Sun, H. H., Mao, W. J., Chen, Y., Guo, S. D., Li, H. Y., Qi, X. H., Chen, Y. L., & Xu, J. (2009a). Isolation, chemical characteristics and antioxidant properties of the polysaccharides from marine fungus *Penicillium* sp. F23-2. *Carbohydrate Polymers*, 78, 117-124.
- Suryanarayanan, T. S., Venkatachalam, A., Thirunavukkarasu, N., Ravishankar, J. P., Doble, M., & Geetha, V. (2010). Internal mycobiota of marine macro algae from the Tamilnadu coast: distribution, diversity and biotechnological potential. *Botanica Marina*, 53, 457-468.
- Suryanto, D., Potonah, S., & Munir, E. (2010). Control of fusarium wilt of chili with chitinolytic bacteria. *Biosciences*, 17, 5-8.
- Takken, F., & Rep, M. (2010). The arms race between tomato and *Fusarium oxysporum*. *Molecular Plant Pathology*, 11, 309-314.
- Tanaka, M., Yoshimura, M., Suto, M., Yokota, A., Asano, K., Sukara, E., & Tomita, F. (2002). Production of lepidimoide by an endophytic fungus from polysaccharide extracted from *Abelmoschus* sp.: Identification of the product and the organism producing it. *Bioscience and Bioengineering*, 93, 531-536.
- Tarman, K., Lindequist, U., Wende, K., Porzel, A., Arnold, N., & Wessjohann, L. A. (2011). Isolation of a new natural product and cytotoxic and antimicrobial activities of extracts from fungi of Indonesian marine habitats. *Marine Drugs*, 9, 294-306.
- Tarman, K., Palm, G. J., Porzel, A., Merzweiler, K., Arnold, N., Wessjohann, L. A., Unterseher, M., & Lindequist, U. (2012). Helicascolide C, a new lactone from an Indonesian

- marine algicolous strain of *Daldinia eschscholzii* (Xylariaceae, Ascomycota). *Phytochemistry Letters*, 5, 83-86.
- Than, P. P., Jeewon, R., Hyde, K. D., Pongsupasamit, S., Mongkolporn, O., & Taylor, P. W. J. (2008). Characterization and pathogenicity of *Colletotrichum* species associated with anthracnose on chili (*Capsicum* spp.) in Thailand. *Plant Pathology*, 57, 562-572.
- Trisuwan, K., Rukachaisirikul, V., Sukpondma, Y., Phongpaichit, S., Preedanon, S., & Sakayaroj, J. (2009). Lactone derivatives from the marine-derived fungus *Penicillium* sp. PSU-F44. *Chemical and Pharmaceutical Bulletin*, 57, 1100-1102.
- Tsui, C. K. M., & Hyde, K. D. (2004). Biodiversity of fungi on submerged wood in a stream and estuary in the Tai Ho Bay, Hong Kong. *Fungal Diversity*, 15, 205-220.
- Uchaida, J. Y. (2004). *Pestalotiosis* sp. In M. L. Eilliot, T. K. Broschat, T. Y. Uchaida, & G. W. Simone (Eds.), *Disease and disorders of ornamental palms* (pp. 27-28). St. Paul: American Phytopathological Society.
- U'Ren, J. M., Lutzoni, F., Miadlikowska, J., & Arnold, A. E. (2010). Community analysis reveals close affinities between endophytic and endolichenic fungi in mosses and lichens. *Microbial Ecology*, 60, 340-353.
- Vrijmoed, L. L. P. (2000). Isolation and culture of higher filamentous fungi. In K. D. Hyde, & S. B. Pointing (Eds.), *Marine mycology a practical approach* (pp. 1-20). Hong Kong: Fungal Diversity Press.
- Walker, G. M., & White, N. A. (2011). Introduction to Fungal Physiology. In K. Kavanagh (Ed.), *Fungi: Biology and Application* (pp. 1-34). New Delhi: John Wiley & Sons.
- Wegulo, S. N., Zwingman, M. V., Breathnach, J. A., & Baenziger, S. P. (2011). Economic returns from fungicide application to control foliar fungal diseases in winter wheat. *Crop Protection*, 30, 685-692.
- Wen, L., Cai, X., She, Xu, F., Chan, W. L., Vrijmoed, L. L. P., Jones, E. B. G., & Lin, Y. (2009). Three metabolite from the mangrove endophytic fungus *Sporothrix* sp. (#4335) from the south China sea. *Organic Chemistry*, 74, 1093-1098.
- Wijesekara, I., Li, Y. X., Vo, T. S., Ta, Q. V., Ngo, D. H., & Kim, S. K. (2013). Induction of apoptosis in human cervical carcinoma hela cells by neoechinulin A from marine-derived fungus *Microsporium* sp. *Process Biochemistry*, 48, 68-72.

- Wixom, R. L., & Gehrke, C. W. (2010). *Chromatography: A science of discovery*. Canada: John Wiley & Sons.
- Wu, Z. J., Ouyang, M. A., & Tan, Q. W. (2009). New asperxanthone and asperbiphenyl from the marine fungus *Aspergillus* sp. *Pest Management Science*, 65, 60–65.
- Xia, L., & Ng, T. B. (2005). An antifungal protein from flageolet beans. *Peptides*, 26, 2397-2403.
- Xiao, Y. T., Zheng, Z. H., Huang, Y. J., Xu, Q. Y., Su, W. J., & Song, S. Y. (2005). Nematicidal and brine shrimp lethality of secondary metabolites from marine-derived fungi. *Journal of Xiamen University (Nature Science)*, 44, 847-850.
- Xiong, H., Turunen, O., Pastinen, O., Letsola, M., & Weymarn, N. (2004). Improved xylanase production by *Trichoderma reesei* Rut C-30 grown on L-arabinose-rich plant hydrolysates. *Bioresource Technology*, 96, 753-759.
- Xiong, H., Qi, S., Xu, Y., Miao, L., & Qian, P. Y. (2009). Antibiotic and antifouling compound production by the marine derived fungus *Cladosporium* sp. F14. *Hydro-Environment Research*, 2, 264-270.
- Xu, B., Yin, Y., Zhang, F., Li, Z., & Wang, L. (2012). Operating conditions optimization for (+)-terrein production in a stirred bioreactor by *Aspergillus terreus* strain PF-26 from marine sponge *Phakellia fusca*. *Bioprocess and Biosystems Engineering*, 35, 1651-1655.
- Xu, J., Aly, A. H., Wray, V., & Proksch, P. (2011). Polyketide derivatives of endophytic fungus *Pestalotiopsis* sp. Isolated from the Chinese mangrove plant *Rhizophora mucronata*. *Tetrahedron Letters*, 52, 21-25.
- Xu, J., Kjer, J., Sendker, J., Wray, V., Guan, V., Edrada, R. A., Lin, W., Wu, J., & Proksch, P. (2009a). Chromones from the endophytic fungus *Pestalotiopsis* sp. isolated from the Chinese mangrove plant *Rhizophora mucronata*. *Natural Products*, 72, 662-665.
- Xu, J., Kjer, J., Sendker, J., Wray, V., Guan, V., Edrada, R. A., Werner, E. G., Bayer, M., Lin, W., Wu, J., & Proksch, P. (2009b). Cytosporones, coumarins, and an alkaloid from the endophytic fungus *Pestalotiopsis* sp. Isolated from the Chinese mangrove plant *Rhizophora mucronata*. *Bioorganic and Medicinal Chemistry*, 17, 7362-7267.

- Xu, J., Lin, Q., Wang, B., Wray, V., Lin, W. H., & Proksch, P. (2011). Pestalotiopamide E, a new amide from the endophytic fungus *Pestalotiopsis* sp. *Natural Products Research*, 13, 373-376.
- Yang, L. H., Miao, L., Lee, O. O., Li, X., Xiong, H., Pang, K. L., Vrijmoed, L., & Qian, P. Y. (2007). Effect of culture conditions on antifouling compound production of a sponge-associated fungus. *Applied Microbiology and Biotechnology*, 74, 1221-1231.
- Yang, L. S., Yaojian, Y. L. H., Hui, Z. Z., Yang, S. S., Wenjin, S., & Mao, S. Y. (2006b) The population fluctuation and biodiversity of endophytic fungi from mangrove plants in different seasons. *Journal of Xiamen University (Natural Science)*, 45, 95-99.
- Yang, R. Y., Li, C. Y., Lin, Y. C., Peng, G. T., She, Z. G., & Zhou, S. N. (2006a). Lactones from a brown alga endophytic fungus (No. ZZ36) from the South China Sea and their antimicrobial activities. *Bioorganic and Medicinal Chemistry Letters*, 16, 4205-4208.
- Yang, X. L., Zhang, J. Z., & Luo, D. Q. (2012). The taxonomy, biology and chemistry of the fungal *Pestalotiopsis* genus. *Natural Product Reports*, 29, 622-641.
- Yan, H. J., Gao, S. S., Li, C. S., Li, X. M., & Wang, B. G. (2010). Chemical constituents of a marine derived endophytic fungus *Penicillium commune* G2M. *Molecules*, 15, 3270-3275.
- Ye, X., & Ng, T. B. (2005). A chitinase with antifungal activity from the mung bean. *Protein Expression and Purification*, 40, 230-236.
- Yin, W., & Keller, N. P. (2011). Transcription regulatory elements in fungal secondary metabolites. *Microbiology*, 49, 329-339.
- Yoshida, Y., Sano, R., Wada, T., Takabayashi, J., & Okada, K. (2009). Jasmonic acid control of GLABRA3 links inducible defense and trichome patterning in *Arabidopsis*. *Development*, 136, 1039-1048.
- Yu, C., Cai, M., Kang, L., Zhang, Y., & Zhou, X. (2012). Significance of seed culture methods on mycelial morphology and production of a novel anti-cancer anthraquinone by marine mangrove endophytic fungus *Halorosellinia* sp. (No. 1403). *Process Biochemistry*, 47, 422-427.
- Yu, J. H., & Keller, N. (2005). Regulation of secondary metabolism in filamentous fungi. *Annual Reviews Phytopathology*, 43, 437-458.

- Zainuddin, N., Alias, S. A., Lee, C. W., Ebel, R., Othman, N. A., Mukhtar, M. R., & Awang, K. (2010). Antimicrobial activities of marine fungi from Malaysia. *Botanica Marina*, 53, 507-513.
- Zhang, G., Sun, S., Zhu, T., Lin, Z., Gu, J., Li, D., & Gu, Q. (2011). Antiviral isoindolone derivatives from an endophytic fungus *Emericella* sp. Associated with *Aegiceras corniculatum*. *Phytochemistry*, 72, 1436-1442.
- Zhang, J. Y., Tao, L. Y., Liang, Y. J., Chen, L. M., Mi, Y. J., Zheng, L. S., Wang, F., She, Z. G., Lin, Y. C., To, K. K., & Fu, L. W. (2010). Anthracenedione derivatives as anticancer agents isolated from secondary metabolites of the mangrove endophytic fungi. *Marine Drugs*, 8, 1469-1481.
- Zhang, M., Wang, W. L., Fang, Y. C., Zhu, T. J., Gu, Q. Q., & Zhu, W. M. (2008b). Cytotoxic alkaloids and antibiotic nordammarane triterpenoids from the marine-derived fungus *Aspergillus sydowi*. *Natural Products*, 71, 985-989.
- Zhang, S. Y., Li, Z. L., Bai, J., Wang, Y., Zhang, L. M., Wu, X., & Hua, H. M. (2012). A new perylenequinone from a halotolerant fungus, *Alternaria* sp. M6. *Chinese Journal of Natural Medicines*, 10, 68-71.
- Zhu, F., & Lin, Y. (2006). Marinamide, a novel alkaloid and its methyl ester produced by the application of mixed fermentation technique to two mangrove endophytic fungi from the South China sea. *Chinese Science Bulletin*, 51, 1426-1430.
- Zou, W. X., Meng, J. C., Lu, H., Chen, G. X., Shi, G. X., Zhang, T. Y., & Tan, R. X. (2000). Metabolites of *Colletotrichum gloeosporioides*, an endophytic fungus in *Artemisia mongolica*. *Natural Products*, 63, 1529-1530.