

บรรณานุกรม

ฉันทนา ผดุงทศ. (2549). ภัยสุขภาพจากโลหะ. *วารสารคลินิก*, ฉบับที่ 263

ชวลีกร ธนศิริกร. *Chromium*. เข้าถึงได้จาก

: http://www.summacheeva.org/index_thaitox_chromium.html

ชัยวัฒน์ เจนวาณิชย์. (2555). เข้าถึงได้จาก

: <http://web.ku.ac.th/schoolnet/snet5/topic2/Cr.html>

มลิวรรณ บุญเสนอ. (2549). *พิษวิทยาสิ่งแวดล้อม* (พิมพ์ครั้งที่ 4). นครปฐม: โรงพิมพ์มหาวิทยาลัยศิลปากร, หน้า 74-76.

แม่น อมรสิทธิ์. อมร เพชรสม, ยุวดี เชี่ยววัฒนา. อติดา ศิริภิญโญนันท์, ศรีวไล โอมอภิญญาณ และอุมาพร สุขม่วง. “Principles and Techniques of Instrumental Analysis Spectroscopy”
กรุงเทพ. ชวนพิมพ์. 2552.

ลัดดาวัลย์ ผดุงทรัพย์. (2544). *Iron chromium and manganese*. กรุงเทพ: นานมีบุ๊คส์.

ศุภชัย ไข่เทียมวงศ์. (2550). *เคมีวิเคราะห์* (พิมพ์ครั้งที่ 9). กรุงเทพ: สำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.

สุภาพ บุญยะรัตเวช และ เกสร วีระชาโต. (2540). *ปฏิบัติการเคมีอินทรีย์* (พิมพ์ครั้งที่ 6). กรุงเทพ: สำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.

หิรัญญา เพชรมั่ง. (2553). *เคมีอินทรีย์ 2*. กรุงเทพ: เทมการพิมพ์.

AOAC International. (1993). *AOAC[®] peer-verified methods program: manual on policies and procedures*. United States of America.

Afzali, D., Ghazizadeh, A., & Salari, H. (2011). Ion pair-dispersive liquid-liquid microextraction of trace amount of rhodium ion in water and road dust samples to flame atomic absorption spectrometry determination. *Quimica Nova*, 34. 1124-1128.

Ahmad, S., Murthy, R. C., & Chandra, S. V. (1990). Chromium speciation by column chromatography using a direct current plasma atomic absorption spectrometer. *Analyst*, 115. 287-289.

Ahmadi, F., Assadi, T., Milani-Hosseini, S. M. R., & Rezaee, M. (2006). Determination of organophosphorus pesticides in water samples by single drop microextraction and gas chromatography-flame photometric detector. *Journal of Chromatography A*, 1101. 307-312.

- Andersen, J. E. T. (1998). Introduction of hydrogen peroxide as an oxidant in flow injection analysis: speciation of Cr(III) and Cr(VI). *Analytica Chimica Acta*, 361. 125-131.
- Anderson, R. A. (1989). Essentiality of chromium in humans. *Science of the Total Environment*, 86. 75-81.
- Andrid, C. M., & Broekaert, J. A. C. (1993). Speciation of Cr(III) and Cr(VI) by reversed phase high-performance liquid chromatography using UV-detection. *Analytica Chimica Acta*, 346. 653-658.
- Andruch, V., Kocurova, L., Balogh, L. S., Jana, S., & Skrlikova, J. (2012). Recent advances in coupling single-drop and dispersive liquid-liquid microextraction with UV-vis spectrophotometry and related detection techniques. *Microchemical Journal*, 102. 1-10.
- Bag, H., Turker, A. R., Lale, M., & Tunçeli, A. (2000). Separation and speciation of Cr(III) and Cr(VI) with *saccharomyces cerevisiae* immobilized on sepiolite and determination of both species in water by FAAS. *Talanta*, 51. 895-902.
- Bardiya, N., Tong-Woo, H., & Jac-Ho, B. (2004). Interference of thiosulfate during colorimetric analysis of hexavalent chromium using 1,5-diphenylcarbazide method. *Anaerobe*, 10. 7-11.
- Baliza, P. X., Feixeira, L. S. G., Lemos, V. A. (2009). A procedure for determination of cobalt in water samples after dispersive liquid-liquid microextraction. *Microchemical Journal*, 93. 220 - 224.
- Berijani, S., Assadi, Y., Anbia, M., Hosseini, M. R. M., & Aghaee, E. (2006). Dispersive liquid-liquid microextraction combined with gas chromatography-flame photometric detection: Very simple, rapid and sensitive method for the determination of organophosphorus pesticides in water. *Journal of Chromatography A*, 1123. 1-9.
- Birghila, S., & Popescu, V. (2002). Speciation of chromium in sediments, plants and water from "TABACARIE" lake. *Environmental Engineering and Management Journal*, 1. 355-359.
- Capote, P. F., & Castro, M. D. (2006). Speciation of chromium by in-capillary derivatization and electrophoretically mediated microanalysis. *Journal of Chromatography A*, 1113. 244-250.

- Chow, P. Y. T., Chua, T. H., Tang, K. F., & Ow, B. Y. (1995). Dilute acid digestion procedure for the determination of lead, copper and mercury in traditional Chinese medicines by atomic absorption spectrometry. *Analyst*, 120, 1221-1223.
- Chen, H., Du, P., Jie, C., Shenghua, H., Shengqing, L., & Hanlan, L. (2010). Separation and preconcentration system based on ultrasonic probe-assisted ionic liquid dispersive liquid-liquid microextraction for determination trace amount of chromium(VI) by electrothermal atomic absorption spectrometry. *Talanta*, 81, 176-179.
- Clesceri, L. S., Greenberg, A. E., & Eaton A. D. (1998). *Standard Methods for the examination of water and wastewater* (20th ed). Washington, DC, APHA.
- Cranston, R. E., & Murray J. W. (1978). The determination of chromium species in natural waters. *Analytica Chimica Acta*, 99, 275-282.
- Constantine, S. (2007). Single-drop microextraction followed by in-drop derivatization for the analysis of organic compounds by gas chromatography. *Pakistan Journal of Analytical & Environmental Chemistry*, 8, 72-74.
- El-Shahawi, M. S., Al-Saidi, H. M., Bashammakh, A. S., Al-Sibaa, A. A., & Abdelfadeel, M. A. (2011). Spectrofluorometric determination and chemical speciation of trace concentrations of chromium (III & VI) species in water using the ion pairing reagent tetraphenyl-phosphonium bromide. *Talanta*, 84, 175-179.
- Gomez, V., & Callao, M. P. (2006). Chromium determination and speciation since 2000. *Trends in Analytical Chemistry*, 25, 1006-1015.
- Gurleyuk, H., & Wallschlager, D. (2001). Chromium speciation in water by HPLC/ICP-MS. At. Spectrom. *Analytica Chimica Acta*, 16, 926.
- Geankoplis, C. J. (2003). *Transport process and separation process principles* (4th ed). Prentice Hall Professional Technical Reference, New Jersey.
- Hassan, S., Vahid, K., & Soheila, S. (2011). Optimization of dispersive liquid-liquid microextraction coupled with inductively coupled plasma-optical emission spectrometry with the aid of experimental design for simultaneous determination of heavy metals in natural waters. *Talanta*, 83, 885-890.

- He, Y., & Jung, Y. K. (2006). Single drop liquid–liquid–liquid microextraction of methamphetamine and amphetamine in urine. *Journal of Chromatography A*, 1133, 35–40.
- Hoshi, S., Konuma, K., Sugawara, K., Uto, M., & Akatsuka, K. (1998). The simple and rapid spectrophotometric determination of trace chromium(VI) after preconcentration as its colored complex on chitin. *Talanta*, 47, 659–663.
- Hosseini, M. S., & Belador, F. (2009). Cr(III)/Cr(VI) speciation determination of chromium in water samples by luminescence quenching of quercetin. *Journal of Hazardous Materials*, 165, 1062–1067.
- Hariharan, A. V. L. N. S. H. (2010). Solvent extraction of Chromium (VI) from aqueous acid solutions by Tricaprylamineoxide. *International Journal of ChemTech Research*, 2, 690–694.
- Jahromi, E. Z., Bidari, A., Assadi, Y., Hosseini, M. R. M., & Jamali, M. R. (2007). Dispersive liquid–liquid microextraction combined with graphite furnace atomic absorption spectrometry: Ultra trace determination of cadmium in water samples. *Analytica Chimica Acta*, 585, 305–311.
- Jankiewicz, B., & Ptaszynski, B. (2005). Determination of chromium in soil of lodz gardens. *Polish journal of environmental studies*, 14, 869–875.
- Jeannot, M. A., & Cantwell, F. F. (1997). Mass transfer characteristics of solvent extraction into a single drop at the tip of a syringe needle. *Analytical Chemistry*, 69, 235–239.
- Jia, X., Han, Y., Liu, X., Duan, T., & Chen, H. (2011). Speciation of mercury in water samples by dispersive liquid–liquid microextraction combined with high performance liquid chromatography-inductively coupled plasma mass spectrometry. *Spectrochimica Acta Part B*, 66, 88–92.
- Joon, H. S., Yun, Y. L., Hec, J. L., Myunghee, K., Yeoun, H., Sun, N. L., Dong-Hyug, Y., & Sang, B. H. (2013). Dispersive liquid–liquid microextraction based on solidification of floating organic droplets followed by high performance liquid chromatography for the determination of duloxetine in human plasma. *Journal of Pharmaceutical and Biomedical Analysis*, 75, 214–219.

- Joao, C. A., Julio, C. R., & Nivaldo, B. (1984). On-line oxidation of Cr(III) to Cr(VI) for use with the flow injection analysis technique. *Analytst*, 109, 645-647.
- Kataoka, H. (2005). Recent advances in solid-phase micro extraction and related techniques for pharmaceutical and biomedical analysis. *Current Pharmaceutical Analysis*, 1, 65-84.
- Kieber, R., & Helz, G. (1992). Indirect photoreduction of aqueous chromium(VI). *Environment Science & Technology*, 26, 307-312.
- Kim, J. G., Dixon, J. B., Chusuei, C. C., & Deng, Y. (2002). Oxidation of chromium(III) to (VI) by manganese oxides. *Soil Science Society of America Journal*, 6, 306-315.
- Kocurova, L., Balogh, L. S., Skrlíkova, J., Posta, J., & Andruch, V. (2010). A novel approach in dispersive liquid-liquid microextraction based on the use of an auxiliary solvent for adjustment of density uv-vis spectrophotometric and graphite furnace atomic absorption spectrometric determination of gold based on ion pair formation. *Talanta*, 82, 1958-1964.
- Kotas, J., & Stasicka, Z. (2000). Chromium occurrence in the environment and methods of its speciation. *Environmental Pollution*, 107, 263-283.
- Krishna, P. G., Gladis, J. M., Rambabu, U., Rao, T. P., & Naidu, G. R. K. (2004). Preconcentrative separation of chromium(VI) species from chromium(III) by coprecipitation of its ethylxanthate complex onto naphthalene. *Talanta*, 63, 541-544.
- Krska, R. (1998). Performance of modern sample preparation techniques in the analysis of fusarium mycotoxins in cereals. *Journal of Chromatography A*, 815, 49-57.
- Liang, P., & Li, J. (2005). Speciation of chromium with cloud point extraction: separation and determination by ICP-OES. *Atomic Spectroscopy*, 26, 89-93.
- Liang, P., Shi, T., Lu, H., Jiang, Z., & Hu, B. (2003). Speciation of Cr(III) and Cr(VI) by nanometer titanium dioxide micro-column and inductively coupled plasma atomic emission spectrometry. *Spectrochimica Acta Part B*, 58, 1709-1714.
- Li, L., Hu, B., Xia, L., & Jiang, Z. (2006). Determination of trace Cd and Pb in environmental and biological samples by ETV-ICP-MS after single-drop microextraction. *Talanta*, 70, 468-473.

- Luo, Y., Nakano, S., Holman, D. A., Ruzicka, J., & Christian, G. D. (1997). Sequential injection wetting film extraction applied to the spectrophotometric determination of chromium(VI) and chromium(III) in water. *Talanta*, 44, 1563-1571.
- Ma, M., & Cantwell, F. F. (1999). Solvent micro extraction with simultaneous back-extraction for sample cleanup and preconcentration: preconcentration into a single drop. *Analytical Chemistry*, 71, 388-393.
- Ma, J., Yang, B. & Byrne, R. H. (2012). Determination of nano molar chromate in drinking water with solid phase extraction and a portable spectrophotometer. *Journal of Hazardous Materials*, 219-220, 247-252.
- Marie-Christine, Fournier-Salaun, & Salaun, P. (2007). Quantitative determination of hexavalent chromium in aqueous solutions by uv-vis spectrophotometer. *Central European Journal of Chemistry*, 5, 1084-1093.
- Masroumnia, M., Nezhadali, A., Taghezadeh-Darban, B., Ahmadabadi, Z., & Mollaei, H. (2010). Speciation of Cr(III) and Cr(VI) in water sample by spectrophotometry with cloud point extraction. *International Applied Geological Congress*, 1, 420-424.
- Hemmatkhah, P., Bidari, A., Jafarvand, S., Hosseini, M. R. M., & Assadi, Y. (2009). Speciation of chromium in water samples using dispersive liquid-liquid microextraction and flame atomic absorption spectrometry. *Microchimica Acta*, 166, 69-75.
- Mirzaei, M., Behzadi, M., Abadi, N. M., & Beizaei, A. (2011). Simultaneous separation/preconcentration of ultra trace heavy metals in industrial wastewaters by dispersive liquid-liquid microextraction based on solidification of floating organic drop prior to determination by graphite furnace atomic absorption spectrometry. *Journal of Hazardous Materials*, 186, 1739-1743.
- Mir, A. F., Djavanshir, D., & Parisa, K. (2012). Development of a new dispersive liquid-liquid microextraction method in a narrow-bore tube for preconcentration of triazole pesticides from aqueous samples. *Analytica Chimica Acta*, 713, 70-78.
- Mohammad, S. T., Parviz, A. A., Syed, W. H., & Faezeh, S. (2010). Dispersive liquid-liquid microextraction of Cr(VI) in water and hair samples by electrothermal atomic absorption spectrometry. *Asian Journal of Chemistry*, 22, 6302-6310.

- Moghadam, M. R., Dadfarnia, S., & Shabani, A. M. H. (2011). Speciation and determination of ultra trace amounts of chromium by solidified floating organic drop microextraction (SFODME) and graphite furnace atomic absorption spectrometry. *Journal of Hazardous Materials*, 186, 169–174.
- Moghadam, M. R., Shabani, A. M. H., & Dadfarnia, S. (2011). Spectrophotometric determination of iron species using a combination of artificial neural networks and dispersive liquid–liquid microextraction based on solidification of floating organic drop. *Journal of Hazardous Materials*, 197, 176–182.
- Noroozifar, M., & Khorasani-Motlagh, M. (2003) Specific extraction of chromium as tetrabutylammonium-chromate and spectrophotometric determination by diphenylcarbazide: Speciation of chromium in effluent streams. *Journal of Analytical Science and Technology*, 19, 705–708.
- Noroozifar, M., & Khorasani-Motlagh, M. (2003). Application of potassium chromate-diphenylcarbazide in the quantitative determination of ascorbic acid by spectrophotometry. *Turkish Journal of Chemistry*, 27, 717–722.
- Nirmala, B., Yong-Woo, H., & Jae-Ho, B. (2004). Interference of thiosulfate during colorimetric analysis of hexavalent chromium using 1,5-diphenylcarbazide method. *Anaerobe*, 10, 7–11.
- Narin, I., Surme, Y., Soylak, M., & Dogan, M. (2006). Speciation of Cr(III) and Cr(VI) in environmental samples by solid phase extraction on Ambersorb 563 resin. *Journal of Hazardous Materials B*, 136, 579–584.
- Narin, I., Kars, A., & Soylak, M. (2008). A novel solid phase extraction procedure on amberlite XAD-1180 for speciation of Cr(III), Cr(VI) and total chromium in environmental and pharmaceutical samples. *Journal of Hazardous Materials*, 150, 453–458.
- Olson, K. R., Anderson, I. B., Benowitz, N. L., Blanc, P. D., Clark, R. F., & Kearney, T. E. (2004). Poisoning & drug overdose. the California Poison Control System. 5th ed. New York: McGraw-Hill.
- Palit, M., Pardasani, D., Gupta, A. K., & Dubey, D. K. (2005). Application of single drop microextraction for analysis of chemical warfare agents and related in water by gas chromatography/mass spectrometry. *Analytical Chemistry*, 77, 711–717.

- Paulo, C. C., O. & Jorge C. M. (1998). Sequential injection determination of chromium(VI) by transient oxidation of brucine with spectrophotometric detection and in-line dilution. *Analyst*, 123. 2085-2090.
- Pires, C. K., Reis, B. F., Morales-Rubio, A., & Guardia, M. (2007). Speciation of chromium in natural waters by micropumping multicommutated light emitting diode photometry. *Talanta*, 72. 1370-1377.
- Patel, K., Mhta, P., Sahoo, U., Sen, A. K., & Dhanya (2010). A single drop microextraction and future trends. *International Journal of ChemTech Research*, 2. 1638-1652.
- Pena-Pereira, F., Lavilla, I., & Bendicho, C. (2009). Miniaturized preconcentration methods based on liquid-liquid extraction and their application in inorganic ultratrace analysis and speciation: A review. *Spectrochimica Acta Part B*, 64. 1-15.
- Powell, M. J., Boomer, D. W., & Wiederin, D. R. (1995). Determination of chromium species in environmental samples using high-pressure liquid chromatography direct injection nebulization and inductively coupled plasma mass spectrometry. *Analytical Chemistry*, 67. 2474-2478.
- Psillakis, E., & Kalogerakis, N. (2002). Developments in single-drop microextraction, *Trends in Analytical Chemistry*, 21. 53-63.
- Pettine, M., & Capri, S. (2005). Removal of humic matter interference in the determination of Cr(VI) in soil extracts by the diphenylcarbazide method. *Analytica Chimica Acta*, 540. 239-246.
- Priego-Capote, F., & Luque de Castro, M. D. (2006). Speciation of chromium by in-capillary derivatization and electrophoretically mediated microanalysis. *Journal of Chromatography A*, 1113. 244-250.
- Rai, D., Eary, L. E., & Zachara, J. M. (1989). Environmental chemistry of chromium. *Science of The Total Environment*, 86. 15-23.
- Rao, V. M., & Sastri, M. N. (1980). Solvent extraction of chromium-a review. *Talanta*, 27. 771-777.
- Ramirez, M. T., Morales-Perez, A., Rojas-Hern, A., & Gonzfilez, I. (1996). Electrochemical study of 1,5-diphenylcarbazide and 1,5-diphenylcarbazone in 0.3 M HClO₄. *Journal of Electroanalytical Chemistry*, 410. 203-212.

- Rasmussen, K. E., & Bjergaard, P. S. (2008). Developments in hollow fiber based, liquid-phase microextraction. *Trends in Analytical Chemistry*, 23, 1-10.
- Rezaee, M., Yamini, Y., & Faraji, M. (2010). Evolution of dispersive liquid-liquid microextraction method. *Journal of Chromatography A*, 1217, 2342-2357.
- Safari, M., Nojavan, S., Davarani, S. S. H., & Morteza-Najarian, A. (2013). Speciation of chromium in environmental samples by dual electromembrane extraction system followed by high performance liquid chromatography. *Analytica Chimica Acta*, 789, 58-64.
- Sanagi, M. M., Abbas, H. H., Ibrahim, W. A. W., & Aboul-Enien, H. Y. (2012). Dispersive liquid-liquid microextraction method based on solidification of floating organic droplet for the determination of triazine herbicides in water and sugarcane samples. *Food Chemistry*, 133, 557-562.
- Saleh, F., Parkerton, T., Lewis, R., Huang, J., & Dickson, K. (1989). Chromium Speciation in water by HPLC/ICP-MS. *Science of the Total Environment*, 86, 25-33.
- Sigma-aldrich. *1,5-Diphenylcarbazide (DPC)*. เข้าถึงได้จาก : [www. sigma-aldrich.com](http://www.sigma-aldrich.com)
- Shemirani, F., Abkenar, S. D., Mirroshandel, A. A., Niasari, M. S., & Kozania, R. R. (2003). Preconcentration and speciation of chromium in water samples by atomic absorption spectrometry after cloud-point extraction. *Analytical Sciences*, 19, 1453-1456.
- Shemirani, F., & Rajabi, M. (2001). Preconcentration of chromium (III) and speciation of chromium by electrothermal atomic absorption spectrometry using cellulose adsorbent. *Journal of Analytical Chemistry*, 371, 1037-1040.
- Shengping, W., Jun, W., & Xiashi, Z. (2013). Room temperature ionic liquid-based dispersive liquid-liquid microextraction combined with flame atomic absorption spectrometry for the speciation of chromium(III) and chromium(VI). *Journal of Molecular Liquids*, 180, 59-64.
- Shakerian, F., Dadfarnia, S., & Shabani, H. A. M. (2009). Separation preconcentration and measurement of inorganic iron species by cloud point extraction and flow injection flame atomic absorption spectrometry. *Journal of the Iran Chemistry Society*, 6, 594-601.

- Soomro, R., Ahmed, M. J., & Memon, N. (2011). Simple and rapid spectrophotometric determination of trace level chromium using bis (salicylaldehyde)orthophenylenediamine in nonionic micellar media . *Turkish Journal of Chemistry*, 35. 155–170.
- Soylak, M., & Yilmaz, E. (2011). Ionic liquid dispersive liquid–liquid microextraction of lead as pyrrolidinedithiocarbamate chelate prior to its flame atomic absorption spectrometric determination. *Desalination*, 275. 297–301.
- Saygi, K. O., Tuzen, M., Soy lak, M., Elci, L. (2008). Chromium speciation by solid phase extraction on Dowex M 4195 chelating resin and determination by atomic absorption spectrometry. *Journal of Hazardous Materials*, 153. 1009–1014.
- Sperling, M., Xu, S., & Welz, B. (1992). Determination of Cr(III) and Cr(VI) in water using flow injection on-line preconcentration with selective adsorption on activated alumina and flame atomic absorption spectrometric detection. *Analytical Chemistry*, 64. 3101–3108.
- Sperling, M., Yin, X., & Welz, B. (1992). Differential determination of chromium(VI) and total chromium in natural waters using flow injection on-line separation and preconcentration electrothermal atomic absorption spectrometry. *Analytical Chemistry*, 117. 629–635.
- Subramanian, K. S. (1988). Determination of Cr(III) and Cr(VI) by ammonium pyrrolidine-carbodithioate-methyl isobutyl ketone furnace atomic absorption spectrometry. *Analytical Chemistry*, 60. 11–15.
- Sun, H., Kang, W., Liang, S., Ha, H., & Shen, S. (2003). Determination of Cr(III) and total chromium in water by derivative atomic absorption spectrometry using flow injection on-line preconcentration with a double microcolumn. *Analytical Science*, 19. 589–592.
- Tabrizi, A. B. (2010). Development of a dispersive liquid–liquid microextraction method for iron speciation and determination in different water samples. *Journal of Hazardous Materials*, 183. 688–693.
- Takayanagi, T., Han T. H., Oshima, M., & Motomizu, S. (2011). Flow injection analysis of chromium(VI) coupled with on-line solid-phase extraction with anion-exchange resin cartridge column. *Journal of Flow Injection Analytical*, 28. 124–129.
- Takahashi, K., Hirayama, K., & Takeuchi, H. (1987). Solvent extraction of Cr(VI) by 3-(4-pyridyl)-1,5-diphenylpentane. *Solvent Extraction and Ion exchange*, 5. 393–418.

- Theis, A. L., Waldack, A. J., Hansen, S. M., & Jeannot, M. A. (2001). Headspace solvent microextraction. *Analytical Chemistry*, 73, 5651–5654.
- Tehrani, M. S., Ebrahimi, A.A., & Rastegar, F. (2004). Chromium speciation by surfactant assisted solid-phase extraction and flame atomic absorption spectrometric detection. *Analytica Chimica acta*, 94, 429-435.
- Tuzen, M., & Soylak, M. (2006). Chromium speciation in environmental samples by solid phase extraction on Chromosorb 108, *Journal of Hazardous Materials*, 129, 266–273.
- Tuzen, M., & Soylak, M. (2007). Multiwalled carbon nanotubes for speciation of chromium in environmental samples. *Journal of Hazardous Materials*, 147, 219–225.
- Vickery, R. C. (1950). "Some reactions of cerium and other rare earths with chlorine and hypochlorite". *Journal of the Society of Chemical Industry*, 69: 122–125.
- Wang, J., Ashley, K., Eugene, R., Kennedy, E. R., & Neumeister, C. (1997). Determination of hexavalent chromium in Industrial hygiene samples using ultrasonic extraction and flow injection analysis. *Analyst*, 122, 1307–1312.
- Wang, J. S., & Chiu, K. (2001). Simultaneous extraction of Cr(III) and Cr(VI) with a dithiocarbamate reagent followed by HPLC separation for chromium speciation. *Analytical Sciences*, 20, 841–846.
- Weingaertner, J., Krska, R., Praznik, W., Grasserbauer, M., & Lew, H. (1997). Use of mycosep multifunctional clean-up columns for the determination of trichothecenes in wheat by electron-capture gas chromatography, *Fresenius Journal of Analytical Chemistry*, 357, 1206-1210.
- Wang, J., & Xue, B. (2006). Sequential injection analysis for Cr(VI) and Cr(III) with renewable surface reflection spectrophotometry. *Analytical Sciences*, 22, 1233–1236.
- Wen, X., Yang, Q., Yan, Z., & Deng, Q. (2011). Determination of cadmium and copper in water and food samples by dispersive liquid–liquid microextraction combined with UV – vis spectrophotometry. *Microchemical Journal*, 97, 249-254.
- Wen, X., Tu, C., & Lee, H. K. (2010). Two-step liquid-liquid-liquid microextraction of nonsteroidal antiinflammatory drugs in wastewater. *Analytical Chemistry*, 76, 2356-2365.

- Wrobel, K., Wrobel, K., Lopez-de-Alba, P. L., & Lopez-Martinez, L. (1997). Enhanced spectrophotometric determination of chromium(VI) with diphenylcarbazide using internal standard and derivative spectrophotometry. *Talanta*, 44. 2129-2136.
- Xia, Y., Cheng, M., Guo, F., Wang, X., & Cheng, J. (2012). In-syringe demulsified dispersive liquid-liquid microextraction and high performance liquid chromatography-mass spectrometry for the determination of trace fungicides in environmental water samples. *Analytica Chimica Acta*, 724. 47-53.
- Yamini, Y., Rezace, M., Khanchi, A., Faraji, M., & Saleh, A. (2010). Dispersive liquid-liquid microextraction based on the solidification of floating organic drop followed by inductively coupled plasma-optical emission spectrometry as a fast technique for the simultaneous determination of heavy metals. *Journal of Chromatography A*, 1217. 2358-2364.
- Yousefi, S. M., & Shemirani, F. (2013). Selective and sensitive speciation analysis of Cr(VI) and Cr(III) in water samples by fiber optic-linear array detection spectrophotometry after ion pair based-surfactant assisted dispersive liquid-liquid microextraction. *Journal of Hazardous Materials*, 15. 254-255.
- Zeng, C., Lin, Y., Zhou, N., Zheng, J., & Zhang, W. (2012). Room temperature ionic liquids enhanced the speciation of Cr(VI) and Cr(III) by hollow fiber liquid phase microextraction combined with flame atomic absorption spectrometry. *Journal of Hazardous Materials*, 237-238. 365-370.
- Zhang, H., Liu, Q., Wang, T., Yun, T., Li, G., Liu, J., & Jiang, G. (2013). Facile preparation of glutathione-stabilized gold nanoclusters for selective determination of chromium (III) and chromium (VI) in environmental water samples. *Analytica Chimica Acta*, 770. 140-146.
- Zhu, X., Hu, B., Jiang, Z., Wu, Y., & Xiong, S. (2002). Speciation of chromium(III) and chromium(VI) by in situ separation and sequential determination with electrothermal vaporization inductively coupled plasma atomic emission spectrometry. *Analytica Chimica Acta*, 471. 121-126.